

AL-KO IRS AXLES

Simple and effective engineering. The hexagonal axle tube houses three rubber elements held in place by a triple fluted inner tube. Suspension movement between bump and rebound rolls the rubber elements providing dampening of road shocks. IRS axles are manufactured to order. Contact us for a quote.

AL-KO AXLE BEAMS
39MM ROUND

1345mm	035998
1397mm	035999
1499mm	036000
1524mm	036001
1549mm	036002
1575mm	036003
1600mm	036004
1626mm	036005
1650mm	036006
1676mm	036007
1702mm	036008
1778mm	036009
1804mm	036010
1905mm	036011
1930mm	036012
1956mm	036013

AL-KO STUB AXLES
ROUND

39mm x 205mm overall short round	036078
39mm x 250mm overall long round	036079
45mm x 205mm heavy duty round	036081
45mm x 240mm long heavy duty round	036082
45mm x 280mm long heavy duty round	036083

AL-KO AXLE BEAMS
40MM SQUARE

1346mm	036014
1397mm	036015
1448mm	036016
1499mm	036018
1549mm	036020
1575mm	036021
1600mm	036022
1625mm	036023
1650mm	036024
1676mm	036025
1702mm	036026
1727mm	036027
1753mm	036028
1778mm	036029
1804mm	036030
1829mm	036031
1854mm	036032
1880mm	036033
1905mm	036034
1930mm	036035
1956mm	036036
1981mm	036037
2007mm	036038
2032mm	036039
2057mm	036040
2108mm	036042
2134mm	036043
2159mm	036044
2184mm	036045
2210mm	036046
2235mm	036047
2261mm	036048
2286mm	036049
2311mm	036050
2337mm	036051
2362mm	036052
2388mm	036053
2413mm	036054
2438mm	036055

AL-KO STUB AXLES
SQUARE

45mm sq 205mm	036080
45mm sq 305mm	036086
40mm sq 205mm overall short	036084
40mm sq 300mm overall long	036085

AL-KO AXLE BEAMS
45MM SQUARE
1400KG

1600mm	036059
1625mm	036060
1650mm	036061
1676mm	036062
1702mm	036063
1727mm	036064
1778mm	036065
1829mm	036066
1905mm	036067
1956mm	036068
1980mm	036069
2032mm	036070
2108mm	036071
2185mm	036072
2210mm	036073
2260mm	036074
2286mm	036075
2362mm	036076
2440mm	036077

AL-KO AXLE NUT, WASHER
AND PIN KIT

Pre-packed. 2 per card	038757
Slotted axle nut	006549
Axle washer	006550
Axle cotter pin 40 x 3.2mm	006551

AL-KO BRAKE ASSEMBLY
PLATE MECHANICAL

230mm x 45mm RH (off side)	006340
230mm x 45mm LH (near side)	006341

AL-KO NON BRAKED HUBS GALVANISED



Complete with bearings and seals.

HT Holden	036102
HT Velox	036103
Ford	036104
HQ Holden	036105
Commodore	036106

AL-KO NON BRAKED HUBS



Complete with bearings and seals in a variety of stud patterns

HT Holden	036087
Mini	036088
Ford Falcon 4 Stud 1/2"	036089
Datsun 4 Stud 7/16"	038099
Landcruiser 6 Stud HD	036090
Cortina 4 Stud	038100
Ford Falcon 5 Stud	036091
HT Velox Small Flange	036092
HQ Holden	036093
Blank 150mm Std	036094
F100 HD	038101
HT Special HD	036095
Ford Special HD	036096
HQ Special HD	036097
Landcruiser 5 Stud HD	036098
Commodore	036099
Landcruiser 6 Stud Holden	036101
Boxed Kits	
HQ Holden	038751
HT Holden	038752
Ford 5 Stud	038753

AL-KO BRAKE ASSEMBLY PLATE HYDRAULIC



With mechanical park brake. 230mm x 45mm

LH	006338
RH	006339
Without park brake. 230mm x 45mm	
LH	036107
RH	036108

BRAKE ASSEMBLY PLATES ELECTRIC



With mechanical park brake. 250mm x 56mm


LH	Alko	006334
RH	Alko	006333
LH	Offroad	036111
RH	Offroad	036112
RH	Trailtech	036113
LH	Trailtech	036114

BRAKE MOUNTING PLATES MECHANICAL / ELECTRICAL



40mm round hole 006395

45mm round hole 006397



40mm square hole 036115

BRAKE MOUNTING PLATES HYDRAULIC



40mm 006359

45mm 036116

Bolt and nut 1 x 7/16 UNF

suit adaptor plate 036117

Nut only 7/16 UNF 006336

MECHANICAL / HYDRAULIC DISC BRAKE HUBS



HT Holden 036149

Ford 036150

HQ Holden 036151

MECHANICAL/HYDRAULIC DISC BRAKE HUBS GALVANISED



HT Holden 036166

Ford 036167

HQ Holden 036168

Commodore 036169

HT Velox 036170

Boxed Sets complete with Slimline Bearings

HT Holden 038754

Ford 038755

AL-KO HUB DRUMS



Complete with studs, nuts, seals, bearings and grease cap.

230mm Mechanical and Hydraulic ME9

HT Holden 036118

Ford 036119

HQ Holden 036120

Slimline Toyota Landcruiser 6 stud 036121

Slimline Toyota Landcruiser 5 stud 036122

Slimline Ford 036123

250mm Electric ME12

HT Alko 036124


HQ Alko 036126

Toyota Landcruiser 6 stud 036127

Toyota Landcruiser 5 stud 036128

Ford Slimline 036129

MECHANICAL DISC BRAKE CALIPERS



Adaptor Plate 40mm 036147

Mounting Bolt Alko 036158

Return Spring 036159

Pressure Pad Alko 036160

Brake Pad 036161

Mounting Bush S/S Alko 036163

AL-KO MECHANICAL DISC BRAKE CALIPERS



Forward Pull

Centre Pull

Forward pull: For use on beam axles

A100M 036145

Boxed Set of 2 038761

Centre pull: For use with IRS 036146

HYDRAULIC DISC BRAKE CALIPER



Trigg Marinised 036153

Brake Pad Trojan 036162

AL-KO HYDRAULIC DISC BRAKE CALIPERS



Suitable for installations where more than one axle is used. Can be operated using hydraulic override couplings. Suitable for 12mm to 15mm. Box of 2. 038762

Slide Pin Kit. Pack of 1 038764

Piston Seal Repair Kit. Pack of 1 038765

AL-KO HYDRAULIC DISC BRAKE PADS



Pack of 2 038763

METAL GREASE CAP



Holden 006568

Suit 1.5 - 2 tonne axles 006569

Pack of 2 038756


AL-KO ELECTRIC BRAKE SHOES



254mm x 560mm Primary 006390

254mm x 560mm Secondary 006391

TYPICAL HUB-STUB ASSEMBLY




40mm Axles and Stubs use **STANDARD** Bearings

45mm Axles and Stubs use **SLIMLINE** Bearings

Note: Landcruiser, Land Rover and F100 use **SLIMLINE** Bearings.

ELECTRIC BRAKE MAGNETS



Kelsey Hayes Round Type complete with spring and clip 006379

Off Road Magnet Oval Type LH 006388


Off Road Magnet Oval Type RH 006389

Dexter Oval Type complete with spring and clip 006384

Kelsey Hayes LH Lever suit Dexter 006386

Kelsey Hayes RH Lever suit Dexter 006387

ELECTRIC BRAKE SPARE PARTS



HUB CONES AND CUPS



INNER OUTER

Standard - Holden

Inner Bearing Kit	006553
Inner Cone	036173
Inner Cup	036174
Outer Bearing Kit	006554
Outer Cone	036171
Outer Cup	036172

Heavy Duty - Ford

Inner Bearing Kit	006555
Inner Cone	036177
Inner Cup	036178
Outer Bearing Kit	006556
Outer Cone	036175
Outer Cup	036176

BEARING KITS WITH SEAL



4 piece boxed sets to keep in glove box. Comprises cup and cone, seal and grease cap.

Holden	006563
Composite	006562
Ford TWK12	006565
Holden with seal	036183

SUPER SEALS



Set of 2 hub seals suitable for boat trailers.

Slimline Bearing	036180
Standard Bearing	036181

OIL SEALS



No.609 suit Standard Bearing	006558
No.610 suit Slimline Bearing	006559

WHEEL NUTS



7/16" 60° Holden	006638
1/2" 60° Ford	006639
Windsor wheel nut adaptor	006640
5 stud TLC 9/16" 60°	036190

WHEEL STUDS



Short spline 7/16"	Holden	006635
Short spline 1/2"	Ford	006636
Long spline 1/2"	Industrial 55mm special	036186
Short spline 1/2"	Industrial 50mm special	036187
Long Spline 9/16"		036188
Short Spline 9/16"		036189

AL-KO STUD AND NUT KITS




Pack of 5 studs and nuts		
7/16"	Plated Wheel	038758
1/2"	Black Wheel	038759
1/2"	Plated Wheel	038760

BEARING PROTECTOR DUST COVER



Red plastic dust and water covers.	
Pack of 2.	006575

AL-KO BEARING PROTECTORS



Pressurised steel greaseable hub system	
Pack of 2	006574

LUBRICANTS



Lubrimatic Marine Grease is water insoluable, resistant to salt air and water which controls rust. Can be used in many marine applications and is excellent for water pumps.	
454g tub.	006576
Castrol High Temp Bearing Grease	
500g tub	006579
Castrol Boating Grease 500g tub	006580

HAYES ENERGIZE III BRAKE CONTROLLER



Smooth, proportional trailer braking. Compatible with all electronic systems (ABS, Cruise, etc.). Trailer/tow vehicle stop lights operate when trailer brakes are applied automatically or with manual lever. Wide range of mounting positions. Compact, rugged case. 000937

TEKONSHA VOYAGER BRAKE CONTROLLER 9030



Compact and easy to install. Minimises false braking. Suits 2-4 magnets. 000947

TEKONSHA PRODIGY BRAKE CONTROLLER



Works proportionally in reverse to assist reverse parking. Allows application of more initial braking power when towing heavier trailers. Made for up to 4 axle trailer braking systems. Easy to fit and remove. 000949



Pocket mounting kit. 000950



Pre-assembled wiring harness. 000951

HAYMAN REESE BRAKE CONTROLLER

Solid state. Compact size, mounts almost anywhere with no levelling required. Includes mounting bracket and hardware.

3 year warranty. **000952**

TEKONSHA ELECTRIC BREAKAWAY SWITCH

Applies electric brakes automatically when accidental trailer breakaway from the towing vehicle occurs. **000938**

BRAKE-SAFE ELECTRIC BREAKAWAY KIT

Automatically recharges when connected to tow vehicle. Applies brakes and brake lights on trailer if it is accidentally separated from tow vehicle.

5000	2-4 magnets	000940
4024	Brake-Safe battery only	000941
5000XP	6-8 magnets	000942

TEKONSHA SHURSET BREAKAWAY KIT

Lockable breakaway kit for all single, tandem and tri-axle breakaway applications. Kit contains polymer battery case with A-frame or post mounting bracket, 12V sealed rechargeable 5 amp battery, nylon breakaway switch and DC to DC heavy duty quick maintenance (2 stage) in line charger. **000939**

BRAKE CABLE - WIRE ROPE

4mm	006369
5mm	036193

BRAKE CABLE KIT

Consists of 8m of 8mm cable, cable adjuster, 2 rope clamps and 2 cable pulleys. **006370**

BRAKE CABLE CLAMPS

Galvanised brake cable (wire rope) clamps used to secure brake cable to attachments

4mm clamp	006371
5mm clamp	006372

BRAKE CABLE THIMBLE

4mm	036195
5mm	036196

AL-KO PULLEY

Diecast pulley with fabricated strap. **006362**

AL-KO BRAKE CABLE ADJUSTER

Brake adjuster with combined pulley and turnbuckle. **006361**

TURNBUCKLE & LOCKNUT


10mm with locknut
Eye & eye. **006367**

D SHACKLES ZINC PLATED

5mm	006726
6mm	006725
8mm	006724
10mm	006723
12mm	006727

BOW SHACKLES

8mm	006731
10mm	006732

TRAILER IDENTIFICATION PLATE

2 piece VIN plate with tyre placard **036226**

AL-KO 700KG PRESSED METAL COUPLING

50mm drawbar	006276
Lock and key to suit	036198

AL-KO QUICK RELEASE BOLT ON COUPLINGS

3 hole 2270kg capacity. **036199**



2 hole 2000kg capacity with ball adjust.
Zinc plated **006278**

TRIGG QUICK RELEASE BOLT ON COUPLINGS A150



2000kg capacity. 50mm plunger couplings fitted with head adjusting screw.

2 hole	006273
3 hole	006274
4 hole	006275

QUICK RELEASE BOLT ON ELECTRIC BRAKE COUPLING



3500kg capacity. 4 hole zinc plated with arm suits electric brakes. 006280

FIXED RING COUPLING



3 hole bolt pattern.	
3500kg capacity	036202
6000kg capacity	036204

AL-KO MECHANICAL OVERRIDE COUPLING LESS BRAKE ARM



Zinc plated.	
1000kg capacity	036208
2000kg capacity	006285

TRIGG MECHANICAL OVERRIDE COUPLING



2000kg capacity. No brake arm 006283

TRIGG MECHANICAL RING TYPE COUPLING



2000kg capacity. No brake arm. 036210

AL-KO MECHANICAL RING TYPE COUPLING



3000kg capacity. No brake arm. 036211

TRIGG ANTI SWIVEL PARK BRAKE LEVER



Limited swivel baseplate restricts rotation of ring and prevents lock up on pintle hooks. Suits Trigg mechanical override ring coupling 036220

AL-KO

BRAKE ARM ATTACHMENT



006319

TRIGG BRAKE ARM ATTACHMENT



Contoured hand brake lever with anti-swing ratchet. 006315

AL-KO

HYDRAULIC OVERRIDE COUPLING



2000kg capacity. 006281

ORAC OFF ROAD COUPLING



A multi-faceted swivel coupling allowing maximum angulation for off road trailers. 2500kg capacity. 006286

TREG 4WD POLY BLOCK COUPLINGS



2270kg capacity. Bolt on mechanical override coupling. Trigg Hand Brake assembly can be used. 006300

2270kg capacity. Weld on non-braked coupling. No handbrake provision.	006301
Detachable U bracket and pin	006295
Detachable pin and lynch pin	006293
Treg safety lynch pin 6mm	006294
Poly block	006297
Treg lockable spring pin	006299

**TRIGG 4WD FIXED COUPLING
3 PIECE BOLT ON**

3,000kg off-road unbraked coupling, featuring full 360° rotation. Includes towbar adaptor. Polyblock with brass bushes and 10mm locking pin. 90° grease nipples fitted for easy servicing. Gooseneck bolt available. **006302**

**TRIGG 4WD OVER-RIDE
COUPLING 3 PIECE BOLT ON**


2,000kg off-road override braked coupling, featuring full 360° rotation. Includes towbar adaptor. Polyblock with brass bushes and 10mm locking pin. 90° grease nipples fitted for easy servicing. Gooseneck bolt available. **036215**

HYDRAULIC MASTER CYLINDER

3/4" Complete. 2000kg capacity **006346**
Cap only to suit 3/4" cylinder **006350**
7/8" Complete. 3000kg capacity **006347**

**AL-KO MECHANICAL
PARKING
MECHANISM**

Top mounting parking lever for mechanical or electric brake trailers. Press button release. **036218**

**BRAKE ARM SUIT STRAIGHT
DRAWBAR - GALVANISED**

50mm **036224**
75mm **036225**

AL-KO COUPLING ADAPTOR

Converts mechanical couplings to hydraulic using 3/4" master cylinder (Part No.006346) **006317**

Bracket only to suit 3/4" master cylinder **006316**

GAS CYLINDER CRADLES

9kg plated. Universal
Extra strong base **003827**



4kg plated. Universal
Adjustable with adaptor **003824**



9kg plated. Adjustable clasp **003829**

**AL-KO JOCKEY WHEEL
COMPLETE 150mm**

Standard **006402**
Without clamp **006404**
150mm rubber wheel only **006428**

**AL-KO JOCKEY WHEEL
200mm**

With single clamp and 200mm wheel, fully adjustable with non-slip pressed ring outer tube.

Standard height **006408**
Extra height - outer housing is 510mm long **006407**

**AL-KO 200MM JOCKEY
WHEEL H/D
INDUSTRIAL**

Complete with swivel plate and locking pin **006415**
Swivel Plate. Heavy duty weld on **006421**

AL-KO JOCKEY WHEELS SOLID WHEEL



4.10 x 3.50 x 4 with clamp.

038556



4.10 x 3.50 x 4 complete with locking swivel bracket.

038561

TRAILTECH JOCKEY WHEEL SUIT BOX TRAILER L/DUTY 150MM



Suitable for use only on box trailers

006401

TRAILTECH JOCKEY WHEEL WITH SWIVEL CLAMP L/DUTY 150MM



Light duty use only

036243

AL-KO JOCKEY WHEELS WITH LOCKING SWIVEL BRACKET



150mm With small bracket and locking pin

036244



150mm With large bracket and locking pin

006406



200mm With bracket and locking pin

006416

MANUTEC HEAVY DUTY INDUSTRIAL JOCKEY WHEEL



With H/D Pin Locking Swivel Bracket
200mm

036248

AL-KO POWER MOVER WITH SOLID WHEEL



Ratchet jockey wheel. Assists the manual movement of a caravan or trailer. Includes handle and clamp
Lever Handle Only

038543
000464

MACO MULE TRACTION WHEELS



Single Wheel



Dual Wheel

Ratchet level drive, one hand operation with detachable handle. Acts as efficient brake on grades. Geared for maximum traction with minimum effort. Maximum safe working load 1,000kg draw bar weight for both the dual and single wheels. Inbuilt differential that equalises turning circles and reduces drag.

Single Wheel for smaller or medium sized vans and trailers built on a single axle. 000433
Dual Wheel for larger vans and trailers with tandem wheels. 000460
Lever Handle Only 000434

TRAIL-A-MATE HYDRAULIC JOCKEY WHEEL



For stress free raising and lowering of caravans, boats and trailers. Suitable for most jockey wheel brackets. Both a jack and jockey wheel. No need to climb under the vehicle to jack it up. Trail-a-Mate has a safe working load of 1000kg when base is fitted. Includes safety non-slip lugs built in safety lock, detachable wheel, flat base plate, jacking brackets and lifting clamp

Trail-A-Mate	
Hydraulic Jockey Wheel	000417
Spare flat base plate	000418
Spare lifting clamp	000420
Spare jacking brackets	000422
Service Kit	000427
Jacking handle	000429

SIDEWINDER JOCKEY WHEEL AND JACK



For stress free raising and lowering of caravans, boats and trailers. Suitable for most jockey wheel brackets. No need for a jack and jockey wheel - this will do both jobs. Includes detachable wheel, flat base plate, jacking brackets and lifting clamp.

000431

EASYLIFT JOCKEY STAND WITH SWIVEL CLAMP



Heavy duty stand complete with weld on swivel clamp 510mm.

036251

AL-KO ADJUSTABLE STAND WITH FLAT BASE




Complete with clamp

355mm 006450

510mm 006451

SIDE WINDING ADJUSTABLE STAND - FLAT BASE




575mm

Adjustable stand with loose handle. No swivel bracket or mounting tube. Lift 350mm. Static load capacity 1000kg.

036252

MANUTEC ADJUSTABLE STAND - HEAVY DUTY



500mm

Adjustable stand with heavy duty pin locking swivel brackets supplied loose. Height 500mm lift 225mm. Static load capacity 1250kg

006447

U BOLT KIT SUIT ALKO JOCKEY WHEEL




75mm long drawbar. 2 per card.

100mm wide 036246

75mm wide 036247

JOCKEY WHEEL RECEIVER



Rubber support cradle for use under jockey wheels. Fits 150mm, 200mm and 250mm wheels.

000410

JOCKEY WHEEL HANDLES



Easylift 036264

Alko 006438

Alko Grip Handle 006424

JOCKEY WHEEL AXLES



150mm Alko 036259

Axle Circlip 036260

JOCKEY WHEEL THRUST RACE BEARING



Will suit most jockey wheels with 150mm wheels.

006440

AL-KO JOCKEY WHEEL CLAMPS



Single Standard Clamp 006418

Boxed 038769



Swivel Clamp. No weld required 006422



Swivel Clamp with locking pin 036263

JOCKEY WHEEL SPARE WHEELS

Rubber Wheels

200mm Easylift

150mm Alko



036268

006428



Steel Wheel

200mm Alko

006429



Tyre and Tube Complete Pneumatic

4.10 x 4 Artwell

036270

Rubber Inner Tube

2.50 x 4

006433

4.10 x 3.50

006437

Rubber Tyres

4.10 x 3.50 x 4 ply

036266

MANUTEC WELD ON ADJUSTABLE LEGS - REAR



Slotted type handle fitting

500mm

006473

600mm

006474

MANUTEC ADJUSTABLE LEGS WELD ON - FRONT



Hex head handle fitting.

500mm

006469



Slotted type handle fitting

500mm

006470

600mm

006472

AL-KO WIND DOWN LEGS FRONT



Front

Hex Drive. Side bolt. Zinc plated.

500mm

006476

600mm

006477

700mm

006478



Rear

Hex Drive. Side bolt with wheel. Zinc plated.

500mm

006479

600mm

006480

FRONT AND REAR LEGS SUIT JAYCO



Hex Drive - top mount bolt on. Galvanised.

500mm Front

006481

700mm Rear

006482

MANUTEC QUICK RELEASE ADJUSTABLE LEGS



Weld on - lift 240mm

400mm

006488

520mm

006490

AL-KO "BIG FOOT" LEG PADS



Provides a flat load bearing surface for corner steadies, ideal for soft ground.

Set of 4.

006486

AL-KO DROP DOWN CORNER STEADY PLUS BIG FOOT



Corner steady with "Big Foot" leg pad attached. Provides a flat load bearing surface, ideal for soft ground.

590mm

006483

740mm

006485

Replacement handle

006484

CARAVAN REAR LEG WINDER HANDLES



550mm Easylift/Artwell

006493

720mm Easylift/Artwell

006494



550mm Hexagonal

006495



Viscount/Franklin square tube

006496



Millard old style jack handle

006498



Alko slot drive

036271



800mm Alko hex drive

006499

1150mm Alko hex drive

006500

POLYETHELENE MUDGUARDS



Strong, modern look, step treads on both sides and top - complete with mudflaps. Brackets not included

300mm	Small	White	036283
300mm	Small	Silver	036284
330mm	Medium	White	036285
330mm	Medium	Silver	036286
355mm	Large	White	036287
355mm	Large	Silver	036288
355mm	Large	Black	036289

TRAILER MUDGUARDS - HOLDEN SIZED WHEELS



Width

200mm	galvanised	036276
230mm	galvanised	036273
230mm	black	036274

TRAILER MUDGUARDS - MINI SIZED WHEELS



200mm	wide galvanised	036278
-------	-----------------	---------------

TRAILER MUDGUARDS JUNIOR



150mm wide galvanised to suit 200mm wheel. **036279**

TRAILER MUDGUARDS TANDEM



230mm galvanised	036280
230mm black	036281
200mm galvanised	036282

TRAILER MUDFLAPS



Plain rubber - 210mm (h) 190mm (w)
Sold in pairs **036292**

GALVANISED WHEEL ARCH SINGLE



290mm (h) 760-450mm (w) 280mm (d)
006543

GALVANISED WHEEL ARCH TANDEM



290mm (h) 1545-1260mm (w) 280mm (d)
006544

SPRINGS



Spring length is measured from centre of eye at front to centre of slide at rear. Spring ratings are guidelines only.

	Size (mm)	Rating (kg)	
BROOKER			
6 leaf	45 x 6 x 580	700	036296
6 leaf	45 x 6 x 725	620	036297
NYLON BUSHED			
3 leaf	45 x 8 x 710	425	036299
4 leaf	45 x 8 x 710	550	036300
5 leaf	45 x 8 x 710	650	036301
6 leaf	45 x 8 x 710	750	036302
4 leaf	45 x 8 x 710	630	036303
4 leaf	45 x 8 x 762	640	036304
5 leaf	45 x 8 x 762	760	036305
5 leaf	45 x 8 x 840	710	036306
7 leaf	45 x 8 x 840	950	036307
7 leaf	45 x 8 x 710	1140	036308

TANDEM OFFSET CENTRE
NYLON BUSHED

6 leaf	45 x 6 x 710	474	036310
7 leaf	45 x 8 x 710	1120	036309
6 leaf	45 x 6 x 660	548	036312
7 leaf	45 x 7 x 710	730	036311
4 leaf	45 x 8 x 710	680	036313

SPRINGS

	Size (mm)	Rating (kg)	
UNBUSHED 7/8 EYE RB			
4 leaf	45 x 6 x 762	296	036315
6 leaf	45 x 6 x 762	445	036314
4 leaf	45 x 6 x 610	365	036316
6 leaf	45 x 6 x 840	395	036317

SLIPPER AUSTRALIAN MADE

2 leaf	45 x 6.5 x 720	160	036318
3 leaf	45 x 6.5 x 720	300	036319
4 leaf	45 x 6.5 x 720	450	036320
5 leaf	45 x 6.5 x 720	500	036321
6 leaf	45 x 6.5 x 720	600	036322
8 leaf	45 x 6.5 x 720	800	036323
5 leaf	45 x 6.5 x 585	650	036324

SLIPPER DACROMET IMPORTED

3 leaf	45x 6 x 720	300	036333
4 leaf	45 x 6 x 720	400	036334
5 leaf	45 x 6 x 720	500	036335
6 leaf	45 x 6 x 720	600	036336
7 leaf	45 x 6 x 720	675	036337

PARABOLIC SLIPPER SPRINGS GALVANISED 45MM WIDE



1 leaf spring tapered from centre to each end.
One size fitting for all capacities.

1 leaf	45 x 13 x 860	300	036338
1 leaf	45 x 15 x 860	500	036339

OFF ROAD AUSTRALIAN MADE



Includes U bolt kit

7 leaf	60 x 6.5 x 850	500	036342
8 leaf	60 x 6.5 x 850	650	036343
9 leaf	60 x 6.5 x 850	750	036344

SPRING ASSEMBLIES ON FLAT BAR



6 leaf	TA750	375kg	036346
8 leaf	TA1250	600kg	036347

5 & 7 LEAF TANDEM SPRING ASSEMBLIES ON FLAT BAR



Rating shown are per side.

Non Greaseable Spring Assemblies

5 leaf	TA1500	750	036348
7 leaf	TA2000	1000	036349
7 leaf	TA2000-16	1000	036350
6 leaf	TA600	750	036351

Spring Only

Front spring only	suit TA1500	036352
Rear spring only	suit TA1500	036353
Front spring only	suit TA2000	036354
Rear spring only	suit TA2000	036355

TANDEM AXLE SPRING FITTINGS



Fabricated Rocker Arm with Bushes **036360**



Tandem Cast Rocker Arm TA2000 A676 **036362**



Tandem Cast Rocker Arm TA2000-16 **036363**

FRONT SPRING U HANGER



45mm wide	
12mm hole	036364
14mm hole	036365

REAR SPRING HANGER BLOCK



22mm ID No Bush **036367**

REAR HANGER SUIT SLIPPER SPRING



Suit 45mm slipper spring **036368**

SHACKLE BOLTS/NUTS



Bolts & Nuts Greasable	
3 1/2" x 9/16"	036369
3 1/2" x 5/8"	036370

Bolts & Nuts Non-Greasable	
3 1/2" x 9/16"	036371
3 1/4" x 5/8"	036372

Nuts

9/16" Nyloc nut UNF	036373
5/8" Nyloc nut UNF	036374
1/2" Whitworth nut Nyloc	006530
1/2" Whitworth nut zinc plated	006531

Bolt

3 1/2" x 1/2" Whitworth hex bolt	036375
----------------------------------	---------------

SHACKLE PLATES



1/2" hole	
Black - holes 65mm centre to centre	036377
Galvanised - holes 75mm centre to centre	036378

9/16" hole	
Black - holes 65mm centre to centre	006526
Galvanised - holes 75mm centre to centre	036379

SPLIT PIN




32mm x 3.2mm steel **036422**

FISH PLATES



8mm multi-fit with slotted holes.	
Black	006527
Galvanised	036380

AXLE PAD 40MM SQ



To fit centre pin of spring	
Single Bulk	036387
Galvanised. 1 per pack	038768

U BOLTS - 1/2" WHIT



Nuts sold separately

Square Black

115mm x 40mm	036391
125mm x 40mm	036392
125mm x 45mm	006522
125mm x 50mm	036393
140mm x 40mm	036394
140mm x 45mm	006523
150mm x 40mm	036395
150mm x 50mm	006524
165mm x 45mm	036396

Round Black

125mm x 40mm	036397
125mm x 45mm	036398
125mm x 50mm	036399
150mm x 50mm	036400

Square Zinc Plated

75mm x 55mm	036401
75mm x 100mm	036402
100mm x 75mm	036403
100mm x 40mm	036404
100mm x 100mm	036405
114mm x 56mm	036406
130mm x 56mm	036407
115mm x 40mm	036408
125mm x 40mm	036409
125mm x 45mm	036410
125mm x 50mm	036411
140mm x 40mm	036412
140mm x 45mm	036413
150mm x 40mm	036414
150mm x 50mm	036415
165mm x 45mm	036416

Round Zinc Plated

100mm x 40mm	036417
125mm x 40mm	036418
125mm x 45mm	036419
125mm x 50mm	036420
150mm x 50mm	036421

AL-KO U-Bolt Kits

2 U-bolts, 4 nuts, and washers,

Suit 39mm axles	038766
Suit 40mm axles	038767

GREASE NIPPLES - SPRINGS



Straight	036376
----------	--------

SPRING BUSHES

**Nylon Bushes**

1 3/4" x 3/4" x 1/2"	036381
1 3/4" x 7/8" x 1/2"	006533
1 3/4" x 7/8" x 5/8"	006534
1 3/4" x 3/4" x 9/16"	006535
1 3/4" x 7/8" x 9/16"	036382
1 1/5" x 7/8" x 5/8"	036386

Rubber Bush

7/8" x 1/2"	036385
-------------	--------

SPRING CENTRE BOLTS & NUTS



50mm x 8mm	036388
65mm x 8mm	036389
75mm x 8mm	036390

AL-KO CARAVAN SHOCK ABSORBER KIT

Suitable for beam axles

Set of 2	036423
----------	--------

WINDSOR CARAVAN SHOCK ABSORBER

Shock absorber	006654
Coil spring blue 600kg	006658
Top plate	006655

VISCOUNT SINGLE WHEEL SPAT



White fibreglass. Offside	006647
White fibreglass. Nearside	006648
White plastic	
Sold in pairs only (LH/RH)	036432

MILLARD SINGLE SPAT OLD STYLE



White fibreglass	006645
------------------	--------

MILLARD SINGLE SPAT NEW STYLE



White plastic	036433
---------------	--------

VISCOUNT TANDEM SPAT



White. Offside.	006649
White. Nearside	006650
White plastic	
Sold in pairs only (LH/RH)	036434

MILLARD TANDEM SPAT



White fibreglass.	006646
-------------------	--------

SMALL VISCOUNT SINGLE SPAT - LOW PROFILE



White plastic.	006642
White fibreglass	006643

SPARE WHEEL CARRIER WELD ON



Can be welded direct to A-frame or bumper bar. Retaining disc keeps the spare wheel secure with provision for padlock	
	000511

SPARE WHEEL CARRIER DUNFORD BOLT ON



Complete with 2 U-bolts and nuts for temporary fixing to A-frame. Retaining disc keeps the spare wheel secure with provision for padlock.	000512
---	--------

JAYCO SPARE WHEEL CARRIER BOLT ON



000515

SINGLE CARAVAN STEP LOW PROFILE



Steel 455mm wide
170mm mounting frame.

006501


SINGLE CARAVAN TREADPLATE STEP



Steel. 500mm wide.
165mm mounting frame.

006502

SINGLE STEEL CARAVAN STEPS




510mm wide.

Black

036436

DOUBLE CARAVAN STEP



Painted. 490mm x 180mm

006504

TECHNO-STEP MANUAL STEP



560mm wide manual step.
Aluminium/steel construction

006507

TECHNO-STEP 12V ELECTRIC STEP



560mm wide. Operated by a switch.
Aluminium/steel construction.

Single step

006508

Double step

006509

CAMPER SCISSOR STEPS



Lightweight, aluminium steps which fold
for easy storage when travelling. Standard
mounting brackets included. 425mm wide.

4 step 900mm high

008460

5 step 1100mm high

008461

CHROME TOWBALLS



1 7/8" towball. Shank 7/8" dia. x 51mm long.
Towing capacity 2270kg.

006255



50mm long shank towball. Shank 7/8" dia. x
62mm long. Towing capacity 3500kg

006252



50mm long shank towball. Shank 7/8" dia. x
80mm long. Towing capacity 2500kg

006250



50mm chrome towball with 25mm hi-rise.
Shank 7/8" dia. x 51mm long.
Towing capacity 2000kg

006254



50mm towball. Shank 25mm dia. x 51mm
long. Towing capacity 3000kg.

036443

TOWBALL COVERS



"Hav-A-Ball" soft black plastic.
Black plastic with spring clip suits
50mm and 1 7/8" towballs.
Chrome plastic with spring clip
suits 50mm and 1 7/8" towballs.
Chrome on plastic

000849

000848

000850

036745

MULTIFIT TOWBALL SPANNER



Can be used for towball nuts, snap up bracket
bolts, D shackles, towbar tongue bolts and
adjustable ball mount bolts and nuts.

006256

GALVANISED LINK CHAIN



Sold by the metre

10mm long link

006722

"TRAILER COP' COUPLING LOCK



Quick release expanding towball coupling
lock. Fits all popular trailer couplings with a
barrel lock for high security. Easy to operate.

000385

COUPLEMATE DUAL COUPLING LOCK



Dual lock which locks car and trailer
together. Padlock not included.

000392

TRAILER COUPLING LOCK



Heavy duty 2 position locking system.
Secures trailer when attached or unattached
to vehicle. Includes padlock.

000395

TRAILER COUPLING LOCK



Heavy duty. Fit in seconds.
Padlock not included.

000399

PULL PIN LOCKS - REESE



Locking pins for Reese towbars - secures the hitch with a keyed locking pin.

Prime locking pull pin 036448

Reese locking pull pin 000914

Reese pull pin 000915

Spring cotter pin 000916


PULL PIN LOCK - TREG



Slip the Treg lock pin into the coupling and attach the cylinder onto the machined end. Then simply turn the key. Includes dust cap. For 4WD use.

036449

PULL PIN HITCH LOCK PLUS TREG LOCK



4WD security set which comprises Talon Hitch Lock plus Treg Lock. Keyed alike for convenience.

036450

STRETCHMASTER WHEEL LOCK



The fastest way to ensure your motor vehicle, boat trailer, aircraft, caravan, box trailer or camper trailer stays secure. Fits up to 290mm wide wheels. Hardened steel. Weighs under 3kg. Insurance company approved.

000406

KLAMP IT WHEEL LOCKS



Designed to fit on the driver side front tyre with a steel horizontal bar that blocks movement.

Type	Tyre Width	Wheel Dia.	
B	165 - 185mm	13 - 15"	000402
C	195 - 205mm	13 - 17"	000403
D	215 - 245mm	15 - 17"	000404
E (4WD)	285mm	14 - 16"	000405

SUNRAYSLA STEEL ROAD WHEELS



White. 355mm x 152mm

Ford

006615

Landcruiser

036454

STEEL ROAD WHEELS



Holden HD HR 330mm

038357

Holden HQ 355mm

036452

Ford 355mm

036453

GALVANISED STEEL ROAD WHEELS



Holden HD HR 330mm

036456

Holden HT 355mm

036457

Holden HQ 355mm

036458

EASYPARK WHEELS



Replaces road wheel when parking vehicle in area with low headroom - lowers height of vehicle

Ford

006616

6 Stud Landcruiser

006617

ALLOY WHEELS



No Tyre

200mm Holden bearing mount

036461

230mm hub mount

036465

250mm hub mount

036469

250mm bearing mount

036471

250mm hub mount Mini wheel

Aluminium Performance

036473



With Tyre

200mm Imperial

036460

200mm Holden bearing mount

036466

200mm hub mount

036464

230mm hub mount

036466

230mm bearing mount

036468

250mm hub mount

036470

250mm bearing mount

036472

250mm hub mount Mini Wheel Performance

036474

SPARE RUBBER TUBES AND TYRES



400 x 8 tube

036479

400 x 8 4 ply tyre

036480

450 x 10 tube

036481

450 x10 6 ply tyre

036482

500 x 10 tyre

036483

600 x 9 tube

036484

TRAILER SKID



Blue trailer skid manufactured from Magnalene. Specially formulated for aluminium boats.

50mm x 12mm x 1500mm

007645

FENDER STRIP GROOVED & TRAILER SKID



White PVC fender strip and trailer skid grooved.

007646

BOAT ROLLERS



Blue polypropylene keel rollers.

100mm 17mm bore	007653
150mm 17mm bore	007654
200mm 21mm bore	007655



Self centring rubber rollers

150mm 17mm bore	007656
200mm 21mm bore	007657



Black curved rubber rollers

200mm 21mm bore	007658
300mm 25mm bore	007659

GALVANISED ROLLER BRACKET



2 Round Legs.

Suit 150mm roller	007674
-------------------	--------

GALVANISED KEEL ROLLER BRACKET




75mm	007667
100mm	007668
150mm	007669
200mm	007670
305mm	007671

KEEL ROLLER SPINDLES SOLID GALVANISED




75mm roller size, 16mm dia.	007691
100mm roller size, 16mm dia.	007692
150mm roller size, 16mm dia.	007693
200mm roller size, 16mm dia.	007694
200mm roller size, 20mm dia.	007695
305mm roller size, 22mm dia.	007696


GALVANISED WOBBLE ROLLER BRACKETS



Single. Mounts a single wobble roller onto a post. 007677



Double. Allows two wobble rollers to be mounted onto a single post. 007678



Quad. Allows four wobble rollers to be mounted onto a single post. 007679



Domed washer suit wobble bracket 007680



Galvanised wobble roller post clamps	
Suit 50 x 25mm RHS	007686
Suit 50 x 50mm RHS	007687
Suit 75 x 50mm RHS	007689
Suit 100 x 50mm RHS	007690



Wobble Rollers	
75mm Grey Ribbed	007664
100mm Black Smooth	007665

WOBBLE ROLLER SOCKET AND NUT



Bolt on 19mm post - galvanised 007684



Weld on 19mm post - black 007685

JARRETT MANUAL BRAKE WINCHES



5.1 300kg capacity with cable	006685
10.1 500kg capacity with cable	006686

JARRETT MANUAL WINCHES



Capacity with Cable	Ratio	
500kg	3:1	006680
700kg	5:1 1:1	006682
800kg	10:1 5:1 1:1	035663

Car Trailer winch with Cable

1000kg	9.5:1 5:1 1:1	035664
--------	---------------	--------

Boat winches with Webbing

500kg	3:1	006690
700kg	5:1	006691
700kg	5:1 1:1	006692
800kg	10:1 5:1 1:1	006693



Winch handle suit Jarrett hex drive 006720

ALKO WINCHES



Safety Winch. 500kg capacity. Cable not included. 035669



Boat Winches with Cable.

Capacity	Ratio	
250kg	1:1	006694
750kg	5:1 1:1	035666
1000kg	10:1 5:1 1:1	035667



Winch handle suit Alko - 230mm 035662