

FLAT HOSE ON REEL

Freestanding reel made of heavy impact UV resistant plastic. Built in handle on the top for winding and a second handle on the side for ease of carrying. Easy to operate and ideal where space is limited.

DRINKING



Compact Reel 12m Hose

Height overall incl. handle 370mm
Diameter 300mm
Depth 65mm

005309

Multi Reel 18m Hose

Height overall incl. handle 440mm
Diameter 375mm
Depth 80mm

005310



WASTE MULTI REEL 9m HOSE

25mm ID
32mm ID

005315

005316

SPARE PARTS



Hose/Cord Reel Compact.
Holds up to 25m of power lead or
7m of flat waste hose.

005313

Flat Waste Hose. 7m

038685

STOW-A-WAY HOSE CARRIER AND HANDLE



Keeps hoses neat and tangle free. The built-in "hang up hole" can be used when storing hoses. Heavy duty and adjustable to hold a variety of hose lengths.

005314

PVC FOODGRADE HOSE



Clear per metre

10mm

035559

12mm

005272

12.5mm

035560

19mm

035561

25mm

005274



Black per metre

12.5mm

005267

25mm

005269

WASTE HOSE BLACK



Corrugated (Fluted) per metre

40mm

005282

per metre or 30m roll

12.5mm Not reinforced

005277

25mm Not smooth bore

005280

25mm Reinforced smooth bore
(20m roll)

005284

HOT WATER PRESSURE HOSE - POLYBUTYLE



10mm to suit Qicktite fittings.
Sold per metre or 100m rolls.

005473

CAMEC DRINKING WATER HOSE



Non toxic. No taste. Hose will not taint the water. White 12mm

20m roll

005301

10m roll

005303

100m roll

005304

CLEAR BRAIDED DRINKING WATER HOSE



12mm ID. Sold per metre.

005293

UTILUX HOSE CLAMPS



Cad Plated

10 - 16mm

005330

13 - 20mm Size 00

005331

20 - 32mm Size 0

005332

25 - 40mm Size 1

005333

Stainless Steel

22 - 38mm Size 1

005329

HOSE FIXERS



Male



Female

RV hose repair made easy. Unbreakable and reusable nylon.

Male thread

005411

Female thread

005412

BRASS ADAPTOR 12mm AMERICAN



Click On 1 1/16" American thread

005399

GARDENA HOSE USA ADAPTOR



Snap on hose fitting to suit the Shurflo
In-line water entry

005398

DM 12MM LLDPE TUBE

Sold per metre

Red 005321
Blue 005323

DM TEE CONNECTOR

12mm 005450

DM ELBOW CONNECTOR

12mm x 12mm 005451

DM STRAIGHT CONNECTOR

12mm X 12mm 005452

DM BARB CONNECTOR

15mm plastic pipe 1/2" barb 005453

DM FEMALE PLASTIC ADAPTOR

Suit 12mm 3/8" FBSP 005454
Suit 12mm 1/2" FBSP 005457

DM STRAIGHT PLASTIC ADAPTOR

Suits 12mm 1/2" MBSP 005456

DM STRAIGHT PLASTIC REDUCER

15mm x 12mm 005458

DM PLASTIC STEM ADAPTOR

12mm x 1/2" MBSP 005459

DM PLASTIC STEM ELBOW

12mm x 12mm 005460

DM ELBOW

12mm 1/2" MBSP Swivel 005461

DM BRASS ADAPTORS

Suit 12mm 1/2" MBSP 005462

DM MALE PLASTIC ADAPTOR

Suit 12mm 1/2" MBSP 005464

DM PLASTIC IN LINE CHECKING VALVE

12mm x 12mm 005465

DM LOCKING CLIP

12mm red. For hot water. 005467

DM TUBE SUPPORT INSERT

Suits 12mm 005466

PLASTIC TUBE CUTTER

000694

PLASTIC REDUCING ADAPTOR

12mm to 10mm 005469

SHUT OFF INLINE VALVE

12mm 005470

PLASTIC FEMALE X MALE THREADED ELBOW

1/2" M x 1/2" F 005369

PLASTIC ELBOW

13mm 005363
25mm 005365

PLASTIC BARBED X MALE THREADED ELBOW

13mm to 1/2" BSP male 005367
25mm to 3/4" BSP male 005368

PLASTIC JOINER



10mm	005371
13mm	005372
25mm	005374

PLASTIC BARBED REDUCING JOINER



13mm to 10mm	005378
25mm to 19mm	005381
32mm to 25mm	005382

PLASTIC THREADED TEE WITH MALE BRANCH



13mm x 13mm x 1/2" M BSP	005388
--------------------------	--------

PLASTIC BARBED TEE PIECE



10mm	005383
13mm	005384
25mm	005386

PLASTIC NUT & TAIL



19mm BSP	13mm tail	005389
25mm BSP	13mm tail	005390
25mm BSP	25mm tail	005392

PLASTIC SHUT OFF TAP



Screw down action - barbed both ends.	
13mm	005393

PLASTIC QUICK ACTION SHUT OFF TAP



Barbed both ends	
13mm	005394
25mm	005395

PLASTIC DIRECTORS



12mm BSP	10mm tail	005354
6mm BSP	13mm tail	005355
12mm BSP	13mm tail	005356
19mm BSP	13mm tail	005357
25mm BSP	25mm tail 19mm barb	005358
25mm BSP	25mm tail	005360

SHURPEX POLYETHYLENE TUBING



Tough, heat and freeze resistant. Non-toxic.

1/2"		
Blue	300ft roll	034804
Opaque	100ft roll	005261
Red	300ft roll	005263

SHURPEX 3 WAY TEE



1/2" x 1/2" x 1/2"	005485
--------------------	--------

SHURPEX ELBOW



1/2" x 1/2"	005489
-------------	--------

SHURPEX SWIVEL ELBOW



1/2" barb x 1/2" FNPT	
Straight	005493
Elbow	005494

SHURPEX TUBE SADDLE



1/2"	005502
------	--------

SHURPEX ADAPTOR



1/2" barb x 1/2" MNPT	005507
-----------------------	--------

SHURPEX MANIFOLDS



3 port	005509
--------	--------

SHURPEX MEMORY RING



White 1/2"	005521
------------	--------

SHURPEX PLASTIC PLUG



1/2"	005527
------	--------

SHURPEX BEND SUPPORT



Reinforced plastic. 1/2"	005530
--------------------------	--------

**SHURPEX MANUAL AIR
EXPANDER TOOL****000618****SAMEV SRL STAINLESS STEEL
SINKS**

Includes plug and straight waste or optional
right angle outlet, perimeter seal and fitting
clips.

650mm (l) 380mm (d) 145mm (h) **006033**

Top fixing
590mm (l) 370mm (d) 125mm (h) **006032**

SAMEV SRL DROP IN BOWL

Stainless steel bowl, glass lid, hot & cold tap.
420mm (l) 440mm (d) 145mm (h) **006063**

**SAMEV SRL STAINLESS STEEL
BASINS**

Concealed fixing. Includes plug and waste.
145mm (h) 380mm (w) 280mm (d) **006059**



Top fixing. Includes plug and waste.
125mm (h) 370mm (w) 370mm (d) **006057**
Concealed fixing. Includes plug and waste.
145mm (h) 380mm (w) 380mm (d) **006058**

**STAINLESS STEEL SINGLE SINK
BOWL ROUND**275mm diameter 110mm (d) **006050****CAMEC STAINLESS STEEL SINKS
& DRAINERS**

Plug and waste sold separately.
480mm x 780mm **006046**



Comes with foam tape and 10 brackets. Plug
and waste sold separately.
760mm x 355mm **038169**

**STAINLESS STEEL SINGLE
BOWLS**

Plug and waste not included.
280mm (l) 220mm (w) 125mm (d) **006051**
355mm (l) 255mm (w) 125mm (d) **006052**
305mm (l) 305mm (w) 160mm (d) **006053**
300mm (l) 350mm (w) 150mm (d) **006054**

STAINLESS STEEL BASINS315mm (l) 265mm (w) 145mm (d) **038170**327mm (l) 278mm (w) 150mm (d) **038171**

Full deep flange.
352mm (l) 282mm (w) 155mm (d) **038172**

TWIN STAINLESS STEEL BOWLBoth bowls 305mm x 305mm **006056**

PLASTIC SINK & DRAINER



White. Plug and waste not included. 711mm (l) 325mm (w) **006042**

ACRYLIC SINK BOWL



White. Includes plug and waste. 330mm (l) 279mm (w) **002110**

ACRYLIC CORNER SINK BOWL



White. Plug and waste not included. 279mm x 279mm **002111**

ACRYLIC WALL BASIN



White. Plug and waste not included. Compact. 508mm (l) 178mm (w) **002112**

PLASTIC OVAL BASIN



White. Includes plug and waste. 380mm (l) 305mm (w) 150mm (d). **002113**

MINI CORNER BASIN WITH SKIRT



Tap fittings not included.

One piece moulded white fibreglass corner basin. Ideal space saver. Easy to install. Tap holes not drilled. Uses SMEV plug and waste kit (not incl). **002116**

WASTE OUTLETS

Plastic. Suitable for 25mm hose. Plug sold separately.



Straight waste. **006072**



90° angle waste. **006073**

RUBBER SINK PLUGS



25mm **006064**
32mm **035578**

SMEVSM PLUG AND WASTE KITS

25mm plug and waste suitable for SMEV sinks only.



Straight waste. **006065**



90° angle waste. **006066**



Plug only. **006067**

TOWEL RAIL - STAINLESS STEEL



3.6m length
16mm **039112**
19mm **039113**

TOWEL RAIL BRACKETS



Chrome plated.
Centre
19mm **008196**
16mm **008200**
End pillar
19mm **008197**
16mm **008201**

TOWEL RAIL FLANGES



Chrome plated.
19mm **008198**
16mm **008202**

BATHROOM ACCESSORIES SET




Chrome. Contains soap dish holder, toilet roll holder, towel rail, towel ring, glass tumbler and holder and a clothes peg. **002109**

SHOWER TRAY



ABS.
965mm (w) 585mm (d) 125mm (h) **002165**
1010mm (w) 683mm (d) 75mm (h) **035579**

VT90 SHOWER TRAY



White.
670mm (w) 830mm (l) 55mm (d) **002166**

**SHOWER SET COMPLETE
CHROME**

Rail mounted shower set with hose. Handset can be raised or lowered to desired position. Chrome finish. **005859**

**SHOWER SET WITH SLIDING
BAR**

150cm brass double lock flexible hose and soap holder. **005882**

**TELEPHONE SHOWER
MODEL 9100**

Telephone shower head with adjustable plastic stand, soap holder Model 330 hot and cold mixer. White. **005889**

**EXTERNAL RECESSED WALL
TYPE SHOWER**

Can be mounted on the outside of vehicle. Hatch is fade and impact resistant, UV stable and can be painted. Key lock ensures security. White. **005810**

**SHURFLO RECESSED TRANSOM
SHOWER SET**

Trigger hot/cold shower. 170mm (w) 240mm (h) **005819**

OSCULATI SHOWER BOX

Hot/Cold mixer. Pull out/push button. Includes 4m hose. External dimensions 180mm (w) 130mm (h) **005822**

**RECESSED SHOWER & TRIGGER
SPRAY**

Complete with 1.8m hose 1/2" NPT-F. White. **005820**

TRIGGER SHOWER WITH ROSE

Features heavy duty chrome finish and on/off trigger incorporated in handle. **005857**
Wall bracket to suit. **005872**

CAMEC SHOWER KIT

Kit comprises hand held shower rose and hose wall bracket, hot and cold mixer tap, chrome plated fittings and adjustable flow control nozzle. **005860**

SHOWER SET - ELBOW

Heavy duty chrome finish. Includes adjustable flow rate nozzle. **005869**

Wall bracket **005872**

**RECESSED SHOWER HEAD AND
ROSE KIT**

Features a recessed shower rose and hose. Pull out handle complete with push button on/off switch. **005856**

**THROUGH BULKHEAD ELBOW
CONNECTOR**

This fitting is used to connect hand shower sets where installation is required through wall fixing. Chrome. **005874**

HOT & COLD SHOWER MIXER

Hot/cold taps to suit hand held showers. Chrome with crystal handles. **005861**

**HOT AND COLD SHOWER
MIXER**

Wall mounted shower mixer. White. **005824**
Knob to suit taps. **005831**

SHOWER HEAD ONLY



Full spray hand held shower head with push button water volume control. White.

005839

HOT/COLD KITCHEN AND CARAVAN MIXING TAP



Single hole fixing with swivel spout

005925

HOT/COLD KITCHEN TAP SET



Swivel faucet.

005913

BREHA SPARE CARTRIDGES



To suit Hot & Cold Mixers. Part Nos. 005824, 005925 and 005913. Coarse

005829



To suit Chrome Sets. Fine.

005828

WALL BRACKET



Chrome bracket to suit Trigger Shower and Elbow Shower Set.

005872

CAMEC HOT & COLD VANITY TAP SET FOLD DOWN



Chrome tap set with 90mm centre basin mixing faucet. Requires barb to take 12mm hose.

005910

HOT & COLD BASIN MIXER MODEL MG3100



Hot and cold mixer taps with high rise 200mm swivel spout to allow easy access. Chrome.

005993

SINGLE DECK WASHDOWN TAP



Chrome

005996

FOLD DOWN MAINS PRESSURE SINGLE TAP



Right Hand



Left Hand

Requires barb to take 12mm hose. Chrome plated.

Right Hand

005895

Left Hand

005904

Knob

005899

SINGLE FOLDING FAUCET CHROME



When folded tap body is 39mm high. Chrome finish.

005990

SINGLE COLD TAP CHROME



Low profile fixed pillar tap. Chrome finish.

005995

ACCESSORY KIT



Adapts to mains pressure taps. Includes 1250mm x 12mm pressure hose, clamps, connectors, and fittings to connect to 3/4" external tap.

005999

Brass union 1/2B x 3/8F with washer

005951

SAMEV SRL HOT & COLD BASIN MIXER TAP



Chrome.

005983

SHURflo 12V ROTATING FAUCET



White plastic with built in 12V switch designed for use with a water pump or pressure reducing city water entry. Folds down and is ideal for slide out camper trailer kitchens.

005958

NOTE:

All Tapware is for low pressure RV use only

COMPACT BASIN MIXER FAUCET

Chrome lever mixer handle, 200mm swivel spout and non-drip ceramic discs. **005998**

BASIN MIXER FAUCET

Chrome lever mixer for fixed installation with low profile. Complete with lever handle, 100mm spout and non-drip discs. **006001**

COMPACT SINGLE LEVER MIXER

Features hollow handle, chrome finish with non-drip ceramic discs. For use with elbow/trigger shower sets. **006004**

MINI SINGLE LEVER MIXER

Features solid handle, chrome finish with non-drip ceramic discs. For use with elbow/trigger shower sets. **006002**

COMPACT BASIN MIXER FAUCETS

Chrome lever mixer with swivel spout and non-drip ceramic discs.
150mm swivel spout **005999**
200mm swivel spout **006000**

COMPACT SINGLE HANDLE MIXER

Chrome **006005**

BARWIG SINGLE FAUCET

White. Maximum inlet pressure 35 psi.
With switch **005953**
No switch **005954**

BARWIG ONE WAY VALVE

005798

BARWIG FIXED FAUCET

Anodised aluminium water outlet comes complete with 2 nuts for securing to sink or bench top. **005936**

PORTA POTTI PORTABLE TOILETS

Porta Potti Portable Toilets comprise 2 sections - the top section includes seat, cover, bowl, flushing bellows and fresh water storage tank. The lower section has an odour-tight detachable waste holding tank. The sections are held together by a locking latch. All models feature a high gloss finish, a built-in storage compartment for holding tank deodorant, holding tank level indicator to show when it is full and rotating pour-out spout for emptying

Porta Potti 335

Fresh Water Tank Capacity	9.8 ltr	
Waste Water Tank Capacity	9.8 ltr	
Average No. Flushes	27	
343mm (w) 381mm (d) 304mm (h)		001842

Porta Potti 345

Fresh Water Tank Capacity	14.2 ltr	
Waste Water Tank Capacity	11.2 ltr	
Average No. Flushes	32	
381mm (w) 412mm (d) 330mm (h)		001843

Porta Potti 365

Fresh Water Tank Capacity	14.2 ltr	
Waste Water Tank Capacity	20.8 ltr	
Average No. Flushes	57	
381mm (w) 412mm (d) 413mm (h)		001845



BI-POT PORTABLE TOILETS

- Pearl colour
- Easy to carry and empty
- Slide valve, easy to dismantle
- Large discharge outlet with semi-transparent lid
- Anti-bacterial seat
- Solid and practical pump that can be completely taken apart.
- Waste tank is made from one piece eliminating the possibility of leaks and smooth surface makes cleaning easy.
- Spare parts available



Bi-Pot 30

Weight: 4.1kg
Waste Tank Cap. 11 litres
345mm (w) 35mm (d) 300mm (h)

001789

Bi-Pot 1513

Weight: 4.7kg
Waste Tank Cap. 13 litres
360mm (w) 435mm (d) 330mm (h)

001790

Bi-Pot 1520

Weight: 4.8kg
Waste Tank Cap. 20 litres
360mm (w) 435mm (d) 382mm (h)

001791

CASSETTE C-250CS CHINA BOWL TOILET



Modern and comfortable design with chinabowl. Waste holding tank with wheels and handle and 17.5L capacity. Easily serviced.

Weights 16.3kg

038582

PORTA POTTI C-200 CASSETTE TOILET



Toilet bowl can be swivelled 180° to provide extra space. Can be fully self contained or connected into the water supply. White. 17 litre holding tank.

001879

PORTA POTTI 12V CASSETTE TOILETS C400 RANGE



New modern design with easy access to holding tank which now comes complete with wheels and a retractable handle. No flush tank. Connected to the main RV water supply. New rounded shape for easy cleaning. Parts are compatible with other Porta Potti cassette toilets. LH/RH is deemed to be from facing away from the toilet. Weighs only 8.5kg.

RH Holding Tank

001888

LH Holding Tank

001889

ELECTRA MAGIC 24V TOILET



A recirculating toilet system which is 100% self-contained and requires no pressure water connection or holding tank installation. Operated by 24V DC hook-up
503mm (l) 432mm (w) 536mm (h)

001969

BRAVURA RV TOILETS



Sized for comfort with increased seat height (428mm). Large seat and deep bowl. Improved flush. Features a pulsating flush for near instantaneous bowl washdown. Single pedal flush. White. High Profile. 454mm (h) 421mm (w) 513mm (d)

001941

Dometic

VT2500 VACUUM TOILET



Removable cassette providing an efficient and hygienic system for easy emptying. Waste is broken down through high velocity vacuum flushing action eliminating unpleasant odours. No chemicals are needed. Low energy and water consumption. Operates on 12V DC power. White china bowl, easy to clean and durable. Weight 6kg
420mm (h) 360mm (w) 440mm (d)

001934

LUGGABLE LOO TOILET



Take anywhere portable toilet with rugged lightweight plastic bucket style body with traditional snap on hinged seat and cover. Convenient carrying handle with hand contoured grip.

035589

FOLDING PORTABLE TOILET



Take anywhere, Standard height, sturdy steel frame which folds flat for storage. White seat. Spare bags included.

035588

CAMEC RV BATHROOM MODULE



Height: 1983mm
Width: 1100mm
Depth: 800mm

Parts for the Camec RV Bathroom Module should be ordered individually.
Mirror, tapware and toilet are not included.

Shower tray	002149
3 x Porta spot lights	002150
Corner sink	002151
Sub sink	002152
Thetford panel	002153
Movable side	002154
Wall cupboard	002155

CLASSIC BATHROOM MODULE



European design module is designed to suit the new curved C400 Cassette Toilet. All products comprising the module are sold separately. 1840mm (h) 655mm (w) 500mm (d)

Classic cabinet constructed from white ABS plastic. Strong and durable. Easy to clean.	002120
Porta Potti Cassette Toilet C400 RH Holding Tank	001888
Porta Potti Cassette Toilet C400 LH Holding Tank	001889
Classic foldaway basin. Space-saving and self draining. Constructed from white ABS plastic. Strong and durable. Easy to clean.	033523

FIAMMA JPER KEM BLUE



Concentrated double action formula, deodorises and sanitises. Suitable for fixed or portable toilets. 2 litre. 001792

FIAMMA SUPER RINSE PINK



Scented anti-mildew bactericide for chemical toilet fresh water tanks. Cleans and protects the bowl. 1 litre 001794

FIAMMA SUPER FRESH GREEN



Non-foaming deodorant detergent used in holding tanks. Eliminates unpleasant odours. 1 litre 001795

FIAMMA TOILET TISSUE



1 ply - suitable for portable toilets. Quickly disintegrates after use. Pack of 6 rolls. 035583

AQUA KEM TOILET CHEMICAL



Green
Outstanding odour control. Assists in breaking down solids. Pleasant citrus scent. Environment friendly.

1 litre	001816
2 litre	035585



Blue
Works instantly to chemically neutralise odours. Pleasant pine scent with outstanding odour control. Biodegradable and septic tank safe.

1 litre	001813
2 litre	035586

AQUA RINSE



Fresh water tank additive ensures a smoother, better flush. Leaves a micro-thin protective film in the toilet bowl and has lubricating qualities to assist opening and closing of the blade. Pleasant lavender scent.

1 litre	001835
2 litre	035587

EXODOR PORTA-PAK TOILET DROP-IN



Pre-packaged so no need to measure. Holding tank deodoriser and waste digestion. Superior odour prevention. Formaldehyde free.

10 pack	036782
---------	--------


EXODOR BIO-PAK TOILET DROP-IN



Pre-packaged so no need to measure. All natural enzyme product, biodegradable. 100% environmentally friendly. Fresh scent and fast breakdown of waste and paper. Also cleans and lubricates tank sensors and valves.

10 pack	036784
---------	--------

FIAMMA® 40 LITRE WASTE WATER TANK



Wheels make moving easy. Has level indicator, air release valve and 45° angle adapter for discharge.

002178

TOILET HOLDING TANKS



Designed for boating applications and able to be pumped empty. Made of 10mm thick polyethylene. Complete with vent fitting and two 38mm hose adaptors. No slide valve.

128 litre	
410mm (h) 660mm (l) 510mm (w)	002180
170 litre	
410mm (h) 940mm (l) 510mm (w)	002181
225 litre	
410mm (h) 1325mm (l) 510mm (w)	002182

MARSAN ODOUR FILTER



Granulated charcoal filter which keeps air smelling fresh. Features quick release mounts.

16mm	002071
25mm	002073
38mm	002074

BAYONET RING



Suits 90mm pipe	002014
-----------------	--------

TERMINATION CAP WITH WIRE



Suits bayonet ring	002015
--------------------	--------

VALVE TERMINATION CAP & STRAP



002057

FLANGE ADAPTOR 3" FEMALE THREAD



002066

ABS SLIDE VALVE THETFORD



The side of valve with the o-ring has 90mm external diameter.


Slide valve	002022
Repair kit	002009

SLIDE VALVE BLACK VALTERRA



002048

EVACUATION HOSE



Premier quality hose without fittings.

3m	002083
6m	002084

STRAIGHT SEWER HOSE ADAPTOR



002086

FYNSPRAY HAND PUMP



Black moulded nylon body with chrome plated brass handle and swivelling spout. Suitable for fresh or salt water.

Output of 1L per 15 strokes.	005549
Service kit	005568

SHURflo® NAUTILUS 100 SERIES 12V PUMP 3.7L/MIN



Tough, rugged and compact. Designed to deliver 3.7L/min with minimal power consumption. Perfect for low volume, single fixture applications. Protected from thermal overload. Requires in-line switch and 3 amp fuse. 3/8" barbs.

005588

SHURflo® NAUTILUS 105 SERIES 12V PUMP 3.7L/MIN



Compact automatic demand pump. Self primes up to 750mm vertically while delivering up to 3.7L/min. Perfect for low volume, intermittent duty applications. Equipped with a thermal protector and long life pressure switch rated to 30 psi. 3/8" barbs.

005698

SHURflo® 12V COMPACT PUMP & TAP



Shurflo Nautilus Manual 12V Pump and Shurflo 12V Rotating Faucet sold as a set.

005699

SHURflo® AQUA KING AUTO PUMP



Quiet, durable and reliable. Designed and built specifically for the harsh marine environment. Sealed switches and seamless e-coated motors. 55psi 11.35L/min.

12V 034439
24v 034441

SHURflo® SMART SENSOR 5.7 PUMP



The ultimate in pump performance and reliability. Designed specifically for larger RV's and boats. Variable speed, quiet operation and multi fixture use. All models use 1/2" straight MPT quick connect fittings. 60psi 18.9L/min

12V Marine 005659
12V RV 005686
24v Marine 005694

SHURflo® CLASSIC SERIES 2088 AUTO PUMPS



Extremely reliable with high performance. Includes built in check valve rated to 200psi to prevent back flow into the tank. All models incorporate 1/2" NPSM-Ports and can run dry without damage. No fitting supplied.

12V 45psi 10.6L/min. 005669
12V 45psi
10.6L/min.(Retail pack) 005685

SHURflo® CLASSIC SERIES PUMPS FITTINGS



Nut and tail to suit 12mm hose.

90° Bent 005404
Straight 005408

SHURflo® CLASSIC SERIES STRAINER



Fits directly to the inlet of all Classic and Aqua King pumps. The transparent design allows for easy visual check while the bowl allows easy cleaning. 1/2" pipe inlet.

005672

SHURflo® EXTREME SERIES STRAINER



It is recommended that a strainer be used on the inlet side of all pumps to ensure protection from debris in the water. The Extreme Series is easy to install and even easier to clean.

005687

SHURflo® ACCUMULATOR TANK



Pre-pressurised to 25psi, cycling pulsation is reduced and pressure spikes up to 125psi increasing the life of the pump and saving battery power.

034387

SHURflo® WASHDOWN PUMP BLASTER



Rugged and self-priming. Perfect for tough washdown applications such as fish box, scaling and anchor chain cleaning. Delivers high lift, can run dry without damage and will not overheat with extended use. Supplied with spray nozzle. Retail pack. 45psi 13.2L/min

12V	034384
24v	005604

SHURflo® RAW WATER STRAINERS



It is recommended that a raw water strainer is fitted on the inlet side of all washdown and livewell pumps. A mesh screen protects pumps from harmful debris. Includes a high capacity, rugged nylon housing with clear twist off bowl.

1/2"	005791
3/4"	005793
1"	005795
1 1/4"	005796

SHURflo® IN LINE CHECK VALVE



Allows flow in one direction only to safeguard against backsurge up to 100psi. 1/2" barb on both ends.

005789

SHURflo® HOSE ADAPTOR



Has swivel 1/2" NPT female thread that can screw straight onto the outlet side of the Blaster and Pro-Blaster Washdown pumps and a 3/4" male thread to allow hook up to hose.

034388

SHURflo® FLOAT SWITCH



Remote or direct mounting .78mm tinner wire assembly. Ignition protected.

036789

BREHA HAND SINK PUMPS



Self priming and simple to install. Water is supplied on both up and down strokes. Fits a sink with a 32mm mounting hole.

Standard Black	005542
Standard White	005543
Short barrel White	005546
Top plunger seal	005554
Bottom plunger seal	005555

TROJAN HAND PUMPS



Quiet easy operation. Water is supplied on both up and down strokes. Nylon body and anodised aluminium barrel. Mounting hole is 32mm dia.

White	005550
Black	005551
Gold	005552
Chrome	005553

Spare Parts

Top U seal	005558
Retaining washer	005562
Piston U seal	005559
Bottom nut assembly	005561
Washer replacement kit	005563

TROJAN MULTI PURPOSE PUMP



Suitable for most corrosive liquids found in household, agricultural and light industrial applications.

035600

**FLOJET 12V & 24v AUTO
PUMP 12L/MINUTE**

Delivers up to 12 ltr/minute without need for an accumulator tank. Special internal bypass feature eliminates pulsating water and pressure switch chatter. Runs dry without harm to the pump. 12V **005727**

12V with strainer 1/2" barb **005702**

24v with strainer 1/2" barb **005703**

**FLOJET 12V AUTOMATIC
PUMP 4.3L/MIN**

Self priming. Dry running. Soft, noise absorbing mounts. Snap-in port fittings. Smooth operation without accumulator tank. Built in pulsation eliminator. Sealed motor. Weighs only 1.6kg. Delivers 4.3L/min at up to 50 psi of pressure. **005733**

**FLOJET 12V TRIPLEX
2.9GPM PUMP**

Self priming. Dry running. Very compact. Weighs .6kg. Complete with 3/8 barbs. Delivers 4.3L/min. **005700**

FLOJET SPARES

Quad Port 12mm hose barb elbow **005704**

Quad Port 12mm hose barb straight **005705**

Quad Port male qest elbow **005707**

Quad Port male qest straight **005711**

Diaphragm Kit **005715**

Pressure Switch Kit **005716**

LOW BOY TRIPLE ACTION PUMP

Combination hand pump, mains pressure and 12V electric pump. Low silhouette suitable for fold down campers. **005578**

**Whale GP99 12V IN LINE
BOOSTER PUMP**

Simple, compact, low-cost and lightweight. Fits unsupported into pipework or below water tank. Ideal for up to two mixer outlets. Boosts pressure in manual or electric pump systems. Pumps fresh water, salt water and diesel. Low current draw. Length 133mm, output 12L/min. Weight 150g **005753**

**Whale 12V
SUBMERSIBLE
PUMPS**

Self venting design eliminates air locking. Designed to be dropped into a water tank. Does not require priming. Simple, compact and low cost pump. Ideal for up to two mixer outlets and suitable for dual purpose manual/ electric system. Inexpensive way to update a manual to an electric system. Pumps fresh water, salt water and diesel. Very quiet.



GP8815

116.5mm (l) Output 12 IL/min, Weighs 150g

Retail pack

035605



GP9216

Most powerful pump in the range.

160mm (l) Output 15L/min.

Weights 200g

005751

**Whale TIPTOE FOOT
PUMP**

Designed for neat, through-floor mounting.

When not in use, the plunger locks down.

Output: 7L/min. Weighs 370g

Service kit

005580

005581

**Whale TELESCOPIC
SWIVEL FAUCET**

Use with foot pumps to conserve space. Swivels through 360° and can be pushed down when not in use. White. **005937**

**Whale TUCKAWAY
FAUCET**

Great space saver. Fits into wall of the sink and folds down neatly for storage

White. With on/off switch.

005938

White.

005939

**Whale PRESSURE
SWITCH**

When fitted in-line provides a convenient way to create a pressure system with an electric pump without its own switch.

Current rating - 10A, 12V-24v. Cut outpressure - within range 5-25psi

005754

**Whale NON RETURN
VALVES**

When fitted in line on the suction side of a pump, Whale non-return valves will ensure maintenance of prime, particularly if pump valves are weak. Suit 12.5mm ID Hose.

PVC

005785

Brass

035607

SHURflo WATERGUARD FILTRATION



Designed for both RV and marine applications. Reduces unpleasant tastes and odours. Provides fresh, clean drinking water. Supplied complete with all parts and fittings including carbon block disposable filter. Quick and easy to install.

Replacement cartridge **036795**

Whale AQUASOURCE WATER FILTER



An inline water filter to be fitted in the cold water pipe. Very efficient as it filters the water you drink rather than all water. When fitted as recommended the filter will remove foreign bodies and dirt particles, as well as unpleasant smells. Disposable.

026528

FLOJET FILTERS



12mm barb. 90° quad **005706**
 12mm barb-barb **005712**
 12.5mm Theaded suits Quad Port **005713**
 12mm Barb-Barb In line **005724**

IN LINE FILTER



1/2" hose or screw on fittings. **005403**

WATER FILTER CAMPING STYLE



This carbon activated filter will improve the colour, odour and taste of potable drinking water. It will reduce chlorine and volatile organic compounds while filtering contaminants to 10 microns. Suitable for camping, picnics or home use. **006226**

FIAMMA ACCUMULATOR TANK A20



May be used with most pump systems and may be mounted in any position. 235mm (l) 150mm (w) 100mm (h) **035603**

CAMEC FRESH WATER TANK PLASTIC 55L



960mm (l) 470mm (w) 175mm (rear depth)
 185mm (front depth) **006086**
 Spare tee **006088**

AL-KO FRESH WATER TANK PLASTIC 52L (11.5G)



1010mm (l) 330mm (w) 175mm (d) **006089**

CAMPER VAN FRESH WATER TANK PLASTIC 57L



760mm (l) 355mm (w) 230mm (d)
 No barbs. **006096**

FRESH WATER TANK ROUNDED CORNERS PLASTIC 61L (13.5G)



895mm (l) 480mm (w) 165mm (d) **006097**
 Mounting Brackets **035609**

FRESH WATER TANK PLASTIC 70L



850mm (l) 520mm (w) 160mm (d)
 No barbs. **006099**
 Mounting Brackets **035610**

FRESH WATER TANK PLASTIC 86L (19G)




850mm (l) 520mm (w) 220mm (d) **006100**
 Tandem B Secondary Front Tank **006101**
 Tandem A Primary Rear Tank **006102**
 Mounting Brackets **035611**

FRESH WATER TANK PLASTIC 100L (22G)



940mm (l) 620mm (w) x 180mm (d) **006104**
 Tandem B Secondary Front Tank **006105**
 Tandem A Primary Rear Tank **006106**
 Mounting Brackets **035612**

CAMEC HEAVY DUTY FRESH WATER TANK PLASTIC 65L



Seamless construction. 9mm
 870mm (l) 600mm (w) 180mm (d) **006111**

**FRESH WATER TANK
PLASTIC 127L (28G)**

955mm (l) 790mm (w) 170mm (d)	006107
Tandem B Secondary Front Tank	006108
Tandem A Primary Rear Tank	006109
Mounting Brackets	035613

**FRESH WATER TANK
PLASTIC 82L**

1220mm (l) 490mm (w) 190mm (d)	033423
Director 13mm Barb x 1/2" MBSP	005356
Plug 1/2" BSPT	033427
10mm Barb x 3/4" MBSP Breather	006083

**FIAMMA 70 LITRE FRESH
WATER TANK**

Complete with all installation fittings. Water inlet pipe 38mm and air outlet 13mm. 240mm (h) 700mm (l) 470mm (d) **006110**

**FRESH WATER TANK
PLASTIC 59L**

865mm (l) 490mm (w) 190mm (d)	033422
Director 13mm Barb x 1/2" MBSP	005356
Plug 1/2" BSPT	033427
10mm Barb x 3/4" MBSP Breather	006083

**WATER INDICATOR SENDER
UNIT**

Easy to install in the side of the tank while the tank is in place. Designed for shallow tanks with maximum depth of 280mm and maximum wall thickness of 10mm. Includes 5m lead. 1 unit per tank required. **006115**

TANK SENDER PROBE KIT

For deeper tanks. 5 probes are mounted into the side of the tank (fresh or grey water only). Supplied with wiring kit, one junction box and 5m lead. **006116**

**RV TRAVELLER LED TANK
GAUGES**

Simple monitoring of fresh or grey water. Incorporates its own battery power supply and no connection to vehicle's power supply is required. One kit per tank required.

1 tank	006118
2 tanks	006119
3 tanks	006120
2 gauges waste and water	006121

**WATER LEVEL INDICATOR
SQUARE**

The square style is suitable when multiple gauges are required. The top indicator section has its own 12V battery and joining links which makes it easy to fit the gauges together. Easy to install. Black or white with grey label.

**Plastic/Metal Tanks
with Shallow Tank Sender**

Black	7.5m lead	006126
White	5m lead	006129
Black	5m lead	006130
Black	2.5m lead	038032

**Plastic Tanks Only
with Deep Tank Sender**

Black	7.5m lead	006128
White	7.5m lead	006127
2.5m lead		006133

WATER LEVEL INDICATOR

Accurately displays the water level in tanks. Easy installation - fits existing water tanks with no removal of water tank required. Complete with all hardware including battery and 5m lead.

Aqua/White	c/w 2.5m lead	006132
Burgundy/White	c/w 2.5m lead	035614
Aqua/White	c/w 5m lead	006134
2.5m Extension Lead		006133

**JRV FRESH WATER TANK
MONITOR**

Single monitor panel with LED graphics. Water pump switch. 98mm (h) 117mm (w)

Black	006139
White	006141

**JRV FRESH/GREY WATER OR
HOLDING TANK MONITORS**

Single monitor panel. Water pump switch. 98mm (h) 117mm (w) Black. **006144**

**JRV FRESH WATER/HOLDING
TANK MONITOR**

For fresh water and holding tanks. Water pump switch. 98mm (h) 117mm (w) Black. **006147**

10mm BREATHER ELBOW

Suitable for Camec water tanks **006083**

BARBED PLUG AND OUTLET



1/2" B x 3/8" BSP

Barbed outlet

006079

Barbed plug

006080

CAMEC TANK DRAIN TAP



3/8" BSP male x 1/2" male barb

006081

TANK KLEEN



Cleans and deodorises freshwater tanks. An effective remedy for water tainting problems. Treats up to 182L. 200g.

000261

MICROPUR FLUID



For safe drinking water. 100ml bottle will treat 1000 ltr of water. Odourless, tasteless and harmless, even when used in excess of recommended level.

000262

AQUATABS PURIFYING TABS



Fast dissolving, fast acting, effervescent water purification tablets. 1 tablet/1L water. Pack of 50.

000263

WATER TANK CLEAN - FRESH TABS



To clean out fresh water tanks and systems after storage and before use.

6 tabs/card.

000264

CAMEC LOCKING WATER FILLER



White

006163

Black

006164

Spare cap & key White

006160

Spare cap & key Black

006161

LOCKING WATER FILLER WF450



Square white plastic with 14mm (d) surface mounting. Overall size 140mm x 140mm with cutout size of 100mm dia.

006165

Cap and strap

006166

WATER FILLER WITH HINGED LID



White plastic with hinged flap cap

006173

Spare flap

006174

RECESSED WATER FILLER WITH SCREW ON CAP



White

006176



LOCKING WATER FILLER



25mm reducer.

Black

006169

White

006170

Spare cap and key Black

006167

Spare cap and key White

006168

MAINS PRESSURE REDUCER 4 TO 1



035619

SHURflo MAINS PRESSURE REGULATOR



The diaphragm design prevents high-pressure damage often caused by city water systems. Leak tight, stress and crack resistant. Water pressure is limited to 50psi. Wall mounted.

White Bulk Pack

006154

Chrome Retail Pack

006156

SHURflo IN LINE WATER ENTRY



An in-line version of the Mains Pressure Regulator. The NPT male end screws directly onto the SHURflo city water entry regulator with the other end suitable for a Gardena snap on hose fitting.

006158