


## Product Guide

It's time to build a better life. It's time to draw the line at average.





4-7	Why choose Steel-Line				
8-9	powermesh Garage Door Controller				
10-17	The Custom Co/ection				
	12-13 Insert Panel Aluminium Frame Sele	ction			
	14-16 Face Fixed Aluminium Frame Selec	ction			
	17 Flush Mount Selection				
18-19	Colorbond Sectional Doors				
20-21	Colorbond Roller Doors				
22-23	UniCote*/LUX Doors				
24-25	Matt Doors				
26-27	Tilt Doors				
28-29	Smooth and Powder Coat Doors				
30-31	Louvre Doors				
32-43	The Timber Look Series				
	34-35 Timber Selection				
	36-37 <b>Colerbond</b> Timber Selection				
	38-39 <b>UniCote</b> / LUX Timbers of the World S	Series			
	40-41 Natural Timber Selection				
42-43	Wind Rated Doors				
44-45	Commercial and Industrial Doors				
46-59	Design your Door - Shopping Guide				

## Need help choosing your new door? Follow this simple 5 step guide:







Step One:

Step Two:

Step Three:

49 Select your Door

50 Create your Design

52 Select your Colour



Step Four:

57 Select your Opener and Home Enhancer's



Step Five:

61 Select your Service Care Plan

#### Icon Guide:








Roller Door









Opposite: Custom Collection Face Fixed Aluminium Frame Garage Door with grey aluminium composite panels.



Strong and durable, Steel-Line garage doors are made in Australia for the harsh Australian conditions.



Steel-Line supports Australian jobs which is why our garage doors are predominately made with the highest quality Australian BlueScope® steel.



A trusted Australian brand, Steel-Line have been making garage doors for Australians by Australians for over 40 years.



Award-winning FingerProof™ Safety design is a **standard feature** for Steel-Line sectional doors.



Every garage door is custom made and manufactured to your requirements. It's one of the reasons the majority of Australia's major builders choose Steel-Line garage doors.



Steel-Line offer a full range of accessories to suit your personal needs. View our range from page 57.



Steel-Line have been makers and inventors of garage doors in Australia for over 40 years.

Strong, safe and durable, we make with passion to enhance your lifestyle. It's at the core of what we do.

Our award-winning doors are the preferred choice for most major Australian builders.

Every door is custom manufactured for your home.





### Control your door like never before.











The app to control it all.

The Powermesh Garage Door controller gives you complete control in the palm of your hand. Enjoy the convenience of connecting your garage today and expand control for everything else tomorrow.



Learn more about the Zimi ecosystem.



to watch a video on why the Powermesh

Garage Door controller will make your life

powermesh®



#### **Any Garage Door**

Controls1or2garagedoorsin



#### **Voice Control**

Hands-free control by simply speaking.



#### **Anywhere Access**

Extend your reach to anywhereintheworldwith Zimi Connect.



#### **Existing Motors**

Works with your existing system.



#### Flight Path Technology


Open your door to different heights.



#### Temp & Humidity

Monitor the climate inside your garage.




















# The Custom Co/ection


Your garage door could be the biggest design feature on your home's exterior, so make sure it's also the most striking. There's a Steel-Line product to suit all designs and architectural styles.

Steel-Line's innovative Custom Collection of garage doors offers over a hundred different options for you to choose from.

Let your imagination run wild with our Face Fixed, Insert Panel and Flush Mount selections. Simply match your garage door to the facade of your home and the style that will best suit your aesthetic.

## You create it, we make it.






## Insert Panel Aluminium Frame Selection

Steel-Line offer a stunning range of stylish FingerProof™ aluminium framed garage doors. You can choose from a wide selection of composite inserts or any compatible custom material to match with your design. Create the look that you want to customise your building to suit your surroundings.

Opposite: Custom Collection Insert Panel Aluminium Frame Garage Door in Night Sky and aluminium composite inserts in Dark Grey.



#### Configurations



QUARTER - HALF - QUARTER

4 EQUAL SECTIONS

5 EQUAL FIFTHS

#### **Standard Frame Colours**



#### **Standard Insert Panel Options**

#### | Polycarbonate Multiwall





Metallic Silver Brushed Silver

Champagne Medium Bronze

Dark Grey

Black White

#### Acrylic



#### Other









Perf Mesh Infill Aluminium Treadplate Bar Grille Tube # in Mill Finish

 $\textbf{NOTE:} \ \text{The number of panels is determined by the height of the opening } < 2440 \text{mm (H)} = 4 \ \text{panels;} \\ > 2450 \text{mm (H)} = 5 \ \text{panels.}$ The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with

your Product Consultant on price and availability.

# The maximum width of the "1 section" Bar Grille Tube door is 1200mm. The maximum width of the "2 section" Bar Grille Tube door is 2400mm".





## Face Fixed Aluminium Frame Selection


The face fixed design is laying the aluminium composite panels over the frame for that architectural look. The aluminium composite panels are the premier choice for an exterior cladding that will maximize the beauty of the structure while providing a sustainable product to prolong the life of the building.

Despite being conveniently lightweight, these aluminium composite panels certainly aren't pushovers. They have impressive durability and strength, making them well suited to bearing the tough conditions of the Australian climate. Our face fixed design is lightweight, weather-resistant, has a maximum wind rating of C3 for wind regions C and D in Australia.

#### **Configurations**







#### **Standard Frame Colours**



NEW Colours

Dover White ™ Southerly ® Bluegum ®







#### **Standard Face Fixed Options**

#### | Aluminium Composite Panel

#### | Matt Finish













| Other









Western Red Cedar Western Red Cedar Barn Style

NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.





### **Flush Mount Selection**

Steel-Line's flush mount garage door blends in your facade with the cladding of your choice to create a seamless appearance to the front of your home. Flush finish means the surface of the garage door and the external wall surrounding it are on the same plane.

The flush mount garage doors are suitable to take a total weight of up to 175kg for tilt doors, and 250kg for sectional doors. They can be clad with the building's exterior materials, including timbers, composite

timbers, metal, aluminium composite panel and acrylic. The integrated cladding materials make the door appear to be part of the building's wall system. Our flush mount doors are perfect for an architecturally designed building giving the exterior cladding a continuous look and essentially making the door invisible.


**NOTE:** All flush mount garage doors are made to order. Select a cladding material from our range or order as frame only and get your builder to clad on site to match the rest of your façade for that invisible look.












## Colerbond **Sectional** Doors

Enhance the exterior of your home with a garage door that will compliment any style of architecture. Steel-Line has a range of garage door styles to suit the unique characteristics of your home.

Steel-Line's sectional garage doors have exceptional weather-resistant qualities. They are resilient against normal wind and dust conditions and come with heavy duty aluminium bottom rails containing PVC weather seals, so you can trust that the precious contents of your garage are protected at all times.



**RUSTON RANCH** 

SUNRAY X 4 RANCH

SUNRAY 2 X 2 RANCH

SHERWOOD RANCH

STOCKTON RANCH

STOCKFORD RANCH

PLAIN RANCH

#### **Window Options**





SUNRAY X 8 HERITAGE



SUNRAY 2 X 4 HERITAGE



SHERWOOD 4 X 2 HERITAGE



STOCKTON HERITAGE





PLAIN HERITAGE



#### | ColerbondClassic



#### | Colorbond Matt Range



#### | Premium Colours\*



NOTE: Woodgrain finish is standard for standard colour and premium colour sectional doors. \* Smooth finish is not available.









Monument ®

Perisher White

NOTE: # Non-standard colours at non-standard pricing.

Bluegum ®

**Series** "A" series residential door "AA" series residential door (Range from 750mm to 3430mm in width) (Range from 3435mm to 5500mm in width) "A" Series Door Heights "AA" Series Door Heights Up to and including 1200mm Up to and including 2200mm Up to and including 2100mm Up to and including 2400mm Up to and including 2200mm Up to and including 2600mm Up to and including 2400mm Up to and including 2700mm Up to and including 2600mm Up to and including 3000mm Up to and including 2700mm Up to and including 3000mm "B" series light industrial door (Range from 2855mm to 5500mm in width) "B" Series Door Heights Up to and including 3300mm Up to and including 3600mm Up to and including 4200mm Up to and including 4800mm Up to and including 5100mm **Colour Options** Colorbond Standard Colours



Our range of Colorbond® colours and smooth operation, Steel-Line garage roller doors become true design features of your home.

Manufactured with heavy duty bottom rails containing durable PVC weather seals, a Steel-Line garage roller door provides your precious garage contents with excellent protection from the harsh elements.

All Steel-Line garage doors revolve on precisionmade drum wheels. Garage doors are counterbalanced using helical coil springs to ensure perfect balance and operation. All our springs are heat treated and tempered to give years of trouble free operation.

Opposite: Roller Door in Colorbond® Deep Ocean®.









Basalt ™



UniCote® LUX is an imported pre-painted steel product designed to suit Australian high-end Architecture. Drawing inspiration from around the world, feel inspired by the range of unique patterns and finishes available in this range.

UniCote® LUX is the future of Australian pre-painted steel design. The range is manufactured and tested to meet all weather conditions, resistant to chipping, peeling or cracking. UniCote® LUX doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

#### **Profile Options**



#### **Colour Options**

#### | Architectural Series



























NOTE: Available in smooth or textured finish only. Please see product samples.

Weathered Iron Corten Red

#### | Timbers of the World Series



Messmate

Kapur













Red Oak



African Blackwood

NOTE: Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.













## **Matt Doors**


The Matt look garage door is made from BlueScope® steel, which allows you to make stylish and defining design choices for your home.

Choose from five colours: Surfmist®, Shale Grey<sup>™</sup>, Dune<sup>®</sup>, Basalt<sup>®</sup>, and Monument<sup>®</sup> to make your design statement.

Opposite: Flatline Sectional Garage Door in Monument® matt look.

#### **Sectional Profile Options**





Ranch Heritage

Note: Also available in a roller door.

#### Colorbond Colour Options



#### **Other Colour Options**



Note: \* Available in Colorbond® Sectional Door # Available in Colorbond® Roller Door













## **Tilt Doors**

Not enough room in your garage for a sectional or roller door? A lot of older garages can be quite limited in space.

Steel-Line tilt garage doors offer the perfect solution for smaller garages or spaces with restricted side or head room. Manufactured to fit most garage openings and easily installed, the tilt garage door offers safety and convenience in a wide range of colours and materials.

The choices of material is almost as varied as your imagination allows and commonly includes plywood and moulding, K-panel, Colorbond®, Western Red Cedar, aluminium composite panels, copper sheeting, clear or textured glass/ acrylic, and many other types of cladding.


**NOTE:** Not all options available in all markets. Please refer to your Product Consultant for our wide variety of design options in your area.












## **Smooth and Powder Coat Doors**

Stylish, strong and durable. Steel-Line's innovative Smooth and Powder Coat Custom Sectional Door range are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

#### **Profile Options**



#### **Colour Options**





#### | Matt Range



#### | Colorbond Classic





Dulux More than 70 Dulux colours also available for sectional doors only. Please inquire about availability.

Note: Maximum width 5600mm.









Bluegum ®

## Louvre **Doors**

Steel-Line's aluminium Louvre sectional garage door has been developed to give a high level of airflow and natural light transmission.

Steel-Line sets a new benchmark for Louvre garage doors. Designed and manufactured in Australia, our Louvre garage door is extremely strong and secure with a modern architectural look. It's ability to provide privacy for what is inside and still allow a minimum 22% ventilation, makes this the door of choice for many modern developments.

Steel-Line Louvre garage doors have been engineered to the highest standard and tested at the JCU Cyclone Testing Station against the wind loading requirements of AS/NZS 4505-2012 (also available for C2 & C3).



31

## The Timber Look Series

Your garage door is often the largest and most prominent frontal feature of your home. For this reason, choosing the right garage door is a crucial decision that can significantly influence the value and aesthetics of your most prized asset.

If you like the natural look and warmth that wood conveys, we can offer you Natural Timber, DecoWood®, Colorbond®, UniCote® LUX Timbers of the World and our Biowood® series.


Each offering has different benefits depending on your requirements, while providing the warm and homey charm that a timber look provides.

Our impressive assortment of beautifully crafted options offers a classic and timeless style that evokes a feeling of tradition with a modern twist.



You dream it, we create it.

33






## **Timber Selection**


The DecoWood® garage door is ideal for coastal properties and bushfire prone areas with its marine grade powder coating. It is made from BlueScope® steel, which is an incredibly versatile material, preferred by builders and designers alike for its strength, durability, flexibility, lightness and corrosion-resistance.

Unlike timber, DecoWood® garage doors don't warp, shrink, splinter or rot. They require little maintenance, and they are also completely impervious to termites.

#### **Profile Options**



#### **Colour Options**













## Colerbond

## **Timber Selection**

Steel-Line's Colorbond® Timber Selection offers the strength of a Colorbond® Steel door with the style of the Colorbond® colours.

A garage door made from Colorbond® steel will also give you lifelong performance. Thanks to the five-layer design of Colorbond® steel, it provides corrosion resistance and a durable baked on paint finish, making it look great and easy to maintain.

With the Colorbond® Timber colours, Colorbond® steel provides an elegant twist providing even greater design opportunities for your home.



#### **Profile Options**



### Colorbond Colour Options









## UniCote®/LUX

## Timbers of the World Series

The UniCote® LUX - Timbers of the World Series draws inspiration from all over the globe to bring the beautiful natural look of timber to your front door.

Drawing inspiration from around the world, UniCote® LUX offers a range of timber finishes to suit your next project. With the strength of steel, UniCote® LUX products are manufactured and tested to meet all weather conditions to offer you a long lasting product and peace of mind.

UniCote® LUX paint systems are proven to provide resistance to chipping, peeling or cracking, offering excellent colour and gloss retention. UniCote® LUX doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.



#### **Profile Options**



#### **Colour Options**



#### NOTE:

Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.







## **Natural Timber** Selection

Stand out from the crowd with a door as unique as you.

As our timber garage doors are custom designed and manufactured, you can rest assured we will create a product to meet your dimensions and requirements. No matter what shape or size your garage is, a timber door can be made to suit it - and it will look fantastic.

And because this range is custom-built using natural products, you can look forward to having a truly one-of-a-kind garage door that has its own unique look and character.

The most popular timber used in this range is Western Red Cedar, a lightweight yet solid timber that looks equally beautiful on a renovated or new home being built.

#### **Profile Options**





V joint

Shiplap

#### **Colour Options**

















Dark Oak




















The Strut-Lock door is post free, incorporating the use of heavy duty struts, robust commercial hinges, top brackets in combination with a unique stile reinforcement to provide maximum resistance to forces exerted by cyclonic and high winds up to 5.5m (also available for C2 & up to N4).

The Wind Brace design feature with removable steel wind brace post(s) is installed to the sectional garage door once a cyclone warning is received. It takes about 2-5 minutes to install, and no tools are required. This feature can significantly enhance wind resistance up to C4 wind rating while still ensuring a smooth door operation (also available up to 6m for C2, C3, C4 & up to N6).

The wind rated roller doors are designed to provide additional wind resistance in extreme weather conditions. The new Wind Rated roller doors have been designed to reduce noise and increase service life. Optimised to suit your requirements, the Wind Rated roller doors are suitable for homes, sheds, commercial and industrial warehouses in cyclonic and non-cyclonic areas (C2/N4 up to 5.5m).



Steel-Line offer a range of commercial and industrial closures in partnership with Arco Architectural Systems that combine strength and reliability. We offer high quality products, exceptional customer service and real value for money within the commercial and industrial space.

Our products are typically customised to suit project specific criteria. In particular, roller shutters and roller grilles are usually individually designed to suit architectural, ventilation and aesthetic requirements.

Steel-line and Arco Architectural Systems assist in all stages of the construction process - from design specifications through to estimating, project management, supervision of the installation and efficient after sales service.



#### **Commercial Doors**

- Slimline Aluminium Shutter
- Mikado Multi Folding Door
- Arcade 2 Aluminium Roller Shutter
- Arcade 3 Aluminium Roller Shutter
- Clear Roller Shutter
- Arco Fold / Arco Stack

#### **Industrial Doors**

- Stadium Aluminium Roller Grille
- Q100/Q75 Steel Roller Shutter
- A1500 Counterweight Balanced Door
- A3000 Foldaway Counterweight Balanced Door
- A1000 Tilt Up Counterweight Balanced Door
- A2000 Hingeway Counterweight Balanced Door
- A4000 Counterweight Balanced Door
- A5000 Vertical Lift Counterweight Balanced Door
- Sliding Gate / Swing Gate
- Fire Shutter / High Speed Doors

## DESIGN YOUR DOOR

SHOPPING GUIDE



Select a door



Create your design





Select a colour



Select your opener and home enhancer's

Select a Service Care Plan

## STEP ONE: SELECT A DOOR

Using the icon guide at the bottom of each page, select your door type.



#### **SECTIONAL GARAGE DOORS**



Make a bold impression with the attractive range of Steel-Line sectional garage doors. Enhance the exterior of your home with a garage door that will complement any style of architecture with a range of door styles and colours to suit the unique characteristics of your home.



#### **ROLLER DOORS**



Easy to use and long lasting, our roller doors can be made to suit almost any size opening. Combine this with a range of Colorbond® colours and smooth operation, they become true design features of your home.



#### **ALUMINIUM FRAME DOORS**



Steel-Line's innovative Custom Collection range of garage doors offers over a hundred different garage doors for you to choose from. You simply look at the façade of your home and decide what style would best suit from our wide range of options.



#### **TILT GARAGE DOORS**



Is there a particular style or feature that you have not seen in the huge range of Steel-Line garage doors? You may have a specific design feature, profile, colour, style or material in mind, or some physical requirements which a standard garage door cannot satisfy.

A tilt or custom timber door could be your answer.



Depending on the door type, now select a profile and/or series.

#### SECTIONAL GARAGE DOORS




#### SELECT A PROFILE AND FINISH TYPE



- TF: Textured finish.
- SF: Smooth finish.
- # Windows can only be fitted to Ranch or Heritage designs in standard Colorbond® colours.
- \* Smooth finish is available in the Smooth and Powdercoat range at premium pricing.

#### **ADD WINDOWS**



#### **ROLLER DOORS**

Plain Heritage



Plain Ranch

#### | SELECT A SERIES

"A" series residential door (Range from 750mm to 3430mm in width)

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"AA" series residential door (Range from 3435mm to 5500mm in width)

"AA"	Series I	Door H	leights	5
Up to	and inc	luding	2200m	ım
Up to	and inc	luding	2400m	ım
Up to	and inc	luding	2600m	nm
Up to	and incl	luding	2700m	nm
Up to	and inc	luding	3000m	ım


"B" series light industrial door (Range from 2855mm to 5500mm in width)

"B" Series Door Heights	
Up to and including 3300mm	
Up to and including 3600mm	
Up to and including 4200mm	
Up to and including 4800mm	
Up to and including 5100mm	


#### ALUMINIUM FRAME DOORS

#### | SELECT A PROFILE


#### **Aluminium Framed Insert Series**




1 FULL PANEL ACROSS




QUARTER - HALF - QUARTER




2 EQUAL HALVES



4 EQUAL SECTIONS




3 EQUAL THIRDS




5 EQUAL FIFTHS


#### **Aluminium Face Fixed Series**



1 FULL PANEL ACROSS



QUARTER - HALF - QUARTER






4 EQUAL SECTIONS



5 EQUAL FIFTHS

#### Louvre Door



**Natural Timber Door Profile** 





88M X 12MM TONGUE & GROOVE





NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels.

ne maximum width of the "1 section" door is 2400mm, if the inserts are aluminium composite panels, acrylic, Western Red Cedar or aluminium treadplate. The maximum width of the "2 sections" aluminium composite door is 4800mm utside of these configurations, check with your Product Consultant on price and availability.

#### **TILT GARAGE DOORS**



#### Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:

- Plywood and Moulding
- Western Red Cedar
- Aluminium Composite Cladding
- Copper Sheeting
- K-Panel
- Colorbond®
- and much more



## STEP THREE: SELECT A COLOUR

Select the colour to suit your look based on your door type.

#### SECTIONAL GARAGE DOORS





































### UniCote LUX









Shale Grey™

















African

#### Colorbond Classic



Dune®

#### **ROLLER DOORS**



#### Colorbond Colours



#### **ALUMINIUM FRAME DOORS**



#### Frame Colours

Colour



#### **Aluminium Framed Insert Options**

----- Polycarbonate Multiwall





Metallic Silver







Champagne



Medium Bronze



Dark Grey



Black



White



White

Amplimesh Perf Mesh Infill


Aluminium Bar Grille Tube Treadplate in Mill Finish

Matt Range

#### **Aluminium Face Fixed Options**







#### **Natural Timber Door**













#### **TILT GARAGE DOORS**



Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:

- Plywood and Moulding
- Western Red Cedar
- Aluminium Composite Cladding


- K-Panel
- Colorbond<sup>®</sup>
- and much more

Copper Sheeting



and inventors of garage doors, we believe we are makers to the core.

We constantly strive to make things that don't just last a life-time but improve life. We are makers for life.



## Steel-Line simply safer range



## STEP FOUR: SELECT AN OPENER AND HOME ENHANCER

### simply safer

#### **OPENERS**

#### | SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS





Marantec Comfort 270 **Sectional Door Opener** 



- Max garage door size: 16.5m<sup>2</sup>
- Max door weight: 165Kg Max peak pulling force:
- 1 x wireless wall 2 x three channel key ring transmitters
- 7 year motor warranty (7 year electronics)

#### **Marantec Comfort 280 Sectional Door Opener**



- Max garage door size: 18.5m<sup>2</sup> Max door weight: 200Kg
- 1 x wireless wall transmitter 2 x three channel key ring transmitters Max peak pulling force:
- 7 year motor warranty (7 year electronics)

#### **Marantec Comfort 380 Sectional Door Opener**



- Max garage door size: 20m²
- Max door weight: 220Kg
- 1 x wireless wall transmitter key ring transmitters
- Max peak pulling force: 1100N 7 year motor warranty



Designed for

#### SD800 Sectional Door Opener # Builders Choice



- Max garage door size: 12m<sup>2</sup>
- Max door weight: 110Kg
- Max peak pulling force: 800N
- 2 x four channel key ring transmitters, 1 x wireless wall transmitter
- Inbuilt service reminder
- 5 year motor warranty (2 year electronics)

#### SD1200 Sectional Door Opener



- Max garage door size: 18.5m<sup>2</sup>
- Max door weight: 240Kg
- Max peak pulling force: 1200N
- 2 x four channel key ring transmitters, 1 x wireless wall transmitter
- Inbuilt service reminder
- 5 year motor warranty (2 year electronics)

Note: # Not suitable for Tilt Doors.

#### ROLLER DOORS







- Max garage door size: 18m²
- Max peak pulling force: 800N
- 1 x powerhead, 2 x three channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 5 year motor warranty (2 year electronics)

#### RD1200 Roller Door Opener Builders Choice











#### Marantec SR1000 Roller Door Opener



- Max garage door size: 22m²
- Max peak pulling force: 1000N
- 1 x powerhead, 2 x two channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 5 year motor warranty (2 year electronics)

#### Marantec SR1300 Roller Door Opener



- Max garage door size: 25m<sup>2</sup>; 18m<sup>2</sup> for wind locked doors
- Max peak pulling force: 1300N
- 1 x powerhead, 2 x two channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 2 year motor warranty (2 year electronics)



### simply safer

#### **HOME ENHANCERS**

**Coastal Upgrade Pack** 

ade Pack includes

Brush Seals, Powdercoated tracks and

rackets and stainless steel cables.

Brush Seals. AA Aluminium tracks with

## powermesh®

6

Powermesh products work with the

Zimi home ecosystem. Make your life

easier and get connected today

www.zimi.life

## simply safer

Control your garage door

automation system. For more

anytime, anywhere with the Powermesh home

information see page 8-9.

#### | SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS ■■



#### **Commander Elite**



#### Max garage door size: 20m<sup>2</sup>

- Max door weight: 150Kg
- Max peak pulling force: 1000N
- 2 x premium remotes, 1 x two button wireless wall transmitter
- MYQ compatible
- 7 year warranty

#### Commander Extreme #



- Max garage door size: 20m²
- Max door weight: 150/286Kg \*
- Max peak pulling force: 1200N
- 2 x premium remotes. 1 x two button wireless wall transmitter
- MYQ compatible
- 7 year warranty

Note: \*When IR beams are installed.

#### **Photo Electric Beams**



Wireless Keypad

The Photo Electric Beam is designed to detect an obstruction while the door is closing and to send a signal to the opener to reverse or stop the door movement. It helps to protect your family from injury and your car from the damage caused by contact.

The security keypad can be programmed with multiple,

people, or even just going for

leave your keys at home with

a walk. This means you can

unique user codes. It is perfect for the family, trades

peace of mind.

The Coastal Upgrade

Packs for both Sectional

that are located within 5

kilometres from the sea to

offer enhanced protection

against the elements.

Doors and Roller Doors are

recommended for all doors

#### **Battery Backup**



The Marantec Comfort 380 is available with a battery backup that provides an energy supply in the event of a power cut.

#### Commander Ultimate #



#### • Max garage door size: 16.5m²

- Max door weight: 280Kg
- Max peak pulling force: 600N
- 2 x premium remotes, MYQ remote LED light, safety IR beams, smart control panel, automatic door lock, cable extension motor, integrated battery backup
- MYQ compatible
- 7 year warranty

#### Add on: MYQ Connectivity Bundle



Add monitoring and control away from home. Includes myQ Gateway and The Protector System™ (Safety IR Beams).

#### Note: # Not suitable for Tilt Doors.

#### | ROLLER DOORS



#### WeatherDrive



- Max garage door size: 15m²
- Max door weight: 100Kg
- Max peak pulling force: 500N
- 2 x premium remote controls, 1 x wireless wall transmitter, 1 x weight
- Weather resistant (IP34 rated
- 3 year warranty

#### SilentDrive Essential



- Max garage door size: 16.5m²
- Max door weight: 100Kg
- Max peak pulling force: 500N
- 2 x premium remotes, 1 x two button wireless wall transmitter, 1 x weight bar
- 5 year warranty



Key ring remote transmitters are small and convenient with the ability to operate up to four doors or gates from the one unit. A must have for every set of keys in the

#### **Emergency Key Release**



Used in case of malfunction or power failure, especially useful if there is no other access to the garage.

#### **Additional Handsets**



#### **Wireless Wall Mounted Remote**





Can be installed near an internal access door to your garage giving you greater convenience to open and close your garage door.

#### SilentDrive Elite



#### Max garage door size: 18m²

- Max door weight: 120Kg
- Max peak pulling force: 550N
- 2 x premium remotes, 1 x two button wireless wall transmitter, 1 x weight bar
- 7 year warranty



#### Grifco LR Drive


- Max garage door size: 28m² / wind locked 22m<sup>2</sup>
- Max door weight: 270Kg
- Max peak pulling force: 1300N
- 1 x battery backup unit, 2 x E960G 4 channel keyring transmitters, 1 x E138G wireless wall transmitter
- 2 year, 10000 cycle warranty

#### **Brush Seal**



A tough and durable brush seal can help better protect your garage from the elements and satisfies the "Construction of buildings in bushfire-prone areas" standard AS3959:2018 for protecting against fire embers entering the garage.

#### **Garage Door Insulation**



Steel-Line garage door insulation minimises the effects of the harsh Australian climate, by reducing heat loss and heat gain transferring through the door panel. Only available with Colorbond Sections Smooth and Powdercoat doors.




### **Service Care Plan**

With a Steel-Line Garage Door Service Plan you can enjoy peace of mind for less with our 3 and 5 year service plans at a much lower cost.

Reassurance will only cost one upfront payment and will ensure your door is always under warranty. Steel-Line Garage Doors has qualified Garage and Roller Door Service Technicians on-hand to service or repair your garage door.

With one upfront payment, you save money and can rest assured your door remains in tip top condition and fullfils your warranty condition to service your door annually.



#### **Steel-Line Door Service Plan Key Benefits:**

- Available Australia wide
- Significant savings with one up front payment
- Guarantee your garage door is serviced by Steel-Line qualified technicians
- Assurance your garage door is working in peak condition with regular check ups

## 3 and 5 year service plans available.

Ask your local branch about how to sign up for a plan today.

Terms and Conditions:
- Service care plan is only available on doors 11 months old or less.
- Parts are not included.
- Only applicable to the doors fitted and is not transferable.







## **Buy Now. Pay Later.**

zip.co/apply

Zip is an easy and flexible payment method which gives you the freedom to buy now and pay later. There are two reusable account types, Zip Pay and Zip Money. Repayments are flexible to suit your lifestyle - weekly, fortnightly or monthly, and you can pay as much as you like as long as you meet your minimum monthly repayments (advised at the time of sign up).



**Zip Account** 

Apply for reusable Zip account with a limit that suits your needs.



**Payment Flexibility** 

Everyone's different. That's why Zip Up to 12 months interest free. lets you tailor your payments to suit your lifestyle.

**Interest Free** 

#### **How it works**



**Apply for Zip** 



**Get Zip approval** 



**Order your Steel-Line** products







If you're ready to draw the line at average and reach for better call us today.

1300 427 243

To locate Steel-Line branches across Australia visit steel-line.com.au

#### QLD

**CAIRNS TOWNSVILLE** SUNSHINE COAST **BRISBANE GOLD COAST** 

#### **NSW**

**COFFS HARBOUR NEWCASTLE SYDNEY** WOLLONGONG

#### VIC

**CAMPBELLFIELD DANDENONG GEELONG** 

#### **TAS**

**HOBART** 

#### SA

**ADELAIDE** 

#### WA

**PERTH** 

#### NT

**DARWIN**