



The advantages of Invisalign treatment.

- Invisalign aligners are removable, making it easier to brush and floss to maintain your oral health during treatment.
- Invisalign treatment may give you visible results from as early as the first month of treatment.
- Attend functions and events in confidence with Invisalign aligners. Virtually invisible, very few people would notice you're having your teeth straightened.
- Get straighter teeth more comfortably and predictably thanks to innovative SmartForce and SmartTrack® technologies in Invisalign aligners.
- Invisalign aligners are suitable even for an active lifestyle since there are no metal brackets cutting your mouth.
- With doctor visits only approximately every 6-8 weeks, Invisalign aligners are ideal even for a busy lifestyle, allowing you to spend more time doing the things that you love.
- Craving a snack? Since Invisalign aligners are easily removable, you have the freedom to eat, chew and drink whatever you like.



How does the Invisalign System work?

- Invisalign aligners are removable, making it easier to brush and floss to maintain your oral health during treatment.
- Using Align Tech's proprietary software, your doctor creates a customised 3D treatment plan based on your records, which you can view and know how the final position of your teeth are predicted to reach. This also informs you of the likely length of the treatment.
- The customised aligners will be manufactured and shipped to your doctor's office.
- Your series of custom-made aligners will be given to you (typically 3-4 sets at a time) for you to wear every day, and change approximately every 2 weeks.
- You will visit your Invisalign trained doctor approximately every 6-8 weeks to monitor your progress, and receive the next series of aligners.
- 6 Congratulations! You have finished your Invisalign treatment! Maintain your newer, better smile with the use of retainers.

Treatable cases.

Invisalign clear aligners are clinically proven to treat cases from minor teeth straightening to moderate and severe malocclusions.



Gapped Teeth

This occurs when there is considerable space between at least two of your teeth, and can cause gum problems.



Crossbite

This can occur when the upper and lower jaws are both misaligned, and can cause wear and tear leading to bone loss



Overbite

This occurs when the upper teeth bite over the lower teeth, and can lead to painful jaw irritation.



Jnderbite

This occurs when the lower teeth protrude past the front teeth, preventing normal function of your front teeth or molars.



Overcrowding

This occurs when there is simply a lack of room within your jaw for all your teeth to fit normally, leading to placue accumulation.



Openbite

This is when your upper and lower teeth are unable to make physical contact when the jaws are closed, making chewing and even talking difficult.

