

MORE POWER

FOR YOUR LAWN

Established in Sweden in 1934, STIGA has been innovating premium garden consumer products for more than 80 years. Stiga maintains high quality lawn tractors that excel in performance – all year round.

Their products continue to be in a class of their own providing superior quality and safety, with ergonomic and environmentally-friendly features. They are designed to provide the best solution to any challenging task with lots of power under the bonnet and first-class collecting ability so you can sit back and...

ENJOY THE RIDE.



INDEX

LAWN TRACTORS

Combi	i	6
Tornac	do	8
Estate		12



BORN TO RIDE EVERYWHERE All tractors offer excellent cutting performance, whatever the grass PEDAL OPERATED HYDROSTATIC TRANSMISSION conditions. Thick, overgrown and damp grass can be quickly and With no gears to operate, hands remain comfortably efficiently cut and collected or rear-discharged. All tractors are on the steering wheel for less tiring and safer cutting powered by high performance twin and single cylinder engines. sessions. Efficiency, component-quality and reliability are the main attributes **CUTTING WIDTH UP TO 108 CM** of all the engines chosen to power STIGA machines. All tractors are Wide and reinforced cutting decks prevent blockages, constructed around a highly robust chassis. Some models feature even with wet and tall grass. Featuring timed blades a reinforced heavy duty deck; while others benefit from a cast-iron front axle that contributes further to overall strength and durability. and anti-scalp wheels, they can be set up to 7 different cutting positions. Blade engagement is button operated and easy. **WORK IN COMFORT** STIGA units come with comfortable STIGA Classic Seat or a High Back Seat. The ergonomic steering wheel offers optimal grip while the ABS panel absorbs vibrations at foot level. **EASY ACCESS** Wide space between seat and steering column, allowing comfortable mounting/dismounting from the machine. 4 /TIGA stigamower.com.au Images for illustrative purposes only. Specifications subject to change without notice.




The Stiga Combi 166HQ is an extremely compact, collecting lawn tractor providing full visibility of the working area and a narrow turning circle for ease of use where there are obstacles and complex borders to negotiate.

The Combi is the ultimate choice for the garden lover, offering a comfortable ride with a smooth hydrostatic transmission and ergonomic seat design. You and your garden deserve it, don't you?



SU166HQ

ENGINE	Stiga powered, ST250 ES, 224cc
HORSEPOWER	6.2 hp*
DECK SIZE	26" (66 cm) cut Side, Mulch & Rear Discharge, 3 in 1
TRANSMISSION	Hydrostatic automatic
BLADE(S)	1
CUTTING POSITIONS	6 positions from 30 to 76 mm
FUEL CAPACITY	3.8 L



The powerful engines, advance functions, ergonomics and high-quality construction of this mower allows for easy lawn care for all users and all gardens.

The side-discharge tractor is recommended for cutting rough, overgrown grass over large areas where collection is not required – clippings are instead laid out in tidy rows.





2000 / 3000 series

SU598



ENGINE	Stiga powered, Single Cylinder ST500, 452cc	Stiga powered, Single Cylinder ST500, 452cc
HORSEPOWER	15 hp*	15 hp*
DECK SIZE	38" (98 cm) cut Side Discharge	42" (108 cm) cut Side Discharge
TRANSMISSION	Hydrostatic automatic	Hydrostatic automatic
BLADE(S)	2	2
CUTTING POSITIONS	7 positions from 25 to 80 mm	7 positions from 25 to 80 mm
FUEL CAPACITY	6.0L	6.0L

4000 series





ENGINE	Stiga powered, V-Twin ST550, 586cc	Stiga powered, V-Twin ST650, 638cc
HORSEPOWER	17 hp*	21 hp*
DECK SIZE	42" (108 cm) cut Side Discharge	42" (108 cm) cut Side Discharge

TRANSMISSION Hydrostatic automatic Hydrostatic automatic BLADE(S)

7 positions from 25 to 80 mm 7 positions from 25 to 80 mm **CUTTING POSITIONS** 9.0L 9.0L **FUEL CAPACITY**





Electromagnetic PTO Engagement Instant, safe activation/deactivation of the cutting blades by simply pushing a button. Ideal for quick disengaging of blades. **Advanced collecting tunnel** The smartest collecting option thanks to the central tunnel, the cut grass is completely discharged into the rear collector. Anti-scalp wheels Preventing the risk of scalping while cutting uneven surfaces. Instant wheel change by simple removal of a metal retaining ring.



SU5098HW

Soft grip steering wheel

Maximum comfort and the

Headlights

Ultimate technology giving the best visibility possible, in any condition.

most enjoyable driving

experience.

ENGINE	Stiga powered, V-Twin ST550, 586cc	Honda GCV 530, V-Twin 530cc
HORSEPOWER	17 hp*	16 hp
DECK SIZE	38" (98 cm) cut Rear Discharge	38" (98 cm) cut Rear Discharge
TRANSMISSION	Hydrostatic automatic	Hydrostatic automatic
BLADE(S)	2	2
CUTTING POSITIONS	7 positions from 25 to 80 mm	7 positions from 25 to 80 mm
FUEL CAPACITY	6.0L	9.0L

SU598W

240L grass collector Big grass collector, minimising the need for emptying.

WHAT MODEL SUITS YOU?

PURPOSE BUILT

Our Stiga range of lawn tractors are selectively built with Kawasaki and Stiga engines to suit your individual budget and purpose.





COMB

All devoted garden lovers deserve a lawn tractor. If the love is greater than the garden, Combi is the ultimate choice in smaller tractors, combining design with practical features.

TORNADO

A sturdy and reliable tractor built on a strong structure and able to mulch clippings or tackle long grass properly through side discharge.

ESTATE

TORNADO

Superb driving comfort and precise manoeuvrability, collecting up to 240 litres of cuttings or leaves, fast switching between mulching and collecting.

TORNADO



ESTATE

	СОМВІ	TORNADO	TORNADO
	SU166HQ	SU598	SU5108
ENGINE	Stiga powered, ST250 ES, 224cc	Stiga powered, Single Cylinder ST500, 452cc	Stiga powered, Single Cylinde ST500, 452cc
HORSEPOWER	6.2 hp*	15 hp*	15 hp*
TYPE	Air cooled	Air cooled	Air cooled
CYLINDER	Single	Single	Single
IGNITION	Electronic	Electronic	Electronic
FUEL	Unleaded fuel	Unleaded fuel	Unleaded fuel
FUEL CAPACITY	3.8 L	6.0L	6.0L
BATTERY	12V*9Ah adapter for charger	12V*18Ah	12V*18Ah
BATTERY CHARGER	Yes	Optional	Optional
HITCH UNIT	-	Optional	Optional
HOUR METER	-	-	-
MOWER DECK	Side, Mulch & Rear Discharge, 3 in 1	Side Discharge	Side Discharge
DECK SIZE	26" (66 cm) cut	38" (98 cm) cut	42" (108 cm) cut
BLADE(S)	1	2	2
BLADE ENGAGEMENT	Manual	Electromagnetic	Electromagnetic
CUTTING POSITIONS	6 positions from 30 to 76 mm	7 positions from 25 to 80 mm	7 positions from 25 to 80 mm
DECK LIFT	Manual	Manual	Manual
ANTI-SCALP WHEELS	-	Yes	Yes
TRANSMISSION	Hydrostatic automatic	Hydrostatic automatic	Hydrostatic automatic
SPEED CONTROL	Pedal-operated	Pedal-operated	Pedal-operated
FRONT AXLE	Steel	Cast iron	Cast iron
TYRES FRONT	13"	15"	15"
TYRES REAR	15"	18"	18"
HEADLIGHTS	-	Yes	Yes
GRASS CATCHER	150 L	-	-
KIT - MULCH	Optional	Optional	Optional

TORITADO	IOMIADO	LOIAIL	LOIAIL
SU6108W	SU6108WL	SU598W	SU5098HW
Stiga powered, V-Twin ST550, 586cc	Stiga powered, V-Twin ST650, 638cc	Stiga powered, V-Twin ST550, 586cc	Honda GCV 530, V-Twin 530cc twin cylinder
17 hp*	21 hp*	17 hp*	16 hp
Air cooled	Air cooled	Air cooled	Air cooled
V-Twin	V-Twin	V-Twin	V-Twin
Electronic	Electronic	Electronic	Electronic
Unleaded fuel	Unleaded fuel	Unleaded fuel	Unleaded fuel
9.0L	9.0L	6.0L	9.0L
12V*18Ah	12V*18Ah	12V*18Ah	12V*18Ah
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional
Yes	Yes	-	-
Side Discharge	Side Discharge	Rear Discharge	Rear Discharge
42" (108 cm) cut	42" (108 cm) cut	38" (98 cm) cut	38" (98 cm) cut
2	2	2	2
Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
7 positions from 25 to 80 mm			
Manual	Manual	Manual	Manual
Yes	Yes	Yes	Yes
Hydrostatic automatic	Hydrostatic automatic	Hydrostatic automatic	Hydrostatic automatic
Pedal-operated	Pedal-operated	Pedal-operated	Pedal-operated
Cast iron	Cast iron	Cast iron	Cast iron
15"	15"	15"	15"
20"	20"	18"	18"
Yes	Yes	Yes	Yes
_	-	240L	240L
Optional	Optional	Optional	Optional

ESTATE



1300 363 027 | 1800 33 22 13

f stigamowers.AUS stigamower.com.au





PLP shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. PLP also reserves the right to revise the content of this document at any time without prior notice. For more information regarding unit specs and availability, please see your local dealer. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or storing in a retrieval system, or translated into any language in any form without prior written permission of PLP. #CAT_1201856165596619. Latest Update March 2022. Photographic images are for illustrative purposes only.