

HEAT & GLO™

iSeries



Introducing the iSeries

Restore the integrity of your old fireplace with the technically advanced iSeries insert from Heat & Glo. Aesthetically pleasing and highly functional, the iSeries was created to defy the conventional standards of fireplace inserts.

A large viewing area due to flush hearth technology and smaller frame showcase flickering flames on superior, higher definition logs. The whisper quiet, high volume fan guarantees a wide range of heat output warming for maximum comfort. A choice of 3 different sizes, and a range of interior options include two brick refractory designs, black glass or standard black, which can be dramatically enhanced with the accent lighting feature.

Zero Clearance

Our iSeries fireplace is available in a zero clearance option, so can be installed directly into a timber frame, no brickwork required.



i30X with Firescreen front in chimney



i35X zero

Features

- Remote Control enables independent control of flame height, fan speed, LED lights and more
- IntelliFire Plus electronic ignition system eliminates the need for a standing pilot
- Flexible flue designed for an existing chimney and Direct Vent technology ensure clean and safe indoor air quality
- High definition, hand-painted log media as standard
- Choice of fronts and trims
- Choice of interior options
- Our limited lifetime warranty is the strongest and most comprehensive in the industry
- Optional fade resistant black glass interior that reflects the flame, not the room



Direct Vent Technology



IntelliFire PLUS Ignition



Choice of fronts and trims



Refractory options



Multi-function remote control



Zero Clearance Installation



i30X Freestanding shown with Linear pedestal

Freestanding

The iSeries is also available in a space saving freestanding design, with 2 base options to choose from. The iSeries firebox is enclosed in a minimalistic mild steel casing designed to give less frame and more flame. The matching flue and casing feature a powdercoated finish that allows worry free cleaning.

The freestanding iSeries Linear or Stretch pedestal bases have modern design in mind with clean lines and an elevated view of the fire and beautifully crafted high definition logs.

Designed from the chassis of our Zero Clearance model, the freestanding iSeries can be installed onto practically any surface giving you the freedom to design it your way.

Features

- Remote Control enables independent control of flame height, fan speed, LED lights and more
- IntelliFire Plus electronic ignition system eliminates the need for a standing pilot
- Choice of 2 bases, or unit can be installed without a base directly onto any surface
- High definition log media
- Choice of interior options
- Our limited lifetime warranty is the strongest and most comprehensive in the industry
- Optional fade resistant black glass interior that reflects the flame, not the room
- Powdercoated finish on freestanding casing, with matching powdercoated solid flue



Direct Vent Technology



IntelliFire PLUS Ignition



Refractory options



Multi-function remote control




Choice of bases




i30X with stretch base shown

Product Specifications


Standard Unit



Zero Clearance Unit



Freestanding Unit




CHIMNEY INSERT SPECS				
Location		I25X-N-AU	I30X-N-AU	I35X-N-AU
		Millimeters	Millimeters	Millimeters
A	Opening Width - Rear	384	511	638
B	Opening Width - Front	676	803	930
C	Opening Height - Front	439	533	616
D	Opening Height - Rear	387	487	551
E	Unit Opening Depth	381	381	381
F	Venting Depth - Front	194	194	194

ZERO CLEARANCE MIN FRAMING			
Height	555	643	735
Width	740	882	995
Depth	490	536	490

FREESTANDING CASE DIMENSIONS			
Height	441	541	618
Width	672	804	926
Depth	472	472	472

Upgrade Options



HEAT&GLO™

Jetmaster

www.jetmastervic.com.au

Disclaimer: Whilst Jetmaster makes every effort for accuracy, some finishes in this brochure may vary from actual product.