



**Routine service of fire protection systems and equipment**  
(Australian Standards AS 1851 – 2012)

# **austfire**

## **PROTECTION**

### **CONTENTS**

SECTION 1	Automatic fire sprinkler systems
SECTION 2	Fire pump sets
SECTION 3	Fire hydrant systems
SECTION 4	Water storage tanks for fire protection systems
SECTION 5	Fire detection and alarm systems
SECTION 6	Special hazard systems
SECTION 7	Delivery lay-flat fire hose
SECTION 8	Fire hose reels
SECTION 9	Portable & wheeled fire extinguishers
SECTION 10	Fire blankets
SECTION 11	Passive fire & smoke systems
SECTION 12	Fire & smoke control features of mechanical services
SECTION 13	Emergency planning in facilities
SECTION 14	Exit & emergency lights

<b>SECTION 1</b>	<b>AUTOMATIC FIRE SPRINKLER SYSTEMS</b>
------------------	---

FREQUENCY:

* Monthly	* 10-yearly
* Six-monthly	* 25-yearly
* Yearly	* 30-yearly
* 5-yearly	

<b>SECTION 2</b>	<b>FIRE PUMP SETS</b>
------------------	-----------------------

FREQUENCY:

* Monthly	* Yearly
* Six-monthly	* 5-yearly

### **SECTION 3**

### **FIRE HYDRANT SYSTEMS**

#### FREQUENCY:

- \* Monthly (pump related inspection and test items only)
- \* Six-monthly
- \* Yearly
- \* 5-yearly

### **SECTION 4**

### **WATER STORAGE TANKS FOR FIRE PROTECTION SYSTEMS**

#### FREQUENCY:

- \* Monthly
- \* Six-monthly
- \* Yearly
- \* 10-yearly (and other frequencies where applicable)

### **SECTION 5**

### **FIRE DETECTION AND ALARM SYSTEMS**

#### FREQUENCY:

- \* Monthly
- \* Six-monthly
- \* Yearly
- \* 5-yearly

### **SECTION 6**

### **SPECIAL HAZARD SYSTEMS**

#### FREQUENCY:

- \* Monthly
- \* Six-monthly
- \* Yearly
- \* 10-yearly

### **SECTION 7**

### **DELIVERY LAY FLAT FIRE HOSE**

#### FREQUENCY:

- \* Yearly
- \* After usage
- \* When defects are suspected

### **SECTION 8**

### **FIRE HOSE REELS**

#### FREQUENCY:

- \* Six-monthly
- \* Yearly

### **SECTION 9**

### **PORTABLE AND WHEELED FIRE EXTINGUISHERS**

#### FREQUENCY:

- \* Six-monthly
- \* Yearly
- \* 5-Yearly

### **SECTION 10**

### **FIRE BLANKETS**

#### FREQUENCY:

- \* Six-monthly
- \* When defects are suspected

### **SECTION 11**

### **PASSIVE FIRE AND SMOKE SYSTEMS**

#### FREQUENCY:

- \* Three-monthly (sliding fire doors)
- \* Six-monthly (fire doors & smoke doors)
- \* Yearly

### **SECTION 12**

### **FIRE AND SMOKE CONTROL FEATURES OF MECHANICAL SERVICES**

#### FREQUENCY:

- \* Monthly (applies to kitchen exhausts and outdoor air intakes only)
- \* Three-monthly
- \* Six-monthly
- \* Yearly (also includes 5-yearly and 25-yearly items)

#### **SECTION 13**

#### **EMERGENCY PLANNING IN FACILITIES**

##### FREQUENCY:

- \* Six-monthly
- \* Yearly

#### **SECTION 14**

#### **EXIT AND EMERGENCY LIGHTS**

##### FREQUENCY:

- \* Six-monthly
- \* Yearly

