







The functionality,

power points and accessories have celebrated almost two decades of innovative design

In fact, the contemporary styling and flexibility of the 2000 Series have made it Clipsal's most popular range of switches and power points - and the forerunner to our Prestige P2000, Classic C2000, Slimline SC2000, Eclipse SL2000 and Neo Series switches.

The feature that sets the 2000 Series apart from any other range is its unique grid assembly and surround which come in a comprehensive range of colours that can be mixed and matched to complement any décor.

The surrounds also hide all mounting screws and can be easily removed when redecorating to disguise any over-painting or untidy trim marks from wallpaper.





sophisticated look of the product.

The 2000 Series double power point is not only the most popular product in the Clipsal range; it is also the most popular double power point in Australia. Vertical and horizontal versions are available in the single and double power point ranges to give you more options. Added extras such as neons, safety shutters and extra switches allow for even more versatility (safety shutters prevent accidental contact with live terminals within the power point).

Surface mounted single and double power points are available if they are required and we also offer power points with earth leakage and surge protection for your safety.

Entertainment, Communication and Home Office CLIPSA

Computers, fax machines, televisions and telephones are now an everyday part of our lives. Clipsal 2000 Series includes TV, computer and communications accessories for every application.

There are a number of TV sockets (suitable for free-to-air and pay TV) available in 2000 Series gridplates, which provide a secure connection to antenna cables to ensure optimum reception. There are also telephone, computer and speaker outlet plates available.

2000 Series has the flexibility to fully cater for your home entertainment, communication and office needs.





Adding to the immense 2000 Series range is the Clipsal Matisse M2000 Series. Suitably named after the French artist 'Matisse', who was renowned for his creativity, flair, boldness and unique style, the Matisse range combines all of these qualities, resulting in a smooth switch with European style and unique design.

The M2000 range offers a choice of one, two and three gang easily operated switches (with or without inbuilt neons) and also a range of dimmers and fan controllers. Turning on a light has never felt this good!

Matisse M2000 Series uses the 2000 Series Surrounds, which provide versatility and a wide range of finishes to choose from.

The Matisse Range is available in six colours: White Electric, Cream, Soft Grey, Desert Sand, Black and Brown. In addition, any single gang 2000 Series surround can be used with the Matisse switch plate.

Multigang Surrounds

The neatest way to keep your switches and power points together is with Clipsal 2000 Series Multigang Surrounds.

Available in two and three gang horizontal versions and two, three and four gang vertical versions, they neatly house and fully integrate all 2000 Series and Matisse gridplates into a single surround.





Matisse with 3 gang vertical surround (2000/3)



2000 Series with 3 gang horizontal surround (2000H3)





Timers

The 2000 Series also offers a range of timers for lights and fans. This is great for places like the bathroom or toilet where lights and fans sometimes get left on accidentally.

So when the lights or fan are left on, 2000 Series timers will turn them off for you. The results are real energy and cost savings in a variety of applications.

Safety Switches and Surge Protectors

Clipsal 2000 Series provides several earth leakage protected and surge protected power points for added protection against electrocution and electrical surges.

These types of power points can give protection to specific areas of the house, for example, the kitchen, nursery, garage, home office, bedroom, bathroom or laundry.

Earth leakage and surge protected power points could save someone you love from being electrocuted, or your expensive electronic equipment from being damaged. Give your family the best protection money can buy!



Dimmerss and Fan Controllerss

2000 Series dimmers let you adjust the lighting levels in any area for any occasion. For instance, you may want to add a little romance to an intimate dinner, create the right mood for a movie, or leave just enough light on to navigate your way to the bathroom.

Using dimmers also saves energy and reduces your power bill.

2000 Series also offers a range of fan controllers that allow you to control the speed of ceiling sweep fans and exhaust fans. This way you can adjust the air movement to suit your situation.





Weatherprooff Switches

The outstanding features and stylish good looks of the 2000 Series weatherproof switches make them the ideal choice for bathrooms and laundries.

A simple solution to the longstanding problem of using electricity near water, 2000 Series weatherproof switches are designed specifically for the restricted zones of kitchens, bathrooms, laundries and other wet areas, where both safety and aesthetics are important.

Their hardwearing, UV stabilised polycarbonate surface also makes them suitable for a wide variety of outdoor areas such as carports and pergolas.



Colours and Finishes



Colour Treatments



Decorative Surrounds







STANDARD SI	IZE FLUSH S	SWITCHES	
2031HA	Α	1 Gang Horizontal Switch, 250V/10A, 1 way/2 way	
2032HA	В	2 Gang Horizontal Switch, 250V/10A, 1 way/2 way	
2033HA	C	3 Gang Horizontal Switch, 250V/10A, 1 way/2 way	
2034HA	D	4 Gang Horizontal Switch, 250V/10A, 1 way/2 way	. A B C D
2031VA	E	1 Gang Vertical Switch, 250V/10A, 1 way/2 way	
2032VA	F	2 Gang Vertical Switch, 250V/10A, 1 way/2 way	
2033VA	G	3 Gang Vertical Switch, 250V/10A, 1 way/2 way	
2034VA	Н	4 Gang Vertical Switch, 250V/10A, 1 way/2 way	
2035VA	I	5 Gang Vertical Switch, 250V/10A, 1 way/2 way	E F G H I J
2036VA	J	6 Gang Vertical Switch, 250V/10A, 1 way/2 way	
ARCHITRAVE	SIZE FLUSH	H SWITCHES	
2030	Α	1 Gang Vertical Architrave Switch, 250V/10A, 1 way/2 way	
2032A	В	2 Gang Vertical Architrave Switch, 250V/10A, 1 way/2 way	
2033A	C	3 Gang Vertical Architrave Switch, 250V/10A, 1 way/2 way	
2034A	D	4 Gang Vertical Architrave Switch, 250V/10A, 1 way/2 way	▽ (
STANDARD SI	IZE FLUSH S	SURROUNDS AND GRIDS - HORIZONTAL/VERTICAL MOUNTING	
2031VX	A	Flush Surround and Blank Gridplate	
2031VXCB	A	Flush Surround and Blank Gridplate with 30A Terminal Block	
2031VH	В	Flush Surround and 1 Gang Gridplate	
2032VH	C	Flush Surround and 2 Gang Gridplate	
2033VH	D	Flush Surround and 3 Gang Gridplate	
2034VH	E	Flush Surround and 4 Gang Gridplate	
2035VH	F	Flush Surround and 5 Gang Gridplate	
2036VH	G	Flush Surround and 6 Gang Gridplate	
ARCHITRAVE	SIZE FLUSI	SURROUNDS AND GRIDS	
2031	A	1 Gang Architrave Flush Surround and Gridplate	
2032	В	2 Gang Architrave Flush Surround and Gridplate	
2033	C	3 Gang Architrave Flush Surround and Gridplate	
2034	D	4 Gang Architrave Flush Surround and Gridplate	V(V)
SURROUNDS			
2000	A	Single Flush Surround, Curved Sided	A B C D
2000M	A	Metal Flush Surround, Curved Sided (please nominate finish in colour code)	
2000T	В	Trendsetter Single Flush Bevelled Edge Surround (suits 2000 Series grid plates)	
2000F	(Straight Sided Single Flush Surround	
2000R	D	Single Flush Surround, Curved Sided with round hole (suits 2009R)	
2000R2	<u> </u>	Single Flush Surround, Curved Sided with 2 round holes (suits 2 x 2009R)	
2000/2	F	Two Gang Flush Surround, Curved Sided	
2000H2	G	Two Gang Flush Surround, Curved Sided, Horizontal	
2000/2R	H .	Two Gang Surround, Curved Sided with 2 round holes (suits 2 x 2009R)	
2000/3	<u> </u>	Three Gang Flush Surround, Curved Sided	
2000H3	J ,	Three Gang Flush Surround, Curved Sided, Horizontal	
2000/3R	K	Three Gang Flush Surround, Curved Sided with 3 round holes (suits 3 x 2009R)	
2000/4	L	Four Gang Flush Surround, Curved Sided	
2001	M	Single Gang Flush Surround, Curved Sided (architrave)	
2002	N	Two Gang Flush Surround, Curved Sided (architrave)	0 🗸
2003/4	0	Three/Four Gang Flush Surround, Curved Sided (architrave)	



CIRCUIT IDENTIFICATION CAPS			
2009	A	Oval Identification Cap (suits 2000 Series gridplate mount) - Concealed	
2009R	В	Round Identification Cap (suits 2000 Series gridplate mount) - Visible	
BK2009/	C	Oval Identification Cap (add preferred number, 2 digit limit)	
BK2009RH	D	Round Identification Cap (suits horizontal mounting - add preferred number - 2 digit limit)	A B C D
BK2009RV	D	Round Identification Cap (suits vertical mounting - add preferred number - 2 digit limit)	
IP66 RATED WI	EATHERPI	ROOF FLUSH SWITCHES	
2031V66	A	1 Gang Weatherproof Switch, 250V/10A, 1 way/2 way, vertical mounting	
2031H66	В	1 Gang Weatherproof Switch, 250V/10A, 1 way/2 way, horizontal mounting	
2032V66	C	2 Gang Weatherproof Switch, 250V/10A, 1 way/2 way, vertical mounting	B
2032H66	D	2 Gang Weatherproof Switch, 250V/10A, 1 way/2 way, horizontal mounting	A C
C-THRU™ LIGH	IT DIMME	RS & FAN SPEED CONTROLLERS	
2032E450L	A	C-Thru Light Dimmer, Leading Edge, 250V AC/450W	
32E450LM	В	C-Thru Light Dimmer Mechanism, Leading Edge, 250V AC/450W	
2032E450T	A	C-Thru Light Dimmer, Trailing Edge, 250V AC/450W	
32E450TM	В	C-Thru Light Dimmer Mechanism, Trailing Edge, 250V AC/450W	B
2032E500F	C	C-Thru Fan Controller, 250V AC/500W	Α (
32E500FM	В	C-Thru Fan Controller Mechanism, 250V AC/500W	
2031E800T	D	High Power Dimmer, 250V/800VA, Trailing Edge	
2031E1000L	D	High Power Dimmer, 250V/1000VA, Leading Edge	
2031VF3CA	E	3 Speed Capacitor Ceiling Sweep Fan Controller, 250V, 100VA (suits ACES36AL & ACES48AL)	UE
2031VF3CB	E	3 Speed Capacitor Ceiling Sweep Fan Controller, 250V, 100VA (suits ACES56AL & AFLR48)	
ELECTRONIC TI	MER CON		
2031VETR	A	Electronic Timer Control, 254 Minute Time Delay, 250V/10A, 2 wire	
2031VETR3	A	Electronic Timer Control, 15 Hour Time Delay, 250V/10A, 3 wire	
2031VETF	В	Electronic Timer Control, 10 Minutes Time Delay, 250V/10A, Fans/Lights	AB
	ED RESID	UAL CURRENT DEVICES	
2031RC10	A	Single Gang RCD, 250V/20A, 10mA, Double Pole, horizontal mounting	
2031VRC10	В	Single Gang RCD, 250V/20A, 10mA, Double Pole, vertical mounting	
2031RC30	A	Single Gang RCD, 250V/20A, 30mA, Double Pole, horizontal mounting	A B
2031VRC30	В	Single Gang RCD, 250V/20A, 30mA, Double Pole, vertical mounting	
		HES (COOKER SWITCHES)	
2031/45	A	Electric Range Switch, 250V/45A, single pole	
2031/45N	В	Electric Range Switch, 250V/45A, single pole with neon	
2031D40	A	Electric Range Switch, 250V/40A, double pole	A B
2031D40N	B	Electric Range Switch, 250V/40A, double pole with neon	
	Г	T PLATES - STANDARD SIZE	
2031VT0	A	Telephone Outlet Plate - Telstra 610 type	
2031VRJ 2031VRJA5	В	Single Telephone/Data Outlet Plate Single Data Outlet Plate (100Mbs)	A LIB LICE
2031VRJD	D	Single Data Outlet Plate - marked 'DATA'	
2031VRJT	E	Single Data Outlet Plate - marked 'DATA Single Telephone Outlet Plate - marked 'TELEPHONE'	
2031VRJ1 2032VRJ	F	Double Telephone/Data Outlet Plate	
2032VRJ 2032VRJA5	G	Double Tate Outlet Plate (100Mbs)	F G
ZUJZVKJAS		DOUDIE DUID COITET FILITE (TOOMIDS)	
AUDIO CONNECTION PLATE - STANDARD SIZE		ATE - STANDARD SIZE	
2032SPK	A	Audio wall plate complete with black & red RCA connectors	A



TV ANTENNA C	ONNECTI	ON ACCESSORIES	
2031VTV05	A	TV Outlet Plate, with half inch hole	
2031VTV75	В	Coaxial TV Socket in standard size plate, 75 Ohm	
2031VTV75ACF	C	Single Gang TV Socket, with 3kVAc isolation, 75 Ohm	
2031VTV75F	D	Single Gang TV Socket, with F type connection, 75 Ohm	A B C D E
2032VTV75FM	E	Two Gang TV - FM Splitter in standard size plate	
2031TVF	F	Two Gang PAY TV Antenna Socket in standard size plate	
2032TVACFF	G	Two Gang PAY TV / FTA TV, with AC isolation, 75 Ohm, in standard size plate	F G H
2032TVFF	Н	Two Gang PAY TV / FTA TV, with F type connection, 75 Ohm, in standard size plate	
2032TVSF	ı	Two Gang PAY TV / FTA TV Screw Coaxial Connection in standard size plate	I I
SINGLE AUTOM	ATICALLY	Y SWITCHED POWER POINTS - STANDARD SIZE - HORIZONTAL MOUNTING	
2010	A	Single Automatically Switched Power Point, 250V/10A	
2010/15	В	Single Automatically Switched Power Point, 250V/15A	
2010/15N	C	Single Automatically Switched Power Point, 250V/15A, with safety shutters and neon	A B (
2010/15S	В	Single Automatically Switched Power Point, 250V/15A, with safety shutters	
2010L	D	Single Automatically Switched Power Point, 250V/10A, with round earth pin for lighting	D E
2010LN	E	Single Automatically Switched Power Point, 250V/10A, with round earth pin for lighting, safety shutters and neon	
2010LS	D	Single Automatically Switched Power Point, 250V/10A, with round earth pin for lighting and safety shutters	
2010N	F	Single Automatically Switched Power Point, 250V/10A, with safety shutters and neon	F
2010S	A	Single Automatically Switched Power Point, 250V/10A, with safety shutters	•
SINGLE SWITCH	IED POW	FER POINTS - STANDARD SIZE - HORIZONTAL MOUNTING	
2015	A	Single Switched Power Point, 250V/10A	
2015S	A	Single Switched Power Point, 250V/10A, with safety shutters	
2015N	В	Single Switched Power Point, 250V/10A, with safety shutters and neon	
2015D	A	Single Switched Power Point, 250V/10A, double pole	
2015L	C	Single Switched Power Point, 250V/10A, with round earth pin for lighting	
2015/15	D	Single Switched Power Point, 250V/15A	
2015/15N	E	Single Switched Power Point, 250V/15A, with safety shutters and neon	
2015/20	F	Single Switched Power Point, 250V/20A	
2015N20	G	Single Switched Power Point, 250V/20A, with neon	G G G G G G G G G G G G G G G G G G G
2015D20	F	Single Switched Power Point, 250V/20A, double pole	
2015DN20	G	Single Switched Power Point, 250V/20A, double pole with neon and safety shutters	
2015X	Н	Single Switched Power Point, 250V/10A, with removable extra switch	
2015XN	ı	Single Switched Power Point, 250V/10A, with safety shutters, neon and removable extra switch	(6'6)
2015XX	J	Single Switched Power Point, 250V/10A, with 2 removable extra switches	M
2015XXN	K	Single Switched Power Point, 250V/10A, safety shutters, neon and 2 removable extra switches	
2015SM	L	Single Switched Power Point, 250V/10A, with surface mounting kit	
2015XSM	M	Single Switched Power Point, 250V/10A, with surface mounting kit and extra switch	
	_	VER POINTS - STANDARD SIZE - HORIZONTAL MOUNTING	
2025	A	Double Switched Power Point, 250V/10A	
2025\$	A	Double Switched Power Point, 250V/10A, with safety shutters	
2025N	В	Double Switched Power Point, 250V/10A, with safety shutters and neons	
2025L	C	Double Switched Power Point, 250V/10A, with round earth pin for lighting	C O O D
2025QC	A	Double Switched Power Point, 250V/10A, Quick Connect	[666] [666]
2025F0	D	Double Power Point, 250V/10A, printed with 'NOT PROTECTED BY SAFETY SWITCH. FRIDGE/FREEZER ONLY'	
2025XA	E	Double Switched Power Point, 250V/10A, with removable extra switch	
2025XAN	F	Double Switched Power Point, 250V/10A, with safety shutters, neons and removable extra switch	
2025SM	G	Double Switched Power Point, 250V/10A, with surface mounting kit	G
2025XASM	Н	Double Switched Power Point, 250V/10A, with surface mounting kit and removable extra switch	





SINGLE SWITCH	HED POW	ER POINTS - STANDARD SIZE - VERTICAL MOUNTING	
2015V	A	Single Switched Power Point, 250V/10A	
2015VN	В	Single Switched Power Point, 250V/10A, with safety shutters and neon	
2015V15	C	Single Switched Power Point, 250V/15A	
2015V15N	D	Single Switched Power Point, 250V/15A, with safety shutters and neon	
2015VX	E	Single Switched Power Point, 250V/10A, with removable extra switch	
2015VXN	F	Single Switched Power Point, 250V/10A, with safety shutters, neon and removable extra switch	
2015VXX	G	Single Switched Power Point, 250V/10A, with 2 removable extra switches	6 0 6 0
2015VXXN	Н	Single Switched Power Point, 250V/10A, with safety shutters, neon and 2 removable extra switches	
2015VD	A	Single Switched Power Point, 250V/10A, double pole	E F G H
2015VDX	E	Single Switched Power Point, 250V/10A, double pole with extra switch	
2015VDXX	G	Single Switched Power Point, 250V/10A, double pole with 2 extra switches	
SURFACE MOUI	NTING AC	CCESSORIES	
2000SMK	A	Surface Mounting Kit for 2000 Series grid assemblies	
2449ASD	В	Mounting Flange for 2000 Series accessories, six mounting positions	B
449A	C	Surface Mounting Block for 2000 Series	D
2000SM	D	Surface Mounting Deep Surround for 2000 Series	
DOUBLE SWITC	HED POV	VER POINTS - STANDARD SIZE - VERTICAL MOUNTING	
2015/2V	A	Double Switched Power Point, 250V/10A - two piece base	
2015D2V	A	Double Switched Power Point, 250V/10A, double pole	
2015/2VN	В	Double Switched Power Point, 250V/10A, with safety shutters and neons]
2015/2VS	C	Double Switched Power Point, 250V/10A, with safety shutters	
2025V	D	Double Switched Power Point, 250V/10A - one piece base	
2025VN	E	Double Switched Power Point, 250V/10A, with safety shutters and neons	
2025VXA	F	Double Switched Power Point, 250V/10A, with removable switch	D E F
DOUBLE SWITCHED PROTECTED POWER POINTS			
2025RC	A	Double Switched Power Point, 250V/10A, with RCD - 30mA	
2025RC10	В	Double Switched Power Point, 250V/10A, with RCD - 10mA	$\begin{array}{c c} \hline & \hline & & \\ \end{array}$
2025SF	C	Double Switched Power Point, 250V/10A, with surge protection	
NO VOLT RELAY CONTROLLED POWER POINT			
2015X15RZ	A	Single Switched Power Point, 250V/15A, with no volt relay and reset switch	A A
UNSWITCHED ELECTRIC RANGE SOCKET			(NO.DE)
2031VCS	A	3 Pin Cooker Socket in Standard Plate, 250V/32A (suits 800CL)	A



The shape of the switch dolly is a trade mark of Gerard Industries Pty Ltd

Products of Clipsal Australia Pty Ltd

ABN 27 007 873 529

Head Office

12 Park Terrace, Bowden South Australia 5007 Telephone (08) 8269 0511 Facsimile (08) 8340 1724 Internet clipsal.com E-Mail plugin@clipsal.com.au

Offices in all States

Omicoo m an otatoo			
NSW	Sydney	(02) 9794 9200	
	Albury	(02) 6041 2377	
VIC	Melbourne Country Areas	(03) 9207 3200 1800 653 893	
QLD	Brisbane Townsville	(07) 3244 7444 (07) 4729 3333	
SA	Adelaide	(08) 8268 0400	

 WA
 Perth
 (08) 9442 4444

 TAS
 Launceston
 (03) 6343 5900

 NT
 Darwin
 (08) 8947 0278

International Enquiries International Sales & Marketing

Telephone + 61 8 8269 0587 Facsimile + 61 8 8340 7350 E-Mail export@clipsal.com.au

New Zealand Clipsal Industries (NZ) Ltd

Telephone (09) 576 3403 Facsimile (09) 576 1015 E-Mail headoffice@clipsal.co.nz

Customer Service

Free Fax (0508) 250 305 Auckland/Mobile Phone (09) 572 0014 Free Phone (0508) CLIPSAL 2547725 You can find this brochure and many others online in PDF format at: clipsal.com

Follow the links off the home page or access the following page directly: clipsal.com/wat_lib_pdf.cfm

clipsal.com

Clipsal Australia Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.

©Clipsal Australia Pty Ltd 2004. All rights reserved.

This material is copyright under Australian and international laws. Except as permitted under the relevant law, no part of this work may be reproduced by any process without prior written permission of and acknowledgement to Clipsal Australia Pty Ltd.