



SAFEAND SECURE, WHEN THE HEAT IS ON.

LOCKTECH™ by Lock Focus has a range of safes to give you premium fire protection and security.



Fire Resistant Filing Cabinets

Offers a smooth and quiet suspension filing system to protect your important documents from fire and theft.

Features

- Selective locking system for individual drawers.
- Drawer capacity of up to 100kgs.
- · Caster wheels for mobility.
- Fire rating of UL350 1 hour.

Dimensions

| Model | Exte | rnal Dimer (mm) | Weight (kgs) | Drawers | |
|-------------|------|--------------------|--------------|---------|---|
| | Н | W | | | |
| SF-680-4EKK | 1573 | 524 | 680 | 275 | 4 |
| SF-680-3EKK | 1206 | 524 | 680 | 215 | 3 |
| SF-680-2EKK | 844 | 524 | 680 | 155 | 2 |



Premium Design Fire Resistant Safes

Modern and stylish fire resistant safes.

Features

- User activated electronic lock.
- Digital display of lock status.
- Available in two stylish colours; wine pearl or black pearl.

Attractive compact and stylish design.

• Fire rating tested to NT Fire 017 standards.

Dimensions

| Model | External Dimension (mm) | | | Inter | Weight (kgs) | | |
|----------|-------------------------|-----|-----|-------|--------------|-----|----|
| | Н | W | D | Н | W | D | |
| NPS-020 | 342 | 480 | 524 | 220 | 355 | 260 | 49 |
| NPS-031D | 520 | 410 | 445 | 415 | 305 | 320 | 60 |



Digital Floor Safe

An in-floor, discreet option to secure your valuables.

Features

- Designed for in-floor installation.
- Solid steel door and body (material width door 9mm, body 6mm).
- Steel dust cover for flush floor installation and concealment.
- · Spring assisted door for smoother opening and closing.
- Electronic locking mechanism.

Dimensions

| Model | External Dimension (mm) | | | Inter | Weight (kgs) | | |
|-------|-------------------------|-----|-----|-------|--------------|-----|----|
| | Н | W | D | Н | W | D | |
| EF-01 | 310 | 356 | 356 | 188 | 344 | 344 | 51 |



Compact Fire Resistant Safes

Fire resistant safes perfect for your home and office.

Features

- Fire resistant safe with attractive compact design.
- Double bolt action & hinge bolt for additional security.
- Electronic lock.
- Additional shelving for larger units.
- Fire rating of UL Class 350 1 hour.

Dimensions

| Model | External Dimension (mm) | | | Internal Dimension (mm) | | | Weight (kgs) |
|----------------|-------------------------|-----|-----|-------------------------|-----|-----|--------------|
| | Н | W | D | Н | W | D | |
| Junior EM015 | 296 | 390 | 320 | 216 | 310 | 215 | 27 |
| Rhino EM016 | 390 | 296 | 320 | 310 | 216 | 215 | 27 |
| Combo SM020 | 344 | 424 | 388 | 245 | 325 | 260 | 42 |
| Buffalo EM020 | 344 | 424 | 388 | 245 | 325 | 260 | 42 |
| Jumbo ES030 | 480 | 342 | 388 | 355 | 220 | 260 | 49 |
| Jumbo X ES031D | 520 | 410 | 445 | 415 | 305 | 320 | 60 |



Compact Fire Resistant Safes

Fire resistant safes perfect for your home and office.

Features

- Fire resistant safe with attractive compact design.
- Double bolt action & hinge bolt for additional security.
- Electronic locks.
- Fire rating of UL Class 350 1 hour.
- Available in 5 stylish colours.

In 2009, Victoria suffered horrendous bushfires during Black Saturday.

The Locktech Buffalo EM020 Safe was found amongst the smouldering ash of a home several days after the fire had passed.

Prising open the safe revealed that all the contents including marriage certificates and other important documentation were intact.

It is estimated that the fire front reached temperatures in excess of 1,000°C.

The Buffalo EM 020 Locktech safe after a bushfire

Dimensions

| Model | External Dimension (mm) | | | Internal Dimension (mm) | | | Weight (kgs) |
|--------------|-------------------------|-----|-----|-------------------------|-----|-----|--------------|
| | Н | W | D | Н | W | D | |
| YES-M020(WH) | 344 | 424 | 388 | 245 | 325 | 260 | 42 |
| YES-M020(BK) | 344 | 424 | 388 | 245 | 325 | 260 | 42 |
| YES-M020(BL) | 344 | 424 | 388 | 245 | 325 | 260 | 42 |
| YES-M020(GR) | 344 | 424 | 388 | 245 | 325 | 260 | 42 |
| YES-M020(RD) | 344 | 424 | 388 | 245 | 325 | 260 | 42 |

