




Light Commercial

Product Catalogue



1 in every 3 cars produced in Europe are fitted with Continental Tyres.

It all begins with the customer – and their desire to find a tyre that perfectly suits their every requirement. And it ends with the customer – receiving exactly the tyre they are looking for, from Continental.

In Europe today, every third car rolling off the production line is fitted with Continental tyres, making it the number one original equipment manufacturer in Europe.

To Continental, this eminent position and the trust shown in its tyres by all the major premium vehicle manufacturers, is the best proof of the recognised quality of Continental products. If the world's top car manufacturers are willing to place their trust in Continental, so can you!

Feature Icons



HANDLING



QUIET



COMFORT



WET BRAKING



GRIP



FUEL EFFICIENCY



SPORTS PERFORMANCE



ASYMMETRICAL



DURABILITY




OFFROAD

Continental

Tyre Technology



Black Chilli Technology is a specially developed compound technology involving an innovative type of racing grade carbon black, ensuring a faster warm-up process and greater stability.



SSR

SSR Technology enhanced tyres have a self-supporting sidewall that safeguards the tyre from becoming compressed between the rim and the road surface if the tyre becomes deflated. Depending on road surface quality, weather conditions and vehicle weight, the vehicle is able to continue travelling safely at a maximum speed of 80 km/h for a distance up to 80 km.



Conti Seal

ContiSeal™ gives enhanced mobility and safety, even if a foreign object penetrates the tyre tread. ContiSeal™ tyres have a sticky, viscous layer from shoulder to shoulder that instantly seals punctures caused by nails and other objects up to 5mm in diameter. The layer temporarily seals the vast majority of tyre tread punctures.

Vanco™ 2

Car-like handling for today's high powered, high carrying capacity vans and utility vehicles.

SIZE OVERVIEW

SPEED INDEX Q, R, T
RIM DIAMETER 14"-16"
TYRE WIDTH 185 - 235
SERIES 65 - 75



HANDLING

Robust tread shoulder design provides handling similar to a passenger car.



WET BRAKING

Tread pattern siping offers strong wet braking performance.



DURABILITY

Specially developed, long life, durable tread compound.

OE FITMENT LIST

Iveco Daily; Mercedes Benz Sprinter; Renault Trafic.

Vanco™ 8

Designed for medium to large commercial vans offering car-like handling and strong braking performance.

SIZE OVERVIEW

SPEED INDEX R
RIM DIAMETER 15"
TYRE WIDTH 195



HANDLING

Robust tread shoulder design provides handling similar to a passenger car.



WET BRAKING

Tread pattern siping offers strong wet braking performance.



DURABILITY

Specially developed long life, durable tread compound.



GRIP

Wide circumferential grooves offer effective water dispersion and provide excellent wet grip.

VancoContact™

Designed for car-derived small vans and utilities offering excellent wet braking and superior mileage.

SIZE OVERVIEW

SPEED INDEX R

RIM DIAMETER 17"

TYRE WIDTH 225 - 235

SERIES 55

OE FITMENT LIST

Mercedes Benz Viano.



HANDLING

Stiff shoulder design provides excellent driving stability.



QUIET

Low noise generation tread pattern.



WET BRAKING

Tread pattern siping offers strong wet braking performance.



GRIP

Wide circumferential grooves offer effective water dispersion and provide strong aquaplaning resistance.

VancoFourSeason™

An excellent year-round light commercial tyre offering reduced noise and a comfortable ride.



SIZE OVERVIEW

SPEED INDEX N

RIM DIAMETER 16"

TYRE WIDTH 235 - 285

SERIES 65



HANDLING

Tuned casing construction ensures precise handling for light commercial vehicles.



WET BRAKING

Four large circumferential grooves offer high levels of safety, traction and braking on wet roads.



GRIP

Optimised all-weather compound provides excellent grip in wet and dry conditions.

OE FITMENT LIST

Mercedes Benz Sprinter.

VancoEco™

Specifically developed for European light commercial vehicles, offering short braking distances and reduced rolling resistance to lower fuel consumption.

SIZE OVERVIEW

SPEED INDEX T

RIM DIAMETER 16"

TYRE WIDTH 225

SERIES 60



HANDLING

High tread rigidity and a firm tread pattern enables car-like handling.



WET BRAKING

Newly developed silica tread compound reduces wet braking distances.



GRIP

Flat contour and optimised tread depth ensures high levels of grip, even for fully laden vehicles.



FUEL EFFICIENCY

Specially tuned tread construction delivers low rolling resistance and improved fuel consumption.

OE FITMENT LIST

Mercedes Benz Vito.

ContiVanContact100™

Designed for modern commercial vehicles, providing car-like handling and exceptional wet braking performance with robust construction.

SIZE OVERVIEW

SPEED INDEX R, T

RIM DIAMETER 14"-16"

TYRE WIDTH 175 - 235

SERIES 65 - 75

OE FITMENT LIST

Fiat Ducato; Ford Transit.



HANDLING

Robust tread shoulder design provides handling similar to a passenger car.



WET BRAKING

Silica tread compound offers strong wet braking performance.



DURABILITY


Specially developed, long life, durable tread compound. Stone ejectors reduce chipping and other tyre damage.




GRIP

A flat contour ensures a larger contact area with the road surface providing better adhesion and better mileage.


Also available:



Passenger
Product
Catalogue



4WD/SUV
Product
Catalogue



Performance
Product
Catalogue



Contact Continental Tyres

☎ 1800 266 844

Email marketing.au@continental-corporation.com

www.continental-tyres.com.au