


Aspenstone® Buttermilk




# Introduction

Catering to a range of modern and classic design schemes, Boral's paving collection will give your outdoor area the individual touch it's been waiting for, designed to suit a range of applications around the home including walkways, patios, courtyards, pool surrounds and driveways.


Boral pavers come in a carefully selected number of colour palettes and textures, offer flexible installation options, require little maintenance and most are thick enough to be laid directly on to crushed rock and sand. This saves you time and reduces costs, making your outdoor design dream a reality.



# Our Pavers



## STONEWORKS® TRAVERTINE



## AGED APPEARANCE

Emulate the naturally-aged look of stone in three modern tones.

## RECOMMENDED USE









## **DIMENSIONS**

### **STANDARD**



### **BULLNOSE**



40 x 400 x 500 BULLNOSE Made to order




**BLUESTONE** 





**SMOKE** 

## STONEWORKS®



## STYLE & PRESENCE

Give any outdoor area elegance and impact with the blended colours of Stoneworks™.

## RECOMMENDED USE









### **DIMENSIONS**


#### **STANDARD**



#### **BULLNOSE**



### **COBBLES**



Tuscan only Made to order



SANDSTONE CUSTARD



SANDSTONE MACADAMIA



SANDSTONE MOCHA



SANDSTONE CREAM




LIMESTONE



**TUSCAN** Cobbles Only

## BRADSTONE®



## **RUSTIC STYLE**

Revive the heritage of old world paving with a homely style and aged appearance.

## RECOMMENDED USE


Pedestrian 2 Pool F Bullnose






## **DIMENSIONS**


### SMALL^




#### MEDIUM^




### LARGE^



### **BULLNOSE**



### **COBBLES**




## BRADSTONE® OLD TOWN RANDOM PATTERNS

Bradstone® Old Town random pattern is comprised of three sizes:

- 300 x 300 x 40mm
- 450 x 300 x 40mm
- 600 x 300 x 40mm

Sold in multiples of 6m<sup>2</sup> and 12m<sup>2</sup> packs.


Also available, is a matching 450 x 300 x 40mm bullnose paver to provide a stunning finish to swimming pool edges and steps.



## **COLOURS**



Shade variation can occur from batch to batch.



## CONTEMPORARY

This modern range of pavers brings affordable style to alfresco settings.

## RECOMMENDED USE









## **DIMENSIONS**

### STANDARD



### **BULLNOSE**



400 x 450 x 40mm BULLNOSE Made to order



BISCOTTI





LINEN

CHARCOAL

## ASPENSTONE®



## WASHED TEXTURE

These pavers deliver a washed stone appearance in two neutral colours and striking rectangular size.

## RECOMMENDED USE









## **DIMENSIONS**

### **STANDARD**



### **BULLNOSE**







**BUTTERMILK** 

CAPPUCCINO



## FRESH & NEUTRAL

Blend the freshness of white sandy beaches and pale stone hues in your own backyard retreat.

## RECOMMENDED USE









## **DIMENSIONS**

### **STANDARD**



### BULLNOSE










DRIFTWOOD

SHELL

## CLOISTERS™



## MODERN ELEGANCE

The first choice for those looking to create a modern, paved courtyard or pool setting.

## RECOMMENDED USE









### **DIMENSIONS**


### STANDARD PAVER




### **EDGE**



### "FEATURE" **GROOVED PAVER**



### **STEP**



## **COLOURS**



**IVORY** 



**SLATE GREY** 

Additional step and garden edge available as part of the system.

12 Shade variation can occur from batch to batch.

### **ABOUT GEOFIX®**



Geo-Fix® is an air-cured joint filler for pavers and retaining walls. This ready to use jointing material is suitable for applying a permanent, rigid joint over 5mm wide and a minimum 25mm deep on all types of paving including concrete, natural stone, slate, clay and granite.

It means no more trowelling, hiring a compactor, wasting water and hours of cleaning to complete the task–simply scatter, sweep and leave.

For a complete guide to Geo-Fix® visit www.boral.com.au/geofix

### CARING FOR PAVERS



### PREVENTION IS BETTER THAN CURE

Bradstone

- Sweep regularly with a stiff bristled broom to keep pavers free from debris.
- For maximum protection we suggest pavers are sealed after installation with a penetrating sealer. (Please check with a reputable sealing company for advice.)
- Re-seal pavers as required taking special care in heavy wear areas and salt-water locations.
- During construction, cover the paved areas to protect against damage.
- Protect your pavers against possible staining from mortar, oxides, cement and rust.
- The use of acid and chemically-based cleaning agents should be undertaken by a professional. They can be hazardous if used incorrectly.
- In all cases, attempt to clean a stain before it hardens or dries up.

### Visit www.boral.com.au/pavers





# Contact

To locate your nearest Boral stockist, to receive brochures or to learn more about our products, call 1300 134 002 or visit our website at: boral.com.au/landscaping

### **BORAL SELECTION CENTRES**

Wacol - 59 Industrial Avenue, Wacol, 4076





Shade variations can occur from batch to batch. Colours shown are indicative only and should not be used for final selection. Not all colours are available in every region for each product. See your retailer for colours available in your region. Products ordered should be chosen from actual samples current at the time of order and are subject to availability. Photographs in this brochure are only representative of Boral products and the appearance and effect that may be achieved by their use. Some images are computer generated. Samples brochure and displays should be viewed as a guide only. Customers should ensure all delivered products are acceptable, and any concerns about products are made prior to laying. Boral recommends consultation with local council and engineers in the construction of retaining walls. © Copyright Boral Masonny Limited – all rights reserved 2017.

Boral, the Boral logo, boral.com.au, Stoneworks, Stoneworks Travertine, Bradstone, Abode, Aspenstone, Stylestone, Coast, Cloisters, Soho, Promenade, Promenade 45, Terrazinni, Precinct, Longo, Handipave, Classicpave, Wisebuy, Esplanade, Klinker, Garden Wall, Ball Stone, Hadrian Wall, Nu-Line, Connex-T, Litewall, Heathstone, Keystone, Pyrmont, Edgy, and Easy Step are trademarks or registered trade marks of Boral Limited or Boral Masonry Limited in Australia, other countries, or both. If these and other Boral trade marked terms are marked on their first occurrence in this information with a trade marks in other countries. Other product, company or service names may be trade marks of others. Bradstone is a registered trade mark of Bradstone International. Geo-Fix is a registered trade mark of Caim Holdings (UK) Limited, used under licence by Boral Masonry Limited.

Boral Masonry Limited ABN 13 000 223 718. Correct as of August 2017.