trade

More Specials at

www.itradesupplies.com.au



THE HIRE ACHIEVERS

HERVEY BAY 41281655 - MARYBOROUGH 41213488 - BUNDABERG 41534455 - GYMPIE 54839777



Pure Sine Wave

Torini uses a superior AVR* equipped with a Digital Stability Control Program. This allows voltage to be calculated and controlled at the outlet not the alternator. With Hi-Lo Limit Electronic Safety Shut Off this makes Torini one of the safest and advanced generators around.









PRODUCTS PTY LTD

2145Qi MAX

3/4" Impact Wrench

- 1830Nm maximum reverse torque
- · Weighs just 3.4kg
- · 6" extended anvil available
- Sound Pressure only 91db












- Welding Mat

 Designed to resist welding flux and sparks up to 1500 centigrade for 3 seconds
- Reduces fatigue during prolonged standing
- · Non-slip surface
- 790 x 710 x 13mm







Prices are subject to plus freight costs where applicable. All prices include GST. Some items may not be available in all stores. Prices are valid while stocks last and are subject to change without prior notice. May-Jun-Jul 2014

BEAR-TEX

Rapid Strip Discs P/N 30655

125 x 22mm Disc

\$19.95 ea



- . Thick Strong Synthetic Fibres and extra coarse Silicon Carbide grain bonded with a smear resistant adhesive Aggressive cutting, cleaning and stripping of oxides (rust) weld blueing of metal and coating (paint etc) removal on all materials.
- . The open web construction minimizes loading of the product.



Safety Fan 750mm

- +20kW Output
- Lightweight & Portable
- Quiet Operation
- Heats up to 200m2
- Part# IGH2-20
- ♦Hi -Vis Yellow
- *Extra long 5m power cord
- *Power cord clip to minimise tripping hazards
- Increased stability
- ♦Part# MFPS750



S199



- Product #6006
- · Capacity: 500kg
- Table Size: 820 x 500mm
- · Foot Operated Hydraulic Action
- · Low Height: 270mm
- · Lift Height: 900mm
- Quick Release Lever







5L Oil Measure with Flexible Spout



- · Polyethylene oil measure will not dent, scratch or corrode
- · Flexible delivery spout makes the topping up of engines, gear boxes, diffs, transmissions and crank cases a quick and easy proposition
- . Screw on lid helps to prevent contaminants from entering the oil measure and ultimately vehicle engines

5000MFN |

₃36·00

ofessiona



373pc Field Service Tool Kit

- · ROE spanners
- · 1/4", 3/8" & 1/2" dr Sockets & accessories
- Screwdrivers Pliers & cutters
- · Adjustable wrench
- · Hex & TORX keys
- · Hammer
- · Foldback knife
- · Pick up tool
- · Inspection mirror
- · Magnetic parts tray
- · Circuit tester
- Multimeter
- Pick set
- · Tape measure
- · Screw extractor set
- 7 drawer field service box



211pc Metric/SAE Tool Kit in **Custom Series Tool Box**

- ROE combination spanners
- 1/4", 3/8" & 1/2" dr Sockets and accessories
- Adjustable wrench
- · Ball pein hammer
- · Pliers and cutters
- · Screwdriver sets
- · Hex key sets
- · Hacksaw
- · Hook & pick set
- · Pry bar set
- · 7 drawer steel tool

32pc 3/4" Dr 12pt Metric/SAE Socket Set





41pc 1/2" Dr 12pt Metric/SAE Socket Set



SP20300 **S179**

9pc Metric Jumbo Combination Spanner Set

· 19-36mm



SP10019

9pc SAE Jumbo Combination Spanner Set

SP10069

· 3/4-1-1/2"









- Reaction Time 0.05ms
- Sensors 2 x Independent
- Shade: 5-7-9-11-13
- · Sensitivity Setting Adjustable
- Delay Control Adjustable
- · Power Supply Battery, Solar Cells
- Operating Temperature -10°C to 55°C
- Standards ANSI Z87.1 / DIN / CE / TUV
- · Warranty 2 Year Date of Purchase



Industrial Aluminium Slimline Platform Ladder

· Durable lightweight design uses structural grade high tensile aluminium to provide greater strength.

· Anodised for superior corrosion resistance and lower retention of dirt and grime.

Anti slip moulded rubber feet for added safety.

TRDP5/2 - 2 Step - \$165

TRDP6/3 - 3 Step - \$205

TRDP7/4 - 4 Step - \$250









Hazguard VB Coverall

- Vented SMS back
- Water resistant
- · Excellent abrasion and tear resistance
- · Stitched seams and comfort cuffs
- · Used in asbestos removal, demolition work, waste management, road and transport workers.

51323 - Med

51324 - Lge 51325 - X Lge

51326 - XX Lge 51327 - XXX Lge

Price quoted for

carton buys of 25



WANT A BETTER TOOL?

Metabo strives to bring you tools that outlast and outperform other tools on the market.

etabo introduced its new Brushless impact wrench and believes it is the best tool available in its class. The team at Metabo are so sure that they challenge you to compare their product to any other impact wrench on the market - corded or cordless!

Features of this tool:

- · 400nm Best in class rating for under 2kg
- 12 torque and speed levels Accurate torque levels allow the product to be used in many different applications
- . 1.9kg in weight Average weight of a 600nm torque wrench is 3kg to 5kg
- 5.2 Ah battery Still best in class

 One-handed operation due to weight = more control and less fatigue

So if you are stripping down a car, building a house or constructing a bridge... want a better tool? You need a Metabo!

For more information call 1800metabo or visit www.metabo.com.au

PROFESSIONAL POWER TOOLS

metab work. don't play.











SPECIALIST.

WD-40® Specialist Brake and Metal Parts Cleaner

- · Removes oil, grease, dirt and brake fluid
- Cleans without disassembling the unit
- Safe to use on brake linings, pads and drums
- 400g
- P/No: 21107







Honeycomb Safety Mat

- 1520mm x 910mm
- Quality Hard Wearing Natural Rubber
- · Ideal for Wet Area's
- · Durable and Great for Factories and Garages



lubemate \



Diesel Fuel Meter

- Diesel Fuel Meter
- Flow rate between 20 120L/min
- Max. operating pressure 345 kPa (50 psi)
- . 1" BSP (F) inlet / outlet
- Resettable batch total (4 digits) /non-resettable total (8 digits)
- Mechanical display with accuracy of +/- 1%
- Suitable for either diesel or kerosene



PHP15FB Fatboy Compressor

Free Air Delivery @ 150PSI: 300LPM 3.2HP, single phase - 15Amp motor Pump RPM: 1132 Maximum PSI: 175PSI Amps Draw: 13

110 litre air receiver Warranty: 5 Year Pump, 1 Year Motor

00105



\$159



Email: sales@tradequip.com.au • Web: www.tradequip.com.au • ABN 79 096 932 464

KEN 14" CUT OFF SAW

Product #7124

- . Disc Diameter: Ø355mm
- · Frequency: 50Hz
- Input Power: 2300W
- . No Load Speed: 3800r/min
- Nett Weight: 17.5 kg
- · D-shape handle for easy gripping.
- · Park Diversion Guard for operation safety

MOBILE WORKBENCH 300KG CAPACITY

Product #1073

- Heavy Duty
- All Steel Construction
- Quality Swivel Castors with Brake
- Loading Capacity: 300kgs
- Dimensions: 1100(L) x 700(W) x 1000mm
- · Nett Weight: 55kg





DEMOLITION HAMMER HEAVY DUTY - 1350 WATT Product #7133

 Standard accessories: Extra carbon brush 1 set, internal hexagonal wrench 2pieces: \$5/\$6 each, oilcan with lubricating oil 1 piece, wrench 1 piece, drill bit 1 piece

. Input Power: 1350W

- 230V50HZ
- Impact Force: 45J

· Nett Weight: 15kg





HEAVY DUTY STEEL WORKBENCH

Product #1012

- Heavy Duty Steel Construction • Dimensions: 2000(L) x
- 860(H) x 640(W)mm • 3mm Rolled Steel
- Powder Coated Paint Finish
- 3 Lockable Drawers -1.5mm Sheet Steel
- · Nett Weight: 100.8kg











4 Door Locker

1850h x 380w x 540d **Heavy Duty** DIY Easy to Assemble Flat pack Latch Lock (Padlock Ready)



1DLC - 1 Door Locker 1850h x 380w x 540d

2DLC - 2 Door Locker 1850h x 380w x 540d

3DLC - 3 Door Locker 1850h x 380w x 540d







	HMD9	04 SPECIFICATIO	NS	
Electrica	I System	230V, 50/60 Hz	- 4.5A, 1035W	
Motor		4A (230V), 450 RPM		
Diameter		12mm	- 38mm	
Depth		50mm		
Cutter/Mount		Rotabroach® or Copperhead™ 3/4" shank		
Dimensio	ons		t 183mm W Imm L	
Base		79mm W x 167mm L		
Megnet	25mm Plate	Dead Lift 794 kg	Drillpoint Breakaway 433 kg	
	9.5mm Plate	594 kg	322 kg	
Net Weig	ht	12.	5 kg	

EST. 1975

26PC 3/4" DR METRIC & AF SOCKET SET

- 22, 24, 27, 30, 32, 36, 38, 41, 46 & 50mm
- 7/8, 15/16, 1, 1-1/8,
- 1-1/4, 1-5/16, 1-3/8, 1-7/16,1-5/8, 1-3/4,
- 1-7/8 & 2"
- Ratchet , Sliding T Bar & Extensions 19344





COLD GAL

- ·Rich coating containing metallic zinc.
- Prevents rust and corrosion caused by welding and exposure to harsh environments.
- Chemically bonds with iron and steel.



WHEELS 'N' DEALS

HEAVY INDUSTRIAL CASTORS

250kg Capacity, 100mm Poly/Cast Iron Wheel







HEAVY INDUSTRIAL CASTORS

250kg Capacity, 150mm Poly/Cast Iron Wheel











1" Axle

16"







\$85.00 16x6.50-8 1" Axle 16" \$130.00



10"

4.10/3.50-4 3/4" Axle

2.50-4 3/4"" Axle

RICHMOND WHEEL & CASTOR CO









TWIN CAST IRON INDUSTRIAL COMPRESSOR

Features:

- FEATUTES:

 Steel valve plate with stainless steel valves.

 Alloy head and after coolers for more efficient air delivery.

 Zero pressure start up valve to help extend the life of the electric motor and capacitors.

 Overload protection of electric motor with thermal relay.

- On/off pressure switch.
 Filter/Regulator.

MODEL	ШР	FAD	PRICE
XRV14	2.5hp	225L/min	\$ 799
XRV17	3hp	251L/min	\$875



Tank size 50 Litres

SEPTONE

Eliminator 4L Paint & Resin Removing **Hand Cleaner**

Waterless, Contains Grit Removes paints, resins, urethanes & adhesives

Free Bonus

Protecta Maxi 125mL SPF50+ Sunscreen

Dry Touch Formula



Purchase 1 x 4L Eliminator receive 1 x Prot Maxi 125mL





CONTRACTOR SERIES STEEL UTE BOX

- 702 x 404 x 583mm
- Powder Coating
- Nett Weight: 50kg

PRICE INCLUDES GST

POWDER

COATED

FINISH



lubemate



Bi-lobe Fuel Pump With Hose

- · Suits both 205L & 60L drums by using sliding bung adaptor
- · Suitable for diesel or kerosene
- Up to 100L/min flow rate, depending on viscosity
- · 2 piece suction tube, strainer and bung adaptor
- 2.4m delivery hose, nozzle and nozzle holder
- Easy rotary action for fast delivery & easy priming



Battery Grease Gun (18v Rechargeable)

L-BG18V

- · 450g cartridge or bulk fill
- · Fitted with block nut and air release valve
- . 1000mm high pressure hose and 4 jaw coupler
- · Battery charger, spare battery and shoulder strap Develops 51,700 kPa (7,500 psi)
- · Delivers 50g/min free flow
- . Greases up to NLGI 2
- · Supplied in hard plastic carry/storage case

\$199



3:1 Ratio Air-Operated Drum Oil Pump 205L

L-ARPD3

- . 3:1 Ratio pump for 205L drums or tanks
- . Suitable for oils or RTU coolants up to SAE130 viscosity
- · Output up to 14L/min
- Min/max air pressure 30/150psi
- · Air inlet 1/4" BSP (F)
- · Pump outlet 1/2" BSP (F)
- Wetted materials steel, brass, aluminium, Nitrile™ rubber, polyurethane and Turcite®
- · 2" bung adaptor included





Air Operated Greasing Kit 20kg

- 50:1 ratio grease pump
- · Suitable for use with 20 to 30kg grease drums, depending on dimensions
- . Air inlet 1/4" F / Pump outlet 1/4" F
- Min/max air pressure 30/150psi
- · Grease pressure is 50 times applied air pressure
- . 2.1m long pressure hose, control valve with Z swivel, drum cover & follower plate included in kit
- · Suitable for greases up to NLGI 2 Note: air lubricator required









RAZOR ARC 180

Industrial Rated 240V Single Phase 180 Amp DC Welder Small, Lightweight and Portable

Single PCB construction

- · MMA
- · VRD
- · Hot start
- · Arc Force
- · DC TIG
- · Lift Arc ignition
- · Thermal overload protection
- · IP21S

· Auto-compensation for voltage fluctuation



KUMJRRW180CA

BEAR-TEX

Hand Pads P/N: CX298654

MAROON 747 ALUMINIUM OXIDE

- FINE (Grit 240-360)

Tough, economical, flexible, waterproof & solvent resistant.

COMPACT

Applications include:

- Cleaning, finishing and deburring of machinery and tools Removal of rust
- . Defuzzing of wood . De-nibbing of plastic component parts
- · Cleaning solid surfaces (marble, granite etc.)



SPECIALIST.

WD-40® Specialist Fast Acting Citrus Degreaser

- Removes grease, oil, fat, dirt, grime and soap scum
- Power foam works immediately on contact
- Easy to rinse with water
- 400a
- P/No: 21103





Compact Stallion 300 Compressor

Free air delivery @ 100PSI: 175LPM

45 litre air receiver tank Pump RPM: 2850

Amps Draw: 8

Max PSI: 145

Warranty: 1 year total unit

Compact 14000 Electric Belt Drive Compressor Free Air Delivery @ 100PSI: 220LPM 3.0HP, single phase - 10Amp motor

50 litre air receiver Amps Draw: 9.8 Max PSI: 145

Pump RPM: 895

Warranty: 1 Year Total Warranty

\$1.95 ea



Chuck size: 16mm Motor Size: 550 Watt

Supply Voltage: 240 V 450 - 2500 rpm Warranty: 1 year

00374



Compact 2500 Electric Direct Drive

Free Air Delivery @ 100PSI: 154LPM 2.5HP, single phase - 10Amp motor Pump RPM: 2850 30 litre air receiver


Amps Draw: 8 Max PSI: 145

Designed for handyman use Warranty: 1 year total unit 00332



Adjustable air/water volume control on handle 1/4" BSP thread

Jet spray or wide spray



PVC/Rubber Furo Hose

300 PSI bursting pressure 1/4 BSP male threaded fittings Very Flexible tubing



Free Air Delivery @ 100PSI 275LPM 2.75HP, single phase - 10Amp motor Pump RPM: 852 Amps Draw: 9.4 Max PSI: 125 55 litre air receiver Warranty: 5 year pump, 1 year motor




Compact V1603B Bench Drill

Chuck size: 16mm Motor Size: 550 Watt Supply Voltage: 240 V 550 - 3030 rpm Warranty: 1 year 00373









00257



SP Professional Tool







1/2"DR RACE SERIES IMPACT WRENCH

- Super Fast, High Power, 8 Vane Motor
- Can operate up to 7.5 bar
- Working Torque: 780 N-m
- Max Torque: 1100 N-m
- Bolt Busting Torque:1600 N-m
- · Warranty: 2years





- · Working torque: 420 N-m
- Max torque: 570 N-m
- Bolt busting torque: 800nm



1/4" Dr Die Grinder

- · Rib textured handle
- · 23000rpm





A heavy duty hand cleaner containing citrus oils and fine granules to gently remove ingrained dirt, without the harshness associated with coarser grade abrasives. It is designed to remove most industrial soils including dirt, mud, dusts, coal dusts, oils, greases and solvents.







SOLVOL®

Hand Cleaning Wipes

- Keep Hands Clean and Refreshed with SOLVOL Wipes
- With Aloe Vera and Vitamin E
- pH Balanced Formula
- NO Aggressive Agents or Solvents







WD-40° 60g

WD-40® 425g Twin Pack

- Stops Squeaks
- **Drives Out Moisture**
- Cleans and Protects
- Loosens Rusted Parts
- Frees Sticky Mechanisms

WD-40® Multi-Use Product protects metal from rust and corrosion. penetrates stuck parts, displaces moisture, and lubricates just about anything. WD-40® is also great when it comes to removing grease, grime, surface rust, and other marks from most surfaces.

SOLVOL® Liquid Hand Cleaner

- Heavy Duty
- Rapid and Effective Clean
- Natural Citrus Oil and Perlite Scrub
- Naturally Moisturising



71126





SOLVOL®

Soap Twin Pack

- The Soap for Hard Working Hands Removes Grease and Oil Quickly and Effectively.
- · Also Effective in Removing Paint, Silicone, Glue, Tar, etc from Hands











W7150EU-K2

1/2" Cordless Impact Wrench

- · Best in class power-to-weight ratio
- . 1,486Nm of Nut Busting Torque
- · Designed to be strong and lightweight
- · Variable speed switch with electronic brake provides maximum control
- Kit includes W7150 Impactool, Charger, 2 Li-ion Batteries and case

Cordless Drill · Delivering 700 in-lb of torque

- Variable speed switch with electronic brake
- 16-position clutch
- · Ergonomic handle and comfort grip

3 Ingersoli Rand Cordless Tools FOR UNLY \$1375

PLUS your choice of



W5130 - 3/81 W5150 - 1/2" Cordless Mini Impact Wrench

- . 190ft-lbs of torque
- · All metal drivetrain and hammer mechanism
- · Lightweight and balanced
- Ergonomic handle



R3130 - 3/8" R3150 - 1/2" **Cordless Ratchet**

- · 54 ft-lbs of torque
- · Ergonomic handle
- · Variable speed



ALL PRICING INCLUDES GST

RAZOR CUT 40

40 Amp - 16mm Cut on Steel 240v Inverter with Power Factor Correction

- Latest IGBT Inverter Technology
- · HF instant cut start
- · Industrial application
- · Tolerant to variable power supply
- In-built P.F.C (power factor correction)
- · In-built Air Regulator with preset air pressure
- Suitable to cut all electrically conductive materials



KUPJRRW40

130DC MMA/TIG INVERTER & TIG KIT

\$440

KUMJR130CT

Approved Domestic Power Supply 10 Amp 240V Single Phase 130 Amp DC Welder

- 10AMP Plug
- · Latest IGBT inverter technology
- · Hot start
- Arc Force
- · DC TIG
- · Lift Arc ignition
- · Thermal overload protection
- · Generator compatible (recommend 6.0 KVA minimum)



MINI-MIG 180 KIT 180 Amp MIG Welder

- · Thermal Overload Protection
- · Fan Cooled
- · Single Phase 240Volt
- 35-180AMP
- 1-5 Kg Spool Capacity
- Fully Compliant to AS 60974
- · Gas / Gasless
- · Euro Connect Torch
- · Spool Gun Ready



GAS CUTTING & WELDING KIT

The Complete Kit for the professional UNIFLAME regulators have been

independently tested to and comply with Australian Standards AS4267 including Oxygen promoted ignition test, IBEDA

Flashback arrestors comply to

Australian Standards AS4603.





KKOXY-1







metabo Grinder

& Accessories Kit

1080 Watt



- · ø125mm 1080 watt angle grinder
- 100 x 125mm x1mm premium cutting wheels
- 10 x Combinator wheels
- 5 x flap discs
- 1 x twist knot wire brush
- 1 x diamond seg. blade
- 1 x kit bag





DEOX R44 IS THE NEW NOX CLEANER

Australian Made & Australian Owned DEOX R44 is the new benchmark in "Safe" multipurpose WD lubricant.

The superior anti-corosion additives, helps protect all tools & equipment that the product is used on.

DEOX R44 has 1000's of uses in the home, mining, marine & industrial environment.

DEOX R44 comes in 1, 5 & 20 litre bulk packs and in 3 aerosol packaging:- 400grams,

300grams & 250grams self pump aerosol.



MIGHTY **TOUGH** HAND **TROLLEY**

\$135

tuff R



Pneumatic

300KG CAPACITY



STEEL TRUCK BOX

Size: 1300W x 600D x 750Hmm Steel sealed bearing slides Heavy duty drawers 4x

BONUS 1/4" - 3/8" Socket Set





Metalite K283

Cloth Handy Rolls · Closekote for dry metal

preparation. · Aluminium Oxide Grain

on flexible cloth for use in general engineering applications on a variety of materials.



PART NO.	SPECIFICATION	PRICE EACH (Include GST)
CE100161	50mm x 50m P40	\$42.95
CE099929	50mm x 50m P60	\$37.95
CE110906	50mm x 50m P80	\$33.95
CE110930	50mm x 50m P100	\$31.95
CE111066	50mm x 50m P120	\$31.95

* Handy Rolls also available in 25mm and 40mm widths

PART NO.	SPECIFICATION	PRICE EACH (Include GST)
CE111007	50mm x 50m P150	\$31.95
CE111406	50mm x 50m P180	\$31.95
CE111376	50mm x 50m P240	\$31.95
CE111317	50mm x 50m P320	\$31.95



fibre backing. · Improved resin system for better grain adhesion.

PART NO.	SPECIFICATION	PRICE EACH [Include GST]	PART NO.	SPECIFICATION	PRICE EACH (Include GST)
53168	100 x 16mm C24	\$2.65	98003	115 x 22mm C60	\$2.45
53170	100 x 16mm C36	\$2.20	98004	115 x 22mm C80	\$2.40
85524	100 x 16mm C50	\$1.95	25332	115 x 22mm C120	\$2.20
62965	100 x 16mm C60	\$1.90	98005	125 x 22mm C24	\$3.60
62966	100 x 16mm C80	\$1.85	98006	125 x 22mm C36	\$3.00
36181	100 x 16mm C120	\$1.65	98007	125 x 22mm C50	\$2.80
98000	115 x 22mm C24	\$3.40	98008	125 x 22mm C60	\$2.70
98001	115 x 22mm C36	\$2.80	98009	125 x 22mm C80	\$2.60
98002	115 x 22mm C50	\$2.55	09084	125 x 22mm C120	\$2.40



PVC Sealing and Joining Tape

- · General purpose for joining, holding and non-critical applications
- Moisture resistant.



PART NO.	SPECIFICATION	PRICE EACH (Include GST)
AT298026	48mm x 30m - Silver	\$2.95

www.saint-gobain.com.au @ Saint-Gobain Abrasives Pty Ltd. All rights reserved

* Minimum Carton Quantity Buy

Ref 536-0314 itrade









SEPTONE"

TW20 Truck Wash 20L

Heavy Duty Detergent pH Neutral Removes road grime grease, soot & dirt

Free Bonus

Wax & Grease Remover Aerosol Solvent Cleaning Fluid

(IR) Ingersoll Rand 295A

- 1" Impact Wrench
- Delivers 1,770 ft-lb (2,400 Nm) maxiumum torque
- Fast-torque™ delivers 1,000 ft-lb (1,356 Nm) in 2 seconds
- Improved feather touch trigger



Die Grinder Kit

- 0.33 HP (0.25 kW)
- · 25,000 rpm free speed
- · Lightweight and durable
- · Ergonomic composite housing
- Rear exhaust
- · Comes with 1/4" and 6 mm collets. two wrenches and 4 burrs





6.5hp Pressure 15hp Pressure Cleaner

- 6.5hp OHV Torini engine
- · 3550rpm
- · 8m hose
- · Stainless steel lance
- · 3200psi working pressure
- 9.5L/min water flow
- · Heavy duty powder coated folding frame

Cleaner · 15hp OHV Torini engine

· 3400rpm

Purchase 1 x 20L TW20 receive 1 x Wax & Grease Remover 400g

- · 10m hose
- · Stainless steel lance
- · 4000psi working pressure
- 18.2L/min water flow
- · Heavy duty powder coated folding frame



Industrial Aluminium Extension Ladder

- · Durable lightweight design uses structural grade high tensile aluminium to provide greater strength.
- · Lightweight for easy movement and operation.
- · Anti slip moulded rubber feet for added safety.
- . Bracing on bottom step for superior rigidity.

TRDX22 - 3.8mtr - 6.6mtr \$315



TPW3600

TPW4500 \$1,850





ROBUST LADDERS, DESIGNED TO LAST



600A

- · Suitable for the metering
- Delivers up to 1.6g of grease per stroke

coldest conditions

- to be locked at the required angle
- Unique Twin Lock System seals the piston
- and eliminates the possibility of dummy lubrication Patented Ever-Flow System enables the gun to be used with thick tacky greases even in the





SAW100

Air and Water Hose Reel

- · PVC hose
- Impact resistant UV stabilised covers for maximum durability · Automatic and positive latching mechanism
- . Can be wall, ceiling or floor mounted
- · Adjustable spring tenstion
- 3/8" BSPT inlet/outlet
- · High flow swivel and fluid par . 16m x 10mm ID hose
- & 0.9m lead in hose

1**99**00



450g Lever Action Grease Gun

- Develops grease pressures of up to 12,000psi (828bar)
- · Plastic wing nut enables the rigid extension

6336

2.5kg Grease Kit

- · Grease pressures of up to
- 10,000psi (690bar)

 Foot operated design leaves hands free to access difficult to access lube points
- Up to 30 shots before the hand piece needs to be reloaded with grease
- · High volume or high pressure option reduces greasing down time
- 360' swivel eliminates annoying hose tangling

\$**288**00



M150SA

GPI Heavy Duty Diesel Fuel Drum Pumps

- · Available in 12V drive with auto shut off nozzles . Flow rates of up to 49 L/min (nozzle dependant)
- Gear type pump with a heavy duty cast aluminium body
 Can operate outdoor, year round
- with an operating temperature
- range of -29°C to +52°C
 Duty cycle of 30 minutes on, 30 minutes off
- . Dry prime of 1.7m
- Total lift capacity of 7.6m
- . 1" NPT(f) inlet thread . 3/4" NPT(f) outlet thread
- . Suitable for diesel fuel transfer only

:1.006⁰⁰



52007 Manual Diesel Fuel Nozzles

- · Capable of through the nozzle flow rates of up to 150 L/min
- . Suitable for pressures up to 140psi (10bar)
- . Sturdy latch mechanism allows the nozzle to be locked open
- . 1" BSP(f) swivel included



50040

12V Submersible Transfer Kit

- · Submersible pump for diesel, water, coolant and oils up to SAE20
- . Capable of flow rates of up to 32 L/min
- 20 minute duty cycle
 Approximately 500-600 hours pump life
- . Includes 4m of fuel delivery hose, 4m of battery cable with on/off switch & clamps and a manual nozzle
- Pump outlet diameter 19.5mm
- Motor speed: 8700 Rpm
- . DC motor, low noise, fast speed
- . 12V maximum load current of 8A power 96W
















Tools to last a lifetime



7 Blade & 6 Phillips

· CR-V 16302





	HI	ID150 SPECIFICA	TTONS	
Electrical System		230V, 50/60 Hz - 4.5A, 1035W		
Motor		4A (230V), 450 RPM		
Dlameter		12mm - 35mm		
Depth		25mm		
Cutter/Mount		RotaLoc Plus™ with push & turn style shank		
Dimensio	ons	198mm H x	165mm W x 297mm L	
Base		102m	m W x 178mm L	
Magnet	25mm Plate	Dead Lift 982 kg	Drillpoint Breakaway 333 kg	
	9.5mm Plate	544 kg	227 kg	
Net Welg	ht		10.3 kg	







750ml trigger spray De-Solv-it Cleaner

- · Highly effective citrus based cleaner
- · Not Class 3 Flammable (WorkSafe criteria)
- No overwhelming vapours
- Australian made



Minimum Carton Quantity Buy

The ULTIMATE Tools & Storage

One Eleven.





HD roller bearing wheels.
Only available on p/n: HDCASE900

From



UV Stabilised

- 3x Heavy Duty Hasp & Staple
- Water & dust resistant when sealed
- Heavy duty side handles
- Full rubber seal in lid
- Made from LLDPE low linear density polyethylene
- unique heavy duty 'stop' hinges
- HD roller bearing wheels. Only available on p/n: HDCASE900

Telescopic Mirror Set

1x Telescopic magnetic pick-up too, fixed (capacity 3.6 kg)
1x Exchange magnet, flexible (capacity 3.6 kg)
1x Mini exchange magnet, flexible (capacity 1.5 kg)

1x Telescopic inspection mirror, rectangular (50 x 88mm)

1x Exchange mirror, round (diameter 31.75mm) Part Number

One Eleven. TM5







Part Number: HDCASE1200

Dimensions: 1100W x 530D x 440H mm

Weight:16 Kg



- Blows and extracts
- ♦1083l/s airflow
- ◆Portable design
- ♦300mm diameter
- ♦Part# MPV300



- Strong & durable
- Easy storage
- Fire retardant
- ♦5m in length
- ♦Joining kits available
- ♦Part# IFD300

AIR

RAZOR TIG 200 DC

Industrial Rated TIG/MMA 200Amp 240v Single Phase DC Welder

- · Latest IGBT Inverter Technology
- · Digital Weld Program Sequence Control
- · DC TIG
- · HF Arc Ignition
 - Adjustable Pulse Frequency 0.5 200Hz
 - 2T/4T Trigger + Spot Time Adjustment
 - Start & Final Current Adjustment
 - Pre and Post Gas Flow Adjustment
 - Up and Down Slope Adjustment
- VRD
- MMA
- Thermal Overload Protection





TRADESMAN SERIES STEEL UTE BOX

Product #9088

- Size: 1270 x 600 x 750mm
- · Air Struts Lid
- Powder Coating
- · Nett Weight: 100kg

POWDER COATED FINISH

PRICE INCLUDES GST

macnaught > lubrication equipment

All Purpose 20ltr Oil Tansfer Pump MAOP20

- · Suitable for oils up to SAE140 / ISO680 viscosity
- · Used for engine, gear, transmission, hydraulic oils and pre-mixed engine coolants
- · Delivers up to 75ml per stroke, viscosity dependant
- · Suits between 20L 25L drums via suction tube extender
- · Check Valve ensures pump is almost always primed





macnaught.com.au



macnaught





Recycled Rubber Pavers - UV Stabilized


- 500 x 500 x 15mm
- · Made from recycled rubber
- Outdoor use only
- · Ideal for patios, pergolas, staff outdoor smoking areas, around pools.
- · Smooth Surface makes cleaning and maintenance easy
- Powder Coated surface gives realistic look masonry finish
- 2 Year Warranty





*Recycled rubber product can have an odour and are not recommended for indoor use.





- · High tear resistance
- UV stabilized
- · Used for rubber spacers, anti vibration pads, mud flaps, weather shields rubber linings
- · Neoprene oil and heat resistant
- UV Stabilized
- · Hard wearing
- · Main use is for seals or gaskets

From 500

per *Vmt*r

Sizes available from:

1.5mm x 25mm - 6.0mm x 300mm

10mtr Rolls









Automatic Digital Tyre Inflator



- \bullet Aluminium body with oil resistant rubber casing \bullet 5-150psi (0.3-10bar) measuring range, accurate to $\pm1\%$ \bullet Two position lever for inflation and deflation
- . Display powered by two CR2032 Lithium batteries
- . Battery life of 140 hours
- · Can be turned on and off as required

51114 12800




SPECIALIST.

WD-40® Specialist High Peformance Silicone Lubricant

- Prevents parts from sticking
- Waterproofs and protects against moisture
- For use on metal, plastic, rubber and wood
- P/No: 21101







- ·Quick drying metallic paint.
- Silver finish closely blends in the colour of new hot dip galvanizing.
- Excellent weathering characteristics.
- Corrosion protection against weathering and moisture.







KIT CONTAINS:

- · 2 x P2 Pad Filters
- #5500 Half mask respirator
- 2 x A1 Organic
- · vapour cartridges
- · 2 x Fit Check/Pad
- · filter covers
- · Storage bag

Ref 536-0314-3 Itrade

2 Door Work Bench Cupboard

- · 670h x 900w x 554d
- 1 x Adjustable Shelf
- · Heavy duty
- · DIY Easy to Assemble Flat pack
- · 3 point lock system
- Grey 2DWBC





250Lt Flammable Liquid Cabinet

- 1825H x 1100W x 500Dmm · Fully assembled & welded with double skin 1.0mm steel
- · 3 shelves
- · All cabinets comply to AS 1940-2004
- 9 x 20Lt drums. 2DFSC250











0

2 Door Storage Cupboard

- 1850H x 900W x 450Dmm
- Heavy duty
- · DIY Easy to assemble flat pack
- · 3 point lock system
- · 4 x shelves
- Grey 2DSC4



160Lt Flammable Liquid Cabinet

- 1295H x 1100W x 465Dmm
- · Fully assembled & welded with double skin 1.0mm steel
- · 2 shelves
- · All cabinets comply to AS 1940-2004
- 6 x 20Lt drums.

2DFSC160

31,750

















PV25P Petrol Compressor

Free Air Delivery @ 100PSI: 545LPM 9HP Honda engine Pump RPM: 1158

2 cylinder, slow revving, cast iron pump 68 litre air receiver

Max PSI: 145

Warranty: 3 year pump, 3 year Honda

00561

\$2,780



Part Number Al1210PROMO

Aluminium One Tonner

Size: 1210W x 500D x 680Hmn Aluminium checker plate, Angled lid. fully welded and fitted with rubber seal Single helf supplied with fasteners to be fitted by purchaser (shelf is 200mm deep and stepped up to hold goods



AIR / HYDRAULIC PUMP 10,000 PSI CAPACITY Product #2054

900KG TRANSMISSION

JACK - LOW PROFILE Product #2022

- Durable Light-weight Corrosion-free Aluminium
- Built-in Overload System
- · Pump / Release Pedal (activated by hand or foot)
- · Filter prevents contaminants from entering hydraulic system





 900kg (2000lb) Safe **Working Capacity**

• Minimum Height: 254mm

• Saddle Forward Tilt: 40º

Maximum Height: 1118mm

the brand name in equipment Email: sales@tradequip.com.au . Web: www.tradequip.com.au . ABN 79 096 932 464

20,000KG AIR HYDRAULIC JACK

Product #2003



- Size: 500(L) x 1275(H) x 320(W)mm

- · Minimum Height: 230mm
- Nett Weight: 41.4kg

Use Hydraulic Fluid ISO68



HYDRAULIC PRESS 50,000 KG Product #2037

- Winch on Table Rise and Fall
- 2 Stage Pump . Width: 650mr
- Working Range: 0 1035mm
- Ram Lifting Height: 180mm • 100mm Pressure Gauge
- Nett Weight: 450kg





 Saddle Backward Tilt: 25^o Saddle Lateral Tilt: 12^o Overall Base Dimensions: 1226(L) x 705(W)mm Nett Weight: 136kg

ALL PRICES INCLUDE GST







lubemate \



12V Electric Diesel Pump Kit - Automatic Nozzle

- Standard-duty 12v DC electric pump kit with automatic fuel nozzle
- 120 watt motor
- . Flow rate up to 40L/min (free flow)
- . 3/4" x 4m delivery hose with fittings
- . 2m suction hose with check valve and filter for easy priming
- 3/4" BSP inlet/outlet
- · Includes power cable and clamps
- Remote style pump allows unit to be mounted away from drum for easy change-over

L-FPA12V



Ali Brite 5L Aluminium Cleaner

Acid etch type cleaner Removes corrosion and oxide film

Free Bonus

Metal Polish 250g

Use on Aluminium, Chrome, Stainless Steel & Copper POISON

SEFFICIAL

The Professional Final

AND BRITE

AUDINIUM

GLEANER

Explains

Explains for the second for the point of the point o

\$36.50

Purchase 1 x 5L Ali Brite receive 1 x Metal Polish 250g



\$39.00 per Vinitr

SGUL1830

- 1830mm Wide
- · Heavy Duty Rubber
- Stiple Backing for Drainage and Air Flow to Prevent Rust
- · Oll and Spill Resistant
- UV Stabilised
- · Ideal fir Truck Trays, Utes and Vans



Alemlube

101 Industrial Grease Nipple Assortment Kit

- Your most popular grease nipples in a convenient compartmentalised refillable carry kit
- All grease nipples included in the kit are case hardened, fully chromated, zinc passivated, batch tested to 8,000psi (552bar) and conform to international standards including BSS 1486, DIN 71412, SAE JS34 and JIS B1575
- Patented Kinglok® method of construction provides a very substantial mechanical joint with a entirely leak proof fit

L4675

\$**94**00





ALL PRICING INCLUDES GST

AC/DC TIG/MMA 200

200 Amp Inverter Welder Light Industrial Rated

- · Adjustable Down slope
- 2T / 4T Trigger function
- Adjustable pulse control
- HF Start AC/DC TIG function
- · Digital amperage display
- Adjustable Pre Gas Post gas
- · Adjustable AC balance control
- Electrode Hot start
- · Adjustable Arc force



\$1495

KUMJR200ACDC

RAZOR WELDING HELMET

High Quality, Low Cost, Solar Cell Powered 4 Independent Sensors, Large View

- 100mm x 60mm
- 1/10000 sec
- · Shade 4
- Variable Shade: 5-9 / 9 -13
- Grind mode
- · Solar Cells with replaceable batteries
- DIN15
- · Adjusts for varying ambient light
- dark-to-light state 0.1 to 0.9 sec
- 4 x Independent Photo Sensors
- 2 Year Date of Purchase





MTS 250 INVERTER

MIG/TIG/MMA -250 Amp DC Inverter Welder

- Latest IGBT Inverter Technology
- Multifunction Inverter:
- MIG DC TIG MMA
- · Spool Gun Ready
- Digital Voltage & Amperage Meters
- Geared Wire Drive
- · Voltage Reduction Device (VRD)
- · Fully Compliant to AS 60974-1





Use a QR scanner on your smartphone to scan the QR code for your nearest Member's location or visit www.itradesupplies.com.au May-Jun-Jul 2014