






Innovation in wheel design since 1957





## PERFOR MANCE

## new

## OF CHEETAH SPORTS

Black Suede 17 x 7.5, 18 x 8.0, 19 x 8.5



Cheetah Sports featured with optional decal. Please advise at time of order whether optional decal is required. Cheetah Sports is supplied as decal delete in standard form.



### **07 CIRCUIT**

Gloss Black | Machined (Brembo Compatible FPV)  $17 \times 8.0$ ,  $18 \times 8.0$ ,  $20 \times 8.5$ 







## **08 CIRCUIT RS**

Glass Black | Candy Apple Red (Brembo Compatible FPV) 17 x 8.0, 18 x 8.0, 20 x 8.5

## 09 CIRCUIT RS

Gloss Black | Electric Blue (Brembo Compatible FPV) 17 x 8.0, 18 x 8.0, 20 x 8.5





new

11 EVOKE

Anode Black | Silver 17 x 7.5, 18 x 8.0, 19 x 8.5, 20 x 8.5 Rotary Forged Flow Formed technology – lightness & strength this lectrology CARSINE and EVOKE only



Black Suede | Frosted Machined




18 x 7.5, 19 x 8.0

COLOURED FITMENT GUIDE

Holden Commodore Floriden Cruze Ford Falcon HSV Small Asian Medium to Large Asian European Medium to Large Asian (Inc. 2014) Commercial The columned large are to be used as a guilde only far multiling a wheat style to your vehicle model.

Ä





15 BULLITT

EXTRA LOAD RATING

Machined | Gloss Black 18 x 8.0, 20 x 8.0 (Brembo Compatible FPV)



14 BACKLASH

Machined | Gloss Black

14 x 5.5, 15 x 6.0, 16 x 6.5, 17 x 7.0

16 CHEETAH Hyper Silver | Machined Lip

17 x 7.5, 18 x 8.0, 19 x 8.5

17 CHEETAH Gloss Black | Machined Lip

17 x 7.5, 18 x 8.0, 19 x 8.5

COLOURED FITMENT GUIDE

Holden Commodore Floriden Cruze Ford Falcon HSV Small Asian Medium to Large Asian European Medium to Large Asian Function Wile a your vehicle fooded. The coloured labs are to be used as a guide only far multiling a wheel style to your vehicle. Please conflict Speedy artifice di info@speedywheels.com.au far confirmation of the suitability of the wheel style of your achieve, against your vehicle model.







### 21 DECEPTION

Gloss Black | Chrome Inserts | Machined Lip 15 x 7.0, 16 x 7.0, 17 x 7.0, 18 x 7.5











Machined | Gloss Black 14 x 5.5, 15 x 6.0, 16 x 6.5, 17 x 7.0



24 PULSE Silver | Machined

14 x 6.0, 15 x 6.5, 16 x 7.0, 17 x 7.5

COLOURED FITMENT GUIDE

📟 Holden Commodore 🥌 Holden Cruze 👅 Ford Falcon 📟 HSV. 📟 FPV. 📁 Small Asian 🕮 Medium to Large Asian. 📟 European. 🚥 4WD/SUV/Commercial The coloured labs are to be used as a guide only for mulcining a wheel style to your vehicle. Please contact Speedy online at info@speedywheels.com.au for confirmation of the suitability of the wheel style of your choice, against your vehicle model.



pew 27 SIENNA

Machined | Silver 15 x 6.0, 16 x 6.5, 17 x 7.0

B/N 120i in Alpine White, rolling on PUMA Machined | Gloss Black in size 18 x 8.5



# Satin Black | Satin Machined

18 x 8.0 (Brembo Compatible FPV)



### 29 VOLT

Gloss Black | Machined Accents 15 x 6.5, 16 x 7.0, 17 x 7.0



Gloss Black | Machined 14 x 6.0, 15 x 6.5, 16 x 7.0, 17 x 7.0, 18 x 7.5


## new 30 WEDGE

Silver | Machined 14 x 6.0, 15 x 6.5, 16 x 7.0, 17 x 7.0, 18 x 7.5

#### COLOURED FITMENT GUIDE

Ü

Holden Commodore Ford Falcon HSV Small Asian Medium to Large Asian European Medium to Large Asian In European Medium to Large Asian In European Medium to Large Asian In European In the column to Large Asian In European In the column to Large Asian In European In the wheel style of your vehicle for your vehicle redulation of the suitability of the wheel style of your vehicle for your vehicle for






The coloured labs are to be used as a guide only for mulcining a wheel style to your vehicle. Please contact Speedy online at info@speedywheels.com.au for confirmation of the suitability of the wheel style of your choice, against your vehicle model.



in Fuji White, rolling on SAKURA Gunmetal in size 20 x 9.0







## 41 GRANDE RS

Liquid Black 16 x 7.0, 17 x 7.5, 17 x 8.0, 18 x 8.0



## 43 GRANDE

Machined | Gloss Black 15 x 7.0, 16 x 7.0, 17 x 7.5, 17 x 8.0, 18 x 8.0

It may be necessary to supply Fluted RV caps in lieu of the standard caps featured on this page, when supplying CRANDE wheels for those vehicles with long wheel hub assemblies.



## 42 GRANDE

Machined | Silver 15 x 7.0, 16 x 7.0, 17 x 7.5, 17 x 8.0, 18 x 8.0




## new 44 GRANDE

Satin Black

15 x 7.0, 16 x 7.0, 17 x 7.5, 17 x 8.0, 18 x 8.0

#### COLOURED FITMENT GUIDE

Holden Commodore Holden Cruze Ford Fatcon HSV FPV Small Asian Medium to Large Asian European 4WD/SUV/Commercial
The calcured lates are to be used as a guide only far matching a wheat style to your vehicle. Please contact person







LOAD RATED 1400 KG

### 45 TERRITORY

Satin Black 16 x 7.0, 16 x 8.0

Not available until the third quarter 2013



Silver Territory is suitable for limited mining use applications. LOAD

RATED

### 47 TERRITORY

Silver 16 x 7.0, 16 x 8.0 **46 TERRITORY** 

Machined | Gloss Black Accents 16 x 7.0, 16 x 8.0 

It may be necessary to supply Fluted RV caps on YUKON for vehicles with long wheel

Appearance of wheel will vary according to PCD



Also available for 2WD commercial applications

## 48 TOMAHAWK

Gloss Black | Machined Accents 16 x 7.0, 16 x 8.0, 17 x 8.0




Not available until the third quarter 2013.

## 49 YUKON

Satin Black | Satin Machined Accents 16 x 7.0, 16 x 8.0, 17 x 8.0

#### COLOURED FITMENT GUIDE

📟 Holden Commodore 🥌 Holden Cruze 👅 Ford Falcon 📟 HSV. 📟 FPV. 📁 Small Asian. 🕮 Medium to Large Asian. 📟 European. 📟 4WD/SUV/Commercial The coloured labs are to be used as a guide only for mulcining a wheel style to your vehicle. Please contact Speedy online at info@speedywheels.com.au for confirmation of the suitability of the wheel style of your choice, against your vehicle model.



Nuts, Valves & Domes featured, are optional extras

## 50 DESERT RAT II Off White I Red & Green Pinstripe

14 x 6.0, 15 x 7.0, 15 x 8.0, 16 x 7.0, 16 x 8.0



## 5) DESERT RAT II Gunmetal I Dual Black Pinstripe

16 x 7.0, 16 x 8.0



## 52 DESERT RAT II Gloss Black | Dual Silver Pinstripe

14 x 6.0, 15 x 7.0, 15 x 8.0, 16 x 7.0, 16 x 8.0

Size 14 x 6.0 not available until the third quarter 2013



Screw-On Fluted Domes are suitable for fitment to 6 stud wheels in 16" sizes only.



#### COLOURED FITMENT GUIDE

Holden Holden Cruze Ford HSV FPV Small Asian Medium to Large Asian European 4WD/SUV/Commercial
The columned does are to be used as a guide only for multi-large wheel style to your vehicle model.

## **ACCESSORIES**

### WHEEL NUTS



#### Closed Chrome Tapered Nut

- 19mm Hex Forged 60° wide seat Overall Length: 34mm Threads: 12mmx1.5, 12mmx1.25, 1/2" UNF, 7/16" UNF



#### Closed Chrome Tapered Nut

- 21mm Hex
- Forged 60° wide seat

Overall Length: 34mm Thread: 14mmx1.5



#### Closed Chrome Tapered Nut

- 21mm Hex
- Forged 60° wide seat Overall Length: 45mm Threads: 14mmx1.5. 14mmx2.0, 1/2" UNF



#### Closed Chrome Tapered Nut - Extra Long

- 21mm Hex 60° tapered seat

Overall Length: 60mm Threads: 12mmx1.5, 12mmx1.25,

1/2" UNF



#### Closed Black Tapered Nut

- 19mm Hex
- Forged 60° wide seat

Overall Length: 34mm Threads: 12mmx1.5, 12mmx1.25



#### Closed Black Tapered Nut

- 21mm Hex
- Forged 60° wide seat

Overall Length: 45mm Threads: 14mmx1.5, 1/2" UNF



#### Open End Chrome Tapered Nut

- 19mm Hex
- Forged 60° wide seat

Overall Length: 25mm Threads: 12mmx1.5, 12mmx1.25, 1/2" UNF



#### Open End Chrome Tapered Nut

- 21mm Hex Forged 60° wide seat

Overall Length: 25mm Thread: 14mmx1.5

#### Mag Nut Washer - Silver Zinc to suit Shank Type Nut

 Flat Profile
 Outside Dia; 25mm Inside Dia: 17.7mm Thickness: 4mm



#### Mag Chrome Nut - Shank Type

• 21mm Hex Shank Length: 19mm Shank Dia: 17.3mm Threads: 12mmx1.5, 12mmx1.25, 1/2" UNF, 7/16" UNF



#### Tuner Style Chrome Nut - Hex Drive

 Forged 60° seat Hex Drive: 12mm Overall Length: 33mm Outside Dia: 20mm Threads: 12mmx1.5, 12mmx1.25

### WHEEL BOLTS



**Bolt V-Taper Silver Zinc** 

• 17mm Hex • Forged 60° seat Overall Length: 48mm Thread Length: 22mm Thread: 12mmx1.5



**Bolt V-Taper Silver Zinc** 

• 17mm Hex • Forged 60° seat Overall Length: 53mm Thread Length: 25mm Threads: 12mmx1.5, 12mmx1.25



**Bolt V-Taper Silver Zinc** 

• 17mm Hex • Forged 60° seat Overall Length: 48mm Thread Length: 22mm Thread: 14mmx1.5



**Bolt V-Taper Silver Zinc** 

• 17mm Hex • Forged 60° seat Overall Length: 53mm Thread Length: 27mm Threads: 14mmx1.5, 14mmx1.25



Tuner Style Chrome Bolt V-Taper

- Hex Drive

· 12mm Hex Drive Forged 60° seat Overall Length: 67mm Thread Length: 28mm

Outside Dia: 19mm Threads: 12mmx1.5, 14mmx1.5



Tuner Style Black Bolt V-Taper

- Hex Drive

· 12mm Hex Drive

Forged 60° seat

Overall Length: 67mm Thread Length: 28mm Outside Dia: 19mm Thread: 12mmx1.5



**Threaded Conversion Stud** Silver Zinc

Outer Thread Length: 25mm Inner Thread Length: 8mm Overall Length: 39mm Threads:12mmx1.5, 12mmx1.25

### **NUT ADAPTORS**



**Tuner Style Nut** or Bolt Chrome Adaptor Drive Socket - Forged

Brace Hex: 21mm Drive Hex: 12mm Overall Length: 56mm



Wheel Nut Socket Adaptor Chrome - Forged

Brace Hex: 19mm Internal Hex: 19mm Overall Length: 64mm Outside Dia: 26mm



Wheel Nut Socket Adaptor Chrome - Forged

Brace Hex: 21mm Internal Hex: 19mm Overall Length: 64mm Outside Dia: 26mm



Wheel Nut Socket Adaptor Chrome - Forged

Brace Hex: 21mm Internal Hex: 21mm Overall Length: 66mm Outside Dia: 27mm



Wheel Nut Socket Adaptor Chrome - Forged

Brace Hex: 21mm Internal Hex: 22mm Overall Length: 71mm Outside Dia: 28mm

SPEEDY

## TUBELESS VALVES



Rubber Valve with Chrome Sleeve and Cap

• TR413 Protrudes: 37mm



#### No-Show Chrome Metal Valve

- Inner Fixing
- Suits 413 size valve hole Protrudes: 24mm



#### No-Show Chrome Metal Valve

- Inner Fixing
- Sults 413 size valve hole Profrudes: 34mm



#### Lightweight Black Aluminium Vaive

- Outer Fixing
- Suits 413 size valve hole Protrudes: 30mm

### CENTRE BORE LOCATORS



#### Aluminium with 67.1mm outside diameter

Reduces to: 54.1, 56.1, 56.6. 57.1. 59.1. 59.6. 60.1, 63.4, 64.1, 65.1



#### Aluminium with 73.1mm outside diameter

Reduces to: 54.1, 56.1, 56.6, 57.1, 59.1, 59.6, 60.1, 61.1, 63.4, 64.1, 65.1, 66.1, 66.6, 66.8, 67.1, 69.7, 70.3, 70.7, 71.6



#### Aluminium with 106.1mm outside diameter

Reduces to: 67.1, 92.4, 93.1, 100.1



#### Aluminium with 110.1mm outside diameter

Reduces to: 67.1, 93.1, 106.1



#### Aluminium with 110.5mm outside diameter

Reduces to: 67.1, 100.1, 106.1

## LOCK BOLTS



#### Lock Bolt Chrome V-Taper

- · Multi Hex Key Socket 17/19mm brace size
- Forged 60° seat Overall Length: 52mm Thread Length: 25mm Thread: 12mmx1.5



#### Lock Bolt Chrome V-Taper

- · Hex Key Socket 17/19mm brace size
- Forged 60° seat Overall Length: 52mm

Thread Length: 30mm Thread: 14mmx1.5



#### Tuner Style Chrome V-Taper Lock Bolt - Hex Drive

 Forged 60° seat Key Brace Hex: 21mm Key Hex Drive: 12mm Overall Length: 57mm Thread Length: 28mm Outside Diameter: 19mm

Thread: 12mmx1.5

### LOCK NUTS



#### Closed Chrome Tapered Lock Nut

- Multi Hex Key Socket 19/21mm brace size
- Forged 60° wide seat

Overall Length: 34mm

Threads: 12mmx1.5, 12mmx1.25, 1/2" UNF,



#### Closed Chrome Tapered Lock Nut

- Multi Hex Key Socket 19/21mm brace size
- Forged 60° wide seat

Overall Length: 30mm Threads: 14mmx1.5



#### Closed Black Tapered Lock Nut

- Multi Hex Key Socket 19/21mm
- brace size
- Forged 60° wide seat

Overall Length: 34mm Threads: 12mmx1.5, 12mmx1.25



#### Closed Medium Chrome Tapered Lock Nut

- Multi Hex Key Socket 19/21mm brace size
- Forged 60° wide seat Overall Length: 48mm Threads: 14mmx1.5, 1/2" UNF



#### Closed Medium Black Tapered Lock Nut

- Multi Hex Key Socket 19/21mm brace size
- Forged 60° wide seat Overall Length: 48mm Threads: 14mmx1.5, 1/2" UNF



#### Closed Long Chrome Tapered Lock Nut

- Multi Hex Key Socket 19/21mm brace size
- Forged 60° seat

Overall Length: 60mm Threads: 12mmx1.5, 1/2" UNF



#### Open End Chrome Tapered Lock Nut

- Multi Hex Key Socket 19/21mm brace size
- Forged 60° wide seat Overall Length: 20mm

Threads: 12mmx1.5, 12mmx1.25



#### Mag Chrome Lock Nut - Shank Type Forged

- Multi Hex Key Socket
- 19/21mm brace size
- Shank with Flat Washer Seat

Overall Length: 35mm Shank Length: 16mm Shank Dia: 17.3mm Threads: 12mmx1.5, 12mmx1.25, 1/2" UNF, 7/16" UNF



#### Tuner Style Chrome Tapered Lock Nut

- Hex Drive
- Forged 60° seat Key Brace Hex: 21mm Key Hex Drive: 12mm Overall Length: 33mm Thread Length: 28mm Outside Diameter: 19mm Threads: 12mmx1.5,

12mmx1.25



LOCK KEYS



#### Lock Key Chrome Socket - Forged

- · Multi Hex Key Socket 19/21mm brace size
- Socket Drive Type Security Code: Numeric

two digit



#### Tuner Style Lock Nut or Lock Bolt Chrome Adaptor Drive Socket

- Forged

Key Brace Hex: 21mm Key Hex Drive: 12mm Security Code: D Prefix then numeric

## DOMES & CAPS



#### a Plastic Chrome Clip-in Cap - Medium Plus

Overall Height: 58mm Clip to Clip Dia: 77mm Wheel Cap Hole Dia: 79mm

#### b Plastic Chrome Clip-in Cap - SW Large

Overall Height: 73mm Clip to Clip Dia: 75mm Wheel Cap Hole Dia: 78mm

#### Plastic Chrome Clip-in Cap - SW Small

Overall Height: 56mm Clip to Clip Dia: 64mm Wheel Cap Hole Dia: 67mm

#### d Plastic Chrome Clip-in Cap

- Small Plus

Overall Height: 56mm Clip to Clip Dia: 64mm Wheel Cap Hole Dia: 68mm

#### e Plastic Chrome Clip-in Cap - SW Medium

Overall Height: 56mm Clip to Clip Dia: 76mm Wheel Cap Hole Dia: 78mm



#### Steel Chrome Push Through Dome SW-1

Overall Height: 82mm Flange Dia: 88mm Outside Dia: 80mm Wheel Hole Dia: 81mm



#### Steel Chrome Push Through Dome SW-2

Overall Height: 75mm Flange Dia: 79mm Outside Dia: 73mm Wheel Hole Dia: 74mm



#### Steel Chrome Push Through Dome SW-4

Overall Height: 83mm Flange Dia: 89mm Outside Dia: 83mm Wheel Hole Dia: 84mm

#### a Steel Chrome Push Through RV Dome -Universal Mini

Overall Height: 70mm Flange Dia: 115mm Outside Dia: 108mm Wheel Hole Dia: 108.5mm

#### b Steel Chrome Push Through RV Dome -Universal Large

Overall Height: 145mm Flange Dia: 115mm Outside Dia: 108mm Wheel Hole Dia: 108.5mm

#### c Steel Chrome Push Through RV Dome -Universal Medium

Overall Height: 100mm Flange Dia: 115mm Outside Dia: 108mm Wheel Hole Dia: 108.5mm

#### d Steel Chrome Push Through RV Dome -100 series

Overall Height: 112mm Flange Dia: 118mm Outside Dia: 112mm Wheel Hole Dia: 112.5mm





#### a Plastic Chrome Screw-on Fluted RV Cap - 90 Three Lug

Body Height: 90mm Base Diameter: 138mm Lug Hole PCD: 125mm

#### b Plastic Chrome Screw-on Fluted RV Cap - 45 Three Lug

Body Height: 45mm Base Diameter: 138mm Lug Hole PCD: 125mm

#### Plastic Chrome Screw-on Fluted RV Cap - 70 Three Lug

Body Height: 70mm Base Diameter: 138mm Lug Hole PCD: 125mm



Body Height: 45mm Base Diameter: 138mm Lug Hole PCD: 125mm



#### Plastic Satin Black Screw-on Fluted RV Cap - 45 Three Lug

Body Height: 45mm Base Diameter: 138mm Lug Hole PCD: 125mm

#### Plastic Salin Black Screw-on Fluted RV Cap - 70 Three Lug

Body Height: 70mm Base Diameter: 138mm Lug Hole PCD: 125mm



#### Plastic Fluted RV Top Cap

- · Chrome with Brushed Silver or Black Decal
- Satin Black with Black Decal
   Liquid Black with Black Decal



#### Plastic Push Through RV Dome Top Cap

- Chrome with Brushed Silver or Black Decal
- · Silver with Brushed Silver Decal
- · Satin Black with Black Decal



#### Hub Capper System - Dome

Dome Height: 50mm Base Dia: 188mm



#### **Hub Capper** System - Adaptor

Overall Height: 65mm Flange Dia: 88mm Outside Dia: 80mm Wheel Hole Dia: 81mm



#### Universal Knock-Off Spinner

- · Chrome/Black Decal
- Plastic Threaded Adaptor



Industry Leading Warranty

For full warranty details please visit our website.

# WHY CHOOSE SPEEDY WHEELS?

- Industry leading product warranty guarantee
- A history of innovation and engineering excellence since 1957
- A proud Australian wheel company with a history of service and technical expertise second to none
- All products designed and tested to suit local conditions and compliant to recommended vehicle applications in accordance with State & Territory authority regulations



Eco Choice is a CHOICE registered trademark symbol which denotes

wheel products distributed by Speedy Corporation Pty. Limited, which are lightweight in design, delivering reduced vehicle emissions by further reducing vehicle rolling resistance.



To obtain the correct wheel selection/s for your vehicle, visit our company website

speedywheels.com.au to access the Speedy WheelMagician wheel selector database, or email info@speedywheels.com.au for further technical assistance and prompt attention.

Front & back cover: TOYOTA 86 GTS in Mount Fuji Red, rolling on GTR Black Suede | Frosted Machined in size 18 x 8.5



# SPEEDY WHEELS

#### ADVANCED WHEEL TECHNOLOGIES

**AUSTRALIA Speedy Corporation Pty Limited** 

5-9 Anne Street, St Marys, NSW 2760, Australia Ph: 61 2 9833 5055 Fx: 61 2 9833 5066

Em: Info@speedywheels.com.au W: speedywheels.com.au

USA Speedy Wheels Inc.

5018 Lindsay Court. Chino, CA 91710, United States Ph: 1 909 591 6877 Fx: 1 909 591 6807

Em: info@speedywheels.com W: speedywheels.com

Traffic authority regulations can vary between States and Territories of Australia. Speedy Corporation Pty. Limited recommends that a check be made with the relevant authority, for wheel and vehicle suitability in regard vehicle track dimensions and wheel and tyre load rating compatibility, prior to wheel purchase by the consumer.