



# Homesheds<sup>TM</sup>

 **STRATCO**





The Homeshed range has outdoor storage solutions that combine form and function with quality manufacturing to deliver garages that last the distance.



**High quality storage and protection solutions to complement your home.**

## Gable Roof

Form and function come together in the classic shape of the Gable Homeshed. Featuring an extremely practical pitched roof, the Gable Homeshed range takes full advantage of the floor space available. More than just a timeless design, a pitched roof minimises heat build-up and increases your storage space on the inside, and delivers the benefits of a self-cleaning shape on the outside.

The frame of a Gable Homeshed is constructed using strong, galvanised C-section beams. Hi-tensile bolted eaves and ridge connection brackets provide a seamless portal frame structure and are engineered to provide additional torsional strength. The roof is clad with traditional corrugated steel in double sided colour and comes standard with gutters and downpipes. The double sided colour walls feature Superdek® sheeting which is a durable and hard-wearing sheet due to the 28mm high ribs in its profile. The sheeting on the gable wall for standard width Homesheds is pre-cut to fit the gable shape for easy installation.

Gable Homesheds are available in a wide range of colours. Select either sliding doors or roller doors. If the side of the shed is to be built on a boundary, internal box gutters can be ordered. Optional extras include windows, skylights and a personal access door. Roller doors can be fitted with remote controlled door openers and the walls can be ordered in a corrugated profile for a different appearance.

## Shed Sizes

Gable Homesheds are available in 18 sizes, based on two single size widths and three double size widths. There are three heights of 2400mm, 2700mm and 3000mm to choose from. See the adjacent table for the dimensions.



## Flat Roof

Simple, clean and understated lines are a feature of the practical and economical Flat Roof Homeshed. With a wide range of sizes to choose from, there is a Flat Roof Homeshed to suit every storage requirement.

The range starts with a large garden shed named the Potter, which is a robust, practical shed. After the Potter the Flat Roof Homeshed becomes a true garage with roller doors fitted as standard.

Available in a wide range of colours, Flat Roof Homesheds come standard with gutters and downpipes. The roof and walls are clad with Prodek® steel sheeting. Single sided colour is used on the walls, while the roof is unpainted zinc/alum. Deep 50mm ribs in the Prodek profile make it strong and durable, this allows the inside of the shed to have a clean, uncluttered appearance without the need for support rails.

Options include windows, a personal access door, a coloured roof and dust resistant foam strips to fill any gaps. The roller doors can be fitted with a remote controlled door opener.

## Shed Sizes

Flat Roof Homesheds have 13 different sizes. There are seven single sized sheds and six double sized sheds. The Potter has a wall height of 2100mm, while the rest of the Flat Roof Range have two wall heights of 2400mm and 2700mm. All Flat Roof Homesheds, except for the Potter, are available with the Handiman Extension, which adds an extra two metres to the length of the shed. When storing a vehicle, the Handiman Extension gives you the extra room for further storage on the back wall. The adjacent table provides a full list of the dimensions.







## Engineered for Strength

Recognised, independent structural engineers have certified all tests and calculations carried out on the Homeshed range. This is your guarantee of structural integrity. Homesheds of all sizes and styles are suitable for use in wind speed areas of W28 (N1) and W33 (N2), while only single Flat Roof Homesheds and all Gable Homesheds are available in W41 (N3). Homesheds are designed for non-cyclonic areas.



## Installation

Designed with the do-it-yourself builder in mind, Stratco Homesheds feature pre-cut steel sheeting, and pre-cut and pre-drilled framework for a simple 'bolt together' construction. Easy to follow installation instructions are provided. Alternatively Stratco can provide a list of qualified installers to do the job for you.

### FLAT ROOF HOMESHED

Type	Name	Width	Length	Length with Handiman Extension
SINGLE	Potter	3400mm	4100mm	-
	Universal	3500mm	6000mm	8000mm
	Spacemaster	4100mm	6000mm	8000mm
	Workshop	4800mm	6000mm	8000mm
DOUBLE	Duo	5500mm	6000mm	8000mm
	All Rounder	6000mm	6000mm	8000mm
	Leisure King	6700mm	6000mm	8000mm

### GABLE ROOF HOMESHED

Type	Name	Width	Lengths Available			
SINGLE	Gem Compact	3160mm	6210mm	7730mm	9260mm	-
		3920mm	6210mm	7730mm	9260mm	-
DOUBLE	Family	5450mm	6210mm	7730mm	9260mm	12300mm
	Deluxe	6210mm	6210mm	7730mm	9260mm	12300mm
	Jumbo	6970mm	6210mm	7730mm	9260mm	12300mm



## FEATURES OF THE HOMESHED RANGE

- Choose from two attractive designs; the Gable Roof and Flat Roof.
- Available in a wide range of sizes and several wall heights.
- Pick from an exceptional range of modern colours.
- Select either roller doors or sliding doors on Gable Homesheds.
- Complete the package with an impressive range of accessories.
- Stratco can provide the information to fast track your council approval.
- Designed and tested to comply with all relevant building standards.
- Enduring strength and security with a frame that uses C-Section purlins.
- Pre-cut sheeting and pre-cut and pre-drilled framework for easy installation.
- Easy do-it-yourself construction with all the installation instructions provided.
- A list of qualified installers that can build your Homeshed.
- A range of payment options are available.
- Stratco Homesheds are a market leading, quality product.



## Maintenance

Your Stratco Homeshed will maintain its good looks for even longer with a simple wash and wipe down with a soft broom. Stratco Homesheds are produced from the highest quality materials and will provide many years of service if the important recommendations set out in the Stratco 'Selection, Use and Maintenance' brochure are followed.





CONTACT

1300 165 165



ZY-BRO-HS

© Copyright October 08

All brands and logos/images accompanied by ® or ™ are trade marks of Stratco (Australia) Pty Limited.

[www.stratco.com.au](http://www.stratco.com.au)