

Certification

Wormald "Fire Master" safes are tested and approved annually in compliance with stringent test methods used by the international certification organisations - Underwriters Laboratories (UL), Japan Industrial Standards (JIS), The Swedish National Testing and Research Institute (SP) and the Korean Standards Association (KS).

Marking	Organisation	Registered No.	Standards	Classification	Rating
(UL)	Underwriters Laboratories	R18040	UL72	SD103, 103T	1hr
		R18040	UL72	DS23-DS50	1hr
		R18040	UL72	DSF680-4.3.2	1hr
		BP9397	UL687	BA710-BA1500	TL-15
		BP9497	UL1037	BA780-BA1570	RSC-5
(JIS)	Japan Industrial Standards	6H64256	JIS S 1037	101,101T	1hr
		00C213	JIS S 1037	102,102T	1hr
		9C7139	JIS S 1037	103,104A	1hr
		23722	JIS S 1037	104-109	2hr
		02C091	JIS S 1037	DS23-DS50	1hr
		02C095	JIS S 1037	DS70-DS130	2hr
		02C435	JIS S 1037	DS157-DS182	1hr
		03C050	JIS S 1037	DSF680-4.3.2	1hr
		02C436	JIS S 1037	NS897-NS1297	1hr
		05C046	JIS S 1037	103TD	1hr
	The Japanese Safe & Furniture Association	04C231		DS70-DS130	TS-15
		05C296		DS133-DS170	TS-15
		05C063		DS157-DS182	TS-15
ŠP	The Swedish National Testing and Research Institute	106601	SPCR 002	SD103, 104A	NT Fire 017-60
		106602	SPCR 002	SD105, 105A, 106, 106A	NT Fire 017-90
		106603	SPCR 002	DS23-DS50	NT Fire 017-60
		106604	SPCR 002	DS70-DS103	NT Fire 017-120
		106605	SPCR 002	DSF680-4.3.2	NT Fire 017-60
K	KS Korean Standards Association	4237	KSG 4500	SD101-BS165	P-S-ITS
				DS23-DS50	
	Korean Institute of Construction Technology	2002-114	KSG 4500	DS23-DS50	1hr
		2002-115		DS70-DS170	2hr

Locking Options	Key
Key operation	K
Combination	С
Electronic	Е



1 hour fire resistance

Wormald fire resisting safes achieve a high level of security through a combination or digital lock, plus keylock. Automatic door locking when the door is closed is provided on digital locking models. Digital locking models also allow the user to easily and conveniently change the access code.





External measurements H 307 x W 412 x D 362mm Internal measurements H 230 x W 335 x D 224mm

Weight: 30kg Fittings: 1 plastic tray Locking options: K, C



ESD101

External measurements H 307 x W 412 x D 362mm Internal measurements H 230 x W 335 x D 224mm

Weight: 30kg Fittings: 1 plastic tray Locking options: K, E



SD103

External measurements H 346 x W 486 x D 420mm

Internal measurements H 226 x W 366 x D 260mm

Weight: 51kg Fittings: 1 plastic tray Locking options: K, C















ESD103

External measurements H 346x W 486 x D 420mm Internal measurements H 226 x W 366 x D 260mm

Weight: 51kg Fittings: 1 plastic tray Locking options: K, E



DS36DK

External measurements H357xW507xD420mm Internal measurements H 252 x W 392 x D 293mm

Weight: 47kg Fittings: 1 plastic tray Locking options: E



External measurements H497xW367xD420mm Internal measurements

Weight: 47kg Fittings: 1 plastic tray Locking options: K

H392 x W 252 x D 293mm

The Cumings Safe

(DS50DK)



















External measurements H 628 x W 494 x D 550mm Internal measurements H 424 x W 345 x D 341mm Weight: 73kg Fittings: 1 plastic tray,

2 adjustable shelves Locking options: K, C



ESD104

External measurements H628 x W 494 x D 550mm Internal measurements H424 x W 345 x D 341mm

Weight: 73kg Fittings: 1 plastic tray, 2 adjustable shelves Locking options: K, E



SD105

External measurements H718xW494xD550mm Internal measurements H 514 x W 345 x D 341mm

Weight: 127kg Fittings: 1 plastic tray, 2 adjustable shelves Locking options: K, C













ESD105

External measurements H 718x W 494 x D 550mm Internal measurements H 514 x W 345 x D 341mm

Weight: 127kg Fittings: 1 plastic tray, 2 adjustable shelves Locking options: K, E



QS105A

External measurements H 670 x W 506 x D 571mm Internal measurements

H466xW329xD330mm

Weight: 115kg Fittings: 1 plastic tray, 2 adjustable shelves Locking options: E













2 hour fire resistance

Wormald fire resisting safes achieve a high level of security through a combination or digital lock, plus keylock. Automatic door locking when the door is closed is provided on digital locking models. Digital locking models also allow the user to easily and conveniently change the access code.



DS100

External measurements H 1010 x W 610 x D 630mm Internal measurements H 750 x W 430 x D 376mm Weight: 244kg

Fittings: 1 lockable drawer, 2 adjustable shelves Locking options: K, C



DS100E

External measurements H 1010 x W 610 x D 630mm

Internal measurements

H750xW430xD376mm

Weight: 244kg

Fittings: 1 lockable drawer, 2 adjustable shelves Locking options: K, E



DS130

External measurements H 1310 x W 610 x D 630mm Internal measurements

H 1050 x W 430 x D 376mm

Weight: 303kg

Fittings: 1 lockable drawer, 3 adjustable shelves Locking options: K, C







DS130E

External measurements H 1310 x W 610 x D 630mm Internal measurements H 1050 x W 430 x D 376mm

Weight: 303kg Fittings: 1 lockable drawer, 3 adjustable shelves Locking options: K, E



External measurements H 1310 x W 750 x D 719mm

Internal measurements

H 1050 x W 570 x D 465mm Weight: 382kg

Fittings: 1 lockable drawer, 3 adjustable shelves Locking options: K, C



DS133E

External measurements H 1310 x W 750 x D 719mm Internal measurements H 1050 x W 570 x D 465mm

Weight: 382kg

Fittings: 1 lockable drawer, 3 adjustable shelves Locking options: K, E









DS150

External measurements
H 1510 x W 750 x D 719mm
Internal measurements
H 1250 x W 570 x D 465mm
Weight: 442kg

Fittings: 1 lockable drawer, 3 adjustable shelves Locking options: K, C



DS150E

External measurements
H 1510 x W 750 x D 719mm
Internal measurements
H 1250 x W 570 x D 465mm
Weight: 442kg

Fittings: 1 lockable drawer, 3 adjustable shelves Locking options: K, E



DS182

External measurements
H 1810 x W 1142 x D 690mm
Internal measurements
H 1550 x W 962 x D 450mm
Weight: 694kg

Fittings: 2 lockable drawers, 3 adjustable shelves Locking options: K, C



DS182E

External measurements
H 1810 x W 1142 x D 690mm
Internal measurements
H 1550 x W 962 x D 450mm
Weight: 694kg
Fittings: 2 lockable drawers,

3 adjustable shelves **Locking options**: K, E



QS70

External measurements H 685 x W 638 x D 667mm Internal measurements

H 450 x W 430 x D 376mm **Weight**:180kg

Fittings: 1 lockable drawer, 1 adjustable shelf

Locking options: E











Fire rated filing cabinets



1 hour fire resistance

Wormald "Firemaster" filing cabinets allow convenient suspension filing of paper records in a fire rated environment. The top drawer controls access to all drawers, with a keylock also fitted to each individual drawer. An isolating latch can be activated to temporarily remove individual drawers from the top drawer master control.



BF6802D

External measurements
H 823 x W 530 x D 680mm
Weight: 163kg
Locking options: K, C



BF6803D

External measurements H 1186 x W 530 x D 680mm Weight: 222kg Locking options: K, C



External measurements H 1549 x W 530 x D 680mm Weight: 300kg Locking options: K, C







BF6802E

External measurements H 823 x W 530 x D 680mm Weight: 163kg Locking options: K, E



BF6803E

External measurements H 1186 x W 530 x D 680mm Weight: 222kg Locking options: K, E



BF6804E

External measurements H 1549 x W 530 x D 680mm Weight: 300kg Locking options: K, E







(II)

Commercial security safes

"Guardmaster" commercial security safes are an essential solution for protecting your valuable assets. The safes are re-inforced with fire resisting refractory materials and aluminium, providing resistance to fire and burglary.







BA510

External measurements H 510 x W 500 x D 574mm Internal measurements H 370 x W 360 x D 310mm

Weight: 233kg Fittings: 1 adjustable shelf Locking options: K, C



External measurements $\begin{array}{l} \text{H } 730 \times \text{W } 540 \times \text{D } 604 \text{mm} \\ \text{Internal measurements} \\ \text{H } 477 \times \text{W} 357 \times \text{D } 307 \text{mm} \end{array}$

Weight: 350kg Fittings: 1 adjustable shelf Locking options: K, C

BA870

(IL)

External measurements H 880 x W 640 x D 670mm Internal measurements H 620 x W 460 x D 400mm Weight: 540kg

Fittings: 2 adjustable shelves Locking options: K, C



BA1070

External measurements
H 1080 x W 640 x D 670mm
Internal measurements
H 820 x W 460 x D 400mm
Weight: 635kg
Fittings: 3 adjustable shelves

Locking options: K, C



BA1270

External measurements H 1280 x W 760 x D 760mm Internal measurements H 1020 x W 580 x D 490mm

Weight: 920kg

Fittings: 3 adjustable shelves Locking options: K, C



Protecting People & Property

Security safes

"Guardmaster" deposit safes and small business safes are ideal for retail, domestic and business use. All safes are fitted as standard with a combination lock that allows the user to select and change the code, but may also be fitted with a digital keypad as an alternative. Deposit safes allow cash to be deposited while the safe door remains locked and secure.



RH20

External measurements H 480 x W 320 x D 320mm Internal measurements H 290 x W 310 x D 230mm Weight: 44kg

Fittings: Rotary Deposit Trap Locking options: C



FL2014

External measurements
H 520 x W 360 x D 360mm
Internal measurements
H 340 x W 350 x D 270mm
Weight: 41kg
Fittings: Front Deposit Flap
Locking options: C



B25

External measurements
H 460 x W 320 x D 370mm
Internal measurements
H 345 x W 310 x D 360mm
Weight: 46kg
Fittings: Cover Plate
Locking options: C



B15

External measurements
H 320 x W 320 x D 370mm
Internal measurements
H 190 x W 310 x D 360mm
Weight: 39kg
Fittings: Cover Plate

Locking options: C

Protecting People & Property

Media safes

The media safe can be easily positioned near or under a desk, providing convenient access and maximum protection for your data records such as CD's, diskettes and film - as well as important paper documents.



External measurements H 357 x W 507 x D 420mm Internal measurements H 162 x W 292 x D 174mm

Weight: 65kg Fittings: Nil

Locking options: E



CDS50EH

External measurements H 507 x W 357 x D 526mm Internal measurements H 302 x W 152 x D 174mm

Weight: 65kg

Fittings: 1 adjustable shelf Locking options: E



CDS105A

External measurements H670xW506xD571mm Internal measurements H 375 x W 230 x D 217mm

Weight; 133kg

Fittings: 1 adjustable shelf Locking options: E



CDS70

External measurements H685 x W638 x D667mm Internal measurements H 360 x W 330 x D 260mm

Weight: 216kg

Fittings: 1 adjustable shelf Locking options: E



CDS110

External measurements H 1110 x W 610 x D 630mm Internal measurements H760xW330xD255mm

Weight: 315kg

Fittings: 3 adjustable shelves

Locking options: E





