


Crompton



HORNET 20W LED FLOODLIGHT ADJUSTABLE & SLIMLINE

FEATURES

- Adjustable head 300° horizontal, 200° vertical with flexibility to direct the light (up/down/sideways)
- Slim and compact, designed to disappear when mounted under the eave
- Complete with 1m fly lead for easy installation
- Retro-fit accessory included for easy installation onto existing floodlight mounting points
- Integrated driver and LED modules
- Engineered to deliver absolute focus, optimum performance and robustness
- IP66 rating protects the light fixture from water spray and dust ingress
- Cool white colour temperature; ideal for general and task lighting
- Ideal for lighting outdoor entertaining areas, BBQ areas and access areas

DIMENSIONS

- L 187mm x W 125mm x H 23mm
- Weight: 0.42kg

PERFORMANCE

- Ingress Protection: IP66
- Wattage: 20W
- Voltage: 240V
- Light Colour Temperature: 4000K Cool White
- Lumens: 1600Lm
- Colour Rendering Index: CRI 80
- Beam Angle: 120°
- Average Life: 30,000hrs*
- 3 Year Warranty
- Non-Dimmable

COMPLIANCE

- AS/NZS60598


Product Code: CFL20840



*Actual product life may vary dependent upon frequency of maintenance and product application. Must be installed by licensed electrical contractor.

** When printed on standard A4 paper.

Crompton



COMPACT

Unique slim design allows for unobtrusive placement of the floodlight

FLEXIBLE


Adjustable head with 300° horizontal and 200° vertical flexible rotation

EASY TO INSTALL

Supplied with a separate mounting base which allows for retrofitting onto existing floodlights mounting points



****Image represents actual product size.**
Dimensions: L 187mm x W 125mm x H 23mm
Weight: 0.42kg



16W LED Exterior Wall Light Sirroco Bulkhead Range

Compact in design, this wall & ceiling light is ideal to use for multiple lighting applications.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

Performance:

- Wattage: 16W
- Field angle: Surround
- Surface Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Polycarbonate lens
- Non dimmable

Applications:

Outdoor living spaces, building & wall facades



Sirroco Bulkhead Eyelid
CBU7840



Sirroco Bulkhead Open
CBU7880



LED
Integrated



IP54
Rated



3
Year
Warranty

Code	Name	Lumens	Beam	Dimension (mm)
CBU7840	Sirroco Bulkhead Eyelid	480Lm	78°	Ø 260mm x D 102mm
CBU7880	Sirroco Bulkhead Open	730Lm	120°	Ø 260mm x D 95mm



LED Exterior Wall Light Bronte Up/Down Range

Clean, modern design that radiates an exceptional 2-way light beam.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

Performance:

- Field Angle: Up & Down
- Wall Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Tempered glass
- Non dimmable

Applications:

Outdoor living spaces building & wall facade



9W LED Bronte Up/Down
CED8340



20W LED Bronte Up/Down
CED8380



LED
Integrated



IP54
Rated



3
Year
Warranty

Code	Name	Beam	Lumen	Wattage	Dimension (mm)
CED8340	Bronte Up/Down	127°	480Lm	9W	W 140mm x H 65mm x D 88.5mm
CED8380	Bronte Up/Down	130°	1240Lm	20W	W 220mm x H 85mm x D 102.5mm

LED Exterior Wall Lights Diablo Range

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP44

Performance:

- Wall Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Tempered glass lens
- Non dimmable

Applications:

Outdoor living space, building & wall



14W Diablo Square Up/Down
CED6280S



14W Diablo Round Up/Down
CED6280R



7W Diablo Square Direct
CED6240S



7W Diablo Round Direct
CED6240R



Code	Name	Field Angle	Beam	Lumen	Wattage	Dimension (mm)
CED6280S	Diablo Square Up & Down	Up & Down	120°	900Lm	14W	W 110mm x H 203mm x D 109mm
CED6280R	Diablo Round Up & Down	Up & Down	120°	860Lm	14W	W 110mm x H 203mm x D 109mm
CED6240S	Diablo Square Direct	Down	120°	500Lm	7W	W 110mm x H 150mm x D 109mm
CED6240R	Diablo Round Direct	Down	120°	460Lm	7W	W 110mm x H 150mm x D 109mm



LED Exterior Wall Light Ostro Range

Create a subtle spill of light across steps & along pathways

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

- Die-cast aluminium
- Polycarbonate lens
- Non dimmable

Performance:

- Field Angle: Outward
- Colour Temperature: 4000K Cool White

Applications:

Ideal light for steps, seating areas and along pathways



Ostro Square Recessed
CBL6440



Ostro Surface Mounted
CBL6485



Ostro Recessed
CBL6480



Ostro Vertical Recessed
CBL6420

Code	Name	Colour	Beam	Lumen	Wattage	Dimension (mm)
CBL6485	Ostro Surface Mounted	Graphite	44°	330Lm	14W	W 265mm x H 120mm x D 79mm
CBL6480	Ostro Recessed	Graphite	44°	330Lm	14W	W 265mm x H 120mm x D 79mm
CBL6440	Ostro Square Recessed	Graphite	31°	300Lm	19W	W 245mm x H 239mm x D 106mm
CBL6420	Ostro Vertical Recessed	Grey	70°	22Lm	1W	W 80mm x H 200mm x D 27mm

IIW LED Exterior Wall Light Lodos Brick Light Range

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

Applications:

Ideal light for steps, seating areas and along pathways

Performance:

- Field angle: Outward
- Wall Recessed
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Frosted tempered glass
- Non dimmable



Lodos Open Recessed - Black
CBL6280B



Lodos Open Recessed - Silver
CBL6280S



Lodos Grill Recessed
CBL6260B



Lodos Asym Recessed
CBL6240B



Code	Name	Colour	Beam	Lumen	Wattage	Dimension
CBL6280B	Lodos Open Recessed	Black	70°	460Lm	11W	W 233mm x H 83mm x D 108mm
CBL6280S	Lodos Open Recessed	Silver	70°	460Lm	11W	W 233mm x H 83mm x D 108mm
CBL6260B	Lodos Grill Recessed	Black	60°	250Lm	11W	W 233mm x H 83mm x D 108mm
CBL6240B	Lodos Asym Recessed	Black	45°	95Lm	11W	W 233mm x H 83mm x D 108mm



11W LED Exterior Wall light Kali Spot

Enhance outdoor facades & entertaining spaces with this minimalistic yet powerful LED wall light with adjustable spot.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP54

Performance:

- Wattage: 11W
- Field angle: Outward
- Beam angle: 108°
- 840 Lumen output
- Surface Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Tempered glass
- Non dimmable

Applications:

Ideal for accentuating outdoor spaces



Code	Name	Dimension (mm)
CED8320	Kali Spot	Ø 94mm x D 90mm



8W LED Exterior Wall light Santana Lantern

Use a lantern light to highlight a wall texture and outdoor space.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP44

Performance:

- Wattage: 8W
- Field Angle: Surround
- Beam angle: 75°
- 420 Lumen output
- Wall Mounted
- Colour Temperature: 4000K Cool White
- Die-cast aluminium
- Polycarbonate lens
- Non dimmable

Applications:

Outdoor living spaces, building & wall facades



Code	Name	Dimension (mm)
CED7150	Santana Lantern	W 145mm x H 243mm x D 173mm

9W LED Exterior Wall Light Alisio Lantern

From this traditional lantern design, spills a warm glow of light, creating a welcoming setting.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP44

Performance:

- Wattage: 9W
- Field angle: Surround
- Beam angle: 75°
- 460 Lumen output
- Wall Mounted
- Colour Temperature: 4000K Cool White
- Dark grey die-cast aluminium
- Tempered glass
- Non dimmable

Applications:

Outdoor living spaces, building & wall facades



Code	Name	Dimension (mm)
CED7110	Alisio Lantern	W 148mm x H 224mm x D 190mm



8W LED Exterior Inground Light Vienta Uplight Range

Compact in design & highly efficient, this light is perfectly suitable for decks & pathways.

Compliance:

- Voltage: 240V
- Ingress Protection Rating: IP67

Performance:

- Wattage: 8W
- Field angle: Upward 80°
- 500 Lumen output
- Installation: Inground
- Colour Temperature: 4000K Cool White
- Stainless steel
- Tempered glass
- Walk over only
- Non dimmable

Applications:

Landscaping, pathways & decks




Vienta Square Uplight
CIG7830



Vienta Round Uplight
CIG7860

Code	Name	Dimension (mm)
CIG7830	Vienta Square Uplight	W 110mm x H 110mm x D 50mm
CIG7860	Vienta Round Uplight	Ø 110mm x D 50.5mm



Pendant Range

Crompton 

Accord Pendant Range

Minimalist and classic pendant that is shaped for total flexibility of use within the home. The Accord looks great hung in a continuous line above a bench and is a perfect alternative to a bedside lamp.

Compliance:

- Voltage: 240V
- Globe not included
- Globe fitting: E27
- Must be installed by a licensed electrician
- Plaster reconstituted sandstone

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

Code	Type	Wattage	Dimension (mm)
CIDP608162	Accord Sandstone*	Max 25W	Ø 180mm x H 185mm
CIDP608161	Accord White	Max 40W	Ø 180mm x H 185mm

*Note: sandstone finish looks charcoal grey



Accord White
CIDP608161



Accord Sandstone
CIDP608162

3
Year
Warranty



Alana Pendant

The Crompton Alana pendant light comprises an edgy and unique design that will suit any modern home. The brass features of the Crompton Alana adds a touch of luxury to a room and would look perfect over a kitchen bench and ideal as a bedside lamp.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Plaster and wire trim

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

Code	Name	Dimension (mm)
CIDP408161	Alana Pendant	Ø 170mm x H 220mm



3
Year
Warranty



Alpha Pendant Range

Influenced by Danish aesthetics, the Alpha collection features three sculptural designs made from aluminium and timber. These simple understated lights are a perfect addition to a modern and contemporary space.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium, timber and copper look finish

Applications:

Create a dramatic statement by grouping the three designs together to maximise the style you want to achieve.

Alpha Light Drop
CIDP208162

Alpha Hat
CIDP208161

Alpha Cone
CIDP208163

3
Year
Warranty

Code	Name	Dimension (mm)
CIDP208162	Alpha Light Drop	Ø 235mm x H 410mm
CIDP208161	Alpha Hat	Ø 356mm x H 290mm
CIDP208163	Alpha Cone	Ø 185mm x H 420mm

Hattie Pendant

The Crompton Hattie pendant is simple and classic, yet full of personality and versatility. The Crompton Hattie pendant can be hung in a continuous line above a bench and also looks great over dining tables or in a reading area.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Plaster

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP600162	Hattie Pendant	Ø 250mm x H 165mm



Aspect Pendant Range

This white on white geometric pendant light range, is a stylish and simplistic addition to any space. The Scandi inspired design will compliment any décor style with its effortless and minimal look. This light would work nicely in a bedroom or bathroom setting to create the perfect ambience. The moulded geometric shapes add texture to a room to give in the wow factor it deserves.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Plaster

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Aspect Geo
CIDP404161



Aspect Hexagonal
CIDP611164

3
Year
Warranty

Code	Name	Dimension (mm)
CIDP404161	Aspect Geo	Ø 180mm x H 200mm
CIDP611164	Aspect Hexagonal	Ø 200mm x H 196mm

Billie Pendant Range

The Crompton Billie pendant features a classic design with a detailed wooden trim. The large bowl shade provides great ambient light for living and dining areas.

Compliance:

- Voltage: 240V
- Globe not included
- Globe fitting: E27
- Must be installed by a licensed electrician
- Plaster reconstituted sandstone and timber

Applications:

Perfect for use in the kitchen, living room, hallway and dining areas.



Billie Sandstone
CIDP603162

Billie White
CIDP603161

3
Year
Warranty

Code	Name	Wattage	Dimension (mm)
CIDP603162	Billie Sandstone*	Max 25W	Ø 350mm x H 237mm
CIDP603161	Billie White	Max 40W	Ø 350mm x H 237mm

*Note: sandstone finish looks charcoal grey



Bennie Bowl
CIDP114164

Bennie Round
CIDP103162

Bennie Cone
CIDP110164

3
Year
Warranty

Bennie Pendant Range

The Bennie collection features three sculptural designs made from aluminium and timber. These simple understated lights are a perfect addition to a modern and contemporary space.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium and timber

Applications:

Perfect for the kitchen, living rooms, bedroom and dining areas. Create a dramatic statement by grouping the three designs together to maximize the style you want to achieve.

Code	Name	Dimension (mm)
CIDP114164	Bennie Bowl	Ø 350mm x H 230mm
CIDP103162	Bennie Round	Ø 350mm x H 180mm
CIDP110164	Bennie Cone	Ø 250mm x H 260mm

Cylinder Pendant Range

The Cylinder pendant has a classic shape and neutral tone to complement any style of interior and colour palette. This pendant brings an urban edge to your décor with its texture and form.

Compliance:

- Voltage: 240V
- Globe fitting: E27
- Globe not included
- Must be installed by a licensed electrician
- Plaster reconstituted sandstone

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

Code	Name	Wattage	Dimension (mm)
CIDP607164	Cylinder Sandstone*	Max 25W	Ø 100mm x H 200mm
CIDP607163	Cylinder White	Max 40W	Ø 100mm x H 200mm

*Note: sandstone finish looks charcoal grey



Cylinder Sandstone
CIDP607164



Cylinder White
CIDP607163

3
Year
Warranty



Cubis Square
CIDP402161



Cubis Round
CIDP603163

3
Year
Warranty

Cubis Pendant Range

The traditional shapes, finished in crisp white offers a fresh and clean design that will work with any interior. Understated and beautiful lighting to complement both modern and classic interiors. These small and simple designs look great clustered over a benchtop, in a stairwell or used as bedside lighting.

Compliance:

- Voltage: 240V
- Globe fitting: GU10 / Max 35W
- Globe not included
- Must be installed by a licensed electrician
- Plaster

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

Code	Name	Dimension (mm)
CIDP402161	Cubis Square	W 70mm x D 70mm x H 250mm
CIDP603163	Cubis Round	Ø 70mm x H 250mm

Felix Pendant Range

The classic cylinder shape of the Felix pendant gives great direct downward light for use over workspaces such as kitchen benches and dining tables. Its minimalist design would suit any modern interior.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Felix White
CIDP107164



Felix Ebony
CIDP107165

3
Year
Warranty

Code	Name	Dimension (mm)
CIDP107164	Felix White	Ø 150mm x H 335mm
CIDP107165	Felix Ebony	Ø 150mm x H 335mm



Emmett Pendant

The Crompton Emmett pendant features sandstone cement with wooden detailing. The natural material compositions and soft yet clean lines of the Crompton Emmett pendant is perfect for either modern or traditional interior styles.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 25W
- Globe not included
- Must be installed by a licensed electrician
- Plaster reconstituted sandstone and timber

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

Code	Name	Dimension (mm)
CIDP600161	Emmett Pendant*	Ø 250mm x H 165mm

*Note: sandstone finish looks charcoal grey

3
Year
Warranty

Keli Pendant

The Crompton Keli pendant is striking, beautiful and versatile. The black metal shade with wooden detail emits a great ambient light. The Crompton Keli pendant looks perfect in a series or beautiful on its own.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium and timber

Applications:

Perfect for use in the kitchen, living room, hallway and dining areas.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP208164	Keli Pendant	Ø 200mm x H 155mm



Flux Pendant

A sleek cone shape pendant light in crisp white offers a fresh and clean design that will work with any interior. The Crompton Flux is a small and simple light that looks great clustered over a bench top, in a stairwell or used as bedside lighting. A minimal chic design that is flexible to your space without compromising on style.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 25W
- Globe not included
- Must be installed by a licensed electrician
- Plaster

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

Code	Name	Dimension (mm)
CIDP410162	Flux Pendant	Ø 165mm x H 290mm

3
Year
Warranty




Kitchen & Dining

If your dining area is open plan with your kitchen choose a pendant light for your dining table. It can segment your room and create a dining ambiance.

When installing a pendant a common rule is to ensure that the light rests 80cm above the dining table or bench. This creates a comfortable light and enough room to move around. You also have to ensure that the light is high enough that people won't walk into it.

Consider how you will create some softer or ambient lighting for an after dinner conversation.



Studio Pendant Range


The clean, neat and sleek designs are brought to life with the metal copper detail adding a touch of luxury to a room. Understated and beautiful lighting to complement both modern and classic interiors. Perfect for a statement piece in the kitchen, living & dining rooms, hallway and bedroom.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Plaster and wire

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Studio Cone
CIDP410161



Studio Cylinder
CIDP607161

3
Year
Warranty

Code	Name	Dimension (mm)
CIDP410161	Studio Cone	Ø 300mm x H 320mm
CIDP607161	Studio Cylinder	Ø 160mm x H 370mm



3
Year
Warranty

Titan Pendant

A factory inspired pendant light with a modern twist. This oversized black matt dome creates a bold statement to reflect a more refined industrial look. The Crompton Titan pendant has a minimal urban design, making it a versatile choice for kitchen bench space, dining room table or hanging in a hallway.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

Perfect for the kitchen, living room, hallway and dining areas.

Code	Name	Dimension (mm)
CIDP101161	Titan Pendant	Ø 280mm x H 350mm

Monte Pendant

The Crompton Monte pendant has an intricate detail with clean distinct lines making it both artistic and contemporary. It is a statement piece that would look great above a dining table or create wow factor in an entranceway.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Metal and fabric

Applications:

A statement piece perfect for the dining room, entranceway, living room or stairwell.



Code	Name	Dimension (mm)
CIDP103161	Monte Pendant	Ø 400mm x H 300mm

3
Year
Warranty



Aero Pendant

A unique urban design made of metal wire to create a striking look that will make heads turn. This edgy design is ideally suited to more modern interiors in a place where you want to make a statement.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Timber and wire

Applications:

Perfect for the living room, bedroom, hallway and dining areas.



'Get the
Industrial
look!'

Code	Name	Dimension (mm)
CIDP212161	Aero Pendant	Ø 390mm x H 150mm

3
Year
Warranty



Cast Pendant Range

These refined vintage style pendant lights are a charming addition to your interior. Elegant glass with highlights of bronze trim creates a minimal nostalgic charm to suit both modern and industrial looks.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Clear glass and metal finish

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Cast Bell
CIDP000161



Cast Bowl
CIDP003161

3
Year
Warranty

Code	Name	Dimension (mm)
CIDP000161	Cast Bell	Ø 150mm x H 155mm
CIDP003161	Cast Bowl	Ø 250mm x H 135mm



Brava Pendant Range

The Brava range captures a modern metallic look to create a stylish focal point in any space. The Brava range looks great with modern tones of greys, whites and blues.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium and timber

Applications:

Perfect for use in the kitchen, living room, hallway and dining areas.



Brava Bowl
CIDP203162



Brava Round
CIDP203161



Brava Cylinder
CIDP207161

Code	Name	Dimension (mm)
CIDP203162	Brava Bowl	Ø 200mm x H 155mm
CIDP203161	Brava Round	Ø 270mm x H 210mm
CIDP207161	Brava Cylinder	Ø 110mm x H 180mm

3
Year
Warranty

Phoenix Metal Pendant

The Crompton Phoenix pendant with its metal shade and decorative cage gives a distinct and edgy design to any interior. Its genuine industrial style is classic for use over a kitchen bench or dining area.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP112161	Phoenix Metal Pendant	Ø 400mm x H 120mm



Revolve Metal Pendant

The Crompton Revolve pendant is classic and strong in design and will charm any interior. Its simple composition of black and metal makes it a timeless choice of pendant.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Glass and aluminium

Applications:

Perfect for the kitchen, living room, hallway and dining areas.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP113161	Revolve Metal Pendant	Ø 410mm x H 160mm

Soho Cluster Pendant

This contemporary Crompton clustered pendant light illuminates luxury into any style of interior. The black and contrasted gold colour way creates a warm inviting glow ideal for setting the right mood in a dining room, bedroom or living space. A stylish design that grabs attention.

Compliance:

- Voltage: 240V
- Globe fitting: E14 / Max 4X40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

A statement piece perfect for the dining room, entranceway, living room or stairwell.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP209161	Soho Cluster Pendant	Ø 350mm x H 160mm



Anja Pendant Range

The organic shape of the Anja pendants compliments its natural woven string and metal materials. The soft formation of the shape combined with the woven finish add both texture and warmth to your space.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Woven raffia and PVC

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Anja Tear Drop
CIDP503163



Anja Round
CIDP503162

3
Year
Warranty

Code	Name	Dimension (mm)
CIDP503163	Anja Tear Drop	Ø 300mm x H 380mm
CIDP503162	Anja Round	Ø 430mm x H 310mm



Bailey Pendant

The Crompton Bailey pendant adds a natural touch to any room. Beautifully constructed from wood, it sheds cascading light over your surroundings, casting unique shadows that illuminate your sophisticated and simple style.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Reconstituted timber

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP500162	Bailey Pendant	Ø 355mm x H 380mm

Lunix Pendant

An intriguing organic design made with woven fibres to create natural and relaxed feel to a space. The discus shape gives the light a contemporary edge that will work well with both classic and modern styles.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Rattan, fabric and timber look finish

Applications:

Perfect for the living room, bedroom, hallway and dining areas.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP503161	Lunix Pendant	Ø 480mm x H 200mm

Rubus Pendant

This rectangular woven pendant light creates a warm natural vibe to suit a more relaxed, transitional space. The etched rattan design radiates a soft glow that is perfect for a modern beach house to reflect a more simple rustic style.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Rattan and fabric

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



Code	Name	Dimension (mm)
CIDP502161	Rubus Pendant	W 220mm x H 400mm x D 220mm

3
Year
Warranty



Husk Pendant Range

The Husk pendant range is sleek, contemporary and versatile. Hang the small or medium Husk pendant in a continuous line at a dining table or bench and a large Husk pendant makes a stunning statement on its own. The beauty and simplicity of this range makes it ideal for any room in your house.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.

Code	Name	Dimension (mm)
CIDP101166	Grey / Large	Ø 305mm x H 260mm
CIDP101164	Grey / Medium	Ø 220mm x H 207mm
CIDP101162	Grey / Small	Ø 160mm x H 162mm
CIDP101167	White / Large	Ø 305mm x H 260mm
CIDP101165	White / Medium	Ø 220mm x H 207mm
CIDP101163	White / Small	Ø 160mm x H 162mm

Simple yet
elegant
pendants



Husk Grey



Husk White

3
Year
Warranty



Mali Pendant Range

These Scandinavian inspired pendant lights are beautifully crafted from aluminum and wood. The vibrant duck egg blue contrasting with the natural oak finish is perfect for a relaxed modern look. The colours bring a sense of charm and personality to your space to complement both modern and classic styles.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 40W
- Globe not included
- Must be installed by a licensed electrician
- Aluminium and timber

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas. Create a dramatic statement by clustering pendants together or hanging at different heights.



Code	Name	Dimension (mm)
CIDP502162	Mali Bowl	Ø 175mm x H 105mm
CIDP507161	Mali Sculpture	Ø 180mm x H 173mm
CIDP508161	Mali Cone	Ø 125mm x H 190mm
CIDP508162	Mali Bell	Ø 175mm x H 105mm



Mali Bowl
CIDP502162

Mali Sculpture
CIDP507161

Mali Cone
CIDP508161

Mali Bell
CIDP508162

3
Year
Warranty



Polly Pendant

This 'on trend' designer light, in charcoal grey with timber highlight is a perfect go-to choice for any interior style. A simplistic and minimal design that is flexible to any space. Cluster this light to create an impact or use in a more subtle way in a guest bedroom or bathroom to set the right mood.

Compliance:

- Voltage: 240V
- Globe fitting: E27 / Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Plaster, timber and concrete look finish

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas. Create a dramatic statement by clustering pendants together or hanging at different heights.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP408162	Polly Pendant	Ø 180mm x H 330mm

Stucco Concrete Pendant

The natural and raw concrete in the Crompton Stucco pendant light is both striking and beautiful. This pendant adds both texture and form to your space and the neutral colour tones are perfect for modern interiors.

Compliance:

- Voltage: 240V
- Globe fitting: E2/Max 60W
- Globe not included
- Must be installed by a licensed electrician
- Plaster and concrete look finish

Applications:

Perfect for the kitchen, living room, bedroom, hallway and dining areas.



3
Year
Warranty

Code	Name	Dimension (mm)
CIDP403161	Stucco Concrete Pendant	Ø 300mm x H 360mm



11W Low Profile LED Downlight



The low profile design and 800 lumens of dimmable light, ideal for all living spaces.

Features

- Complies to the highest luminaire classification IC-4
- Low profile aluminium housing for strength and shallow form designed for maximum heat dissipation to ensure long life
- White finish
- Satin flush diffused front lens, soft appearance
- Complete with 1.2 metres flex & plug



Benefits

- Ergonomically designed wide blade solid springs are perfectly balanced to allow single handed install
- Low profile in the ceiling with remote driver
- Available in two colour temperature 3000K, 800 Lm; and 4000K, 830 Lm
- Superior thermal performance leading to a longer life
- IC-4 classification suitable for normal use when covered in building insulation

Product Code	Description	Watts	Voltage	IP	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Beam Angle	Dimmable**
CDL11W3	11W LED flush, diffused downlight Single	11W	240V	IP44	3000K	800Lm	73lm/W	Ø 105 x H 40	80+	100°	Yes**
CDL11W34PK	11W LED flush, diffused downlight 4 pack	11W	240V	IP44	3000K	800Lm	73lm/W	Ø 105 x H 40	80+	100°	Yes**
CDL11W310PK	11W LED flush, diffused downlight 10 pack	11W	240V	IP44	3000K	800Lm	73lm/W	Ø 105 x H 40	80+	100°	Yes**
CDL11W4	11W LED flush, diffused downlight Single	11W	240V	IP44	4000K	830Lm	75lm/W	Ø 105 x H 40	80+	100°	Yes**
CDL11W44PK	11W LED flush, diffused downlight 4 pack	11W	240V	IP44	4000K	830Lm	75lm/W	Ø 105 x H 40	80+	100°	Yes**
CDL11W410PK	11W LED flush, diffused downlight 10 pack	11W	240V	IP44	4000K	830Lm	75lm/W	Ø 105 x H 40	80+	100°	Yes**

*Actual product life may vary dependant upon frequency of maintenance and product application.

**Dimmable with approved dimmers, please refer to website for specifications.





LED A60 Frosted Range


Most commonly used light bulb, ideal for ceiling fittings and in table, wall and floor lamps.

LED A60 Frosted Range

Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Dimmable**
CLA66W65ES	LED A60 6W E27	6W	230-240V	ES/E27	6500K	500Lm	83lm/W	Ø 60 x H 110	80+	No
CLA66W3ES	LED A60 6W E27	6W	230-240V	ES/E27	3000K	470Lm	78lm/W	Ø 60 x H 110	80+	No
CLA66W65BC	LED A60 6W B22	6W	230-240V	BC/B22	6500K	500Lm	83lm/W	Ø 60 x H 108	80+	No
CLA66W3BC	LED A60 6W B22	6W	230-240V	BC/B22	3000K	470Lm	78lm/W	Ø 60 x H 108	80+	No
CLA610W65ES	LED A60 9.5W E27	9.5W	230-240V	ES/E27	6500K	806Lm	85lm/W	Ø 60 x H 110	80+	No
CLA610W3ES	LED A60 9.5W E27	9.5W	230-240V	ES/E27	3000K	806Lm	85lm/W	Ø 60 x H 110	80+	No
CLA610W65BC	LED A60 9.5W B22	9.5W	230-240V	BC/B22	6500K	806Lm	85lm/W	Ø 60 x H 108	80+	No
CLA610W3BC	LED A60 9.5W B22	9.5W	230-240V	BC/B22	3000K	806Lm	85lm/W	Ø 60 x H 108	80+	No
CLA612W65ES	LED A60 11.5W E27	11.5W	230-240V	ES/E27	6500K	1060Lm	92lm/W	Ø 60 x H 120	80+	No
CLA612W3ES	LED A60 11.5W E27	11.5W	230-240V	ES/E27	3000K	1060Lm	92lm/W	Ø 60 x H 120	80+	No
CLA612W65BC	LED A60 11.5W B22	11.5W	230-240V	BC/B22	6500K	1060Lm	92lm/W	Ø 60 x H 118	80+	No
CLA612W3BC	LED A60 11.5W B22	11.5W	230-240V	BC/B22	3000K	1060Lm	92lm/W	Ø 60 x H 118	80+	No
CLA69W65ESD	LED A60 8.5W E27	8.5W	230-240V	ES/E27	6500K	850Lm	100lm/W	Ø 60 x H 110	80+	Yes**
CLA69W3ESD	LED A60 8.5W E27	8.5W	230-240V	ES/E27	3000K	806Lm	94lm/W	Ø 60 x H 110	80+	Yes**
CLA69W65BCD	LED A60 8.5W B22	8.5W	230-240V	BC/B22	6500K	850Lm	100lm/W	Ø 60 x H 108	80+	Yes**
CLA69W3BCD	LED A60 8.5W B22	8.5W	230-240V	BC/B22	3000K	806Lm	94lm/W	Ø 60 x H 108	80+	Yes**


*Actual product life may vary dependant upon frequency of maintenance and product application.

**Dimmable with approved dimmers, please refer to website for specifications.



8.6W LED A60 Colour Temperature Changing


Most commonly used bulb, ideal for ceiling fittings and in table, wall and floor lamps.



LED A60 8.6W Colour Temperature Changing


Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Dimmable
CLA69WESCTC	LED A60 8.6W E27	8.6W	230-240V	ES/E27	2700K-6500K-mixed	806Lm	93lm/W	Ø 60 x H 120	80+	No
CLA69WBCCTC	LED A60 8.6W B22	8.6W	230-240V	BC/B22	2700K-6500K-mixed	806Lm	93lm/W	Ø 60 x H 120	80+	No

*Actual product life may vary dependant upon frequency of maintenance and product application.



9.2W LED A60 Switch To Dim


Most commonly used bulb, ideal for ceiling fittings and in table, wall and floor lamps.



LED A60 9.2W Switch To Dim

Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Dimmable
CLA69W3ESDFD	LED A60 9.2W E27	9.2W	230-240V	ES/E27	3000K	850Lm	92lm/W	Ø 60 x H 120	80+	Switch Dimming

*Actual product life may vary dependant upon frequency of maintenance and product application.



Note: Not to be used on lighting circuits with external dimmer connected.

3.4W LED Fancy Round Range



Ideal fit for table, wall and floor lamps.



3.4W LED Fancy Round Range

Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Dimmable
CLFR3W65SESF	LED Fancy Round 3.4W E14 Frosted	3.4W	230-240V	SES/E14	6500K	270Lm	79lm/W	Ø 45 x H 78	80+	No
CLFR3W3SESF	LED Fancy Round 3.4W E14 Frosted	3.4W	230-240V	SES/E14	3000K	250Lm	74lm/W	Ø 45 x H 78	80+	No
CLFR3W65SBCF	LED Fancy Round 3.4W B15 Frosted	3.4W	230-240V	SBC/B15	6500K	270Lm	79lm/W	Ø 45 x H 77	80+	No
CLFR3W3SBCF	LED Fancy Round 3.4W B15 Frosted	3.4W	230-240V	SBC/B15	3000K	250Lm	74lm/W	Ø 45 x H 77	80+	No
CLFR3W65ESF	LED Fancy Round 3.4W E27 Frosted	3.4W	230-240V	ES/E27	6500K	270Lm	79lm/W	Ø 45 x H 74	80+	No
CLFR3W3ESF	LED Fancy Round 3.4W E27 Frosted	3.4W	230-240V	ES/E27	3000K	250Lm	74lm/W	Ø 45 x H 74	80+	No
CLFR3W65BCF	LED Fancy Round 3.4W B22 Frosted	3.4W	230-240V	BC/B22	6500K	270Lm	79lm/W	Ø 45 x H 73	80+	No
CLFR3W3BCF	LED Fancy Round 3.4W B22 Frosted	3.4W	230-240V	BC/B22	3000K	250Lm	74lm/W	Ø 45 x H 73	80+	No
CLFR3W65SESC	LED Fancy Round 3.4W E14 Clear	3.4W	230-240V	SES/E14	6500K	270Lm	79lm/W	Ø 45 x H 78	80+	No
CLFR3W3SESC	LED Fancy Round 3.4W E14 Clear	3.4W	230-240V	SES/E14	3000K	250Lm	74lm/W	Ø 45 x H 78	80+	No
CLFR3W65SBCC	LED Fancy Round 3.4W B15 Clear	3.4W	230-240V	SBC/B15	6500K	270Lm	79lm/W	Ø 45 x H 77	80+	No
CLFR3W3SBCC	LED Fancy Round 3.4W B15 Clear	3.4W	230-240V	SBC/B15	3000K	250Lm	74lm/W	Ø 45 x H 77	80+	No
CLFR3W65ESC	LED Fancy Round 3.4W E27 Clear	3.4W	230-240V	ES/E27	6500K	270Lm	79lm/W	Ø 45 x H 74	80+	No
CLFR3W3ESC	LED Fancy Round 3.4W E27 Clear	3.4W	230-240V	ES/E27	3000K	250Lm	74lm/W	Ø 45 x H 74	80+	No
CLFR3W65BCC	LED Fancy Round 3.4W B22 Clear	3.4W	230-240V	BC/B22	6500K	270Lm	79lm/W	Ø 45 x H 73	80+	No
CLFR3W3BCC	LED Fancy Round 3.4W B22 Clear	3.4W	230-240V	BC/B22	3000K	250Lm	74lm/W	Ø 45 x H 73	80+	No

*Actual product life may vary dependant upon frequency of maintenance and product application.



LED MR16 & PAR16 Ranges

Provides directional lighting and are commonly used in track lighting, downlights and other spotlight fittings.



LED MR16 Range


Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Rated Voltage	Dimmable**
CMR166W3	LED MR16 6W GU5.3	6W	12V	GU5.3	3000K	450Lm	75lm/W	Ø 50 x H 45	80+	12V	No
CMR166W65	LED MR16 6W GU5.3	6W	12V	GU5.3	6500K	480Lm	80lm/W	Ø 50 x H 45	80+	12V	No

LED PAR16 Range

CP165W3	LED PAR16 4.8W GU10	4.8W	230-240V	GU10	3000K	370Lm	77lm/W	Ø 50 x H 45	80+	240V	No
CP165W65	LED PAR16 4.8W GU10	4.8W	230-240V	GU10	6500K	380Lm	79lm/W	Ø 50 x H 45	80+	240V	No
CP166W3D	LED PAR16 5.6W GU10	5.6W	230-240V	GU10	3000K	480Lm	84lm/W	Ø 50 x H 45	80+	240V	Yes**
CP166W65D	LED PAR16 5.6W GU10	5.6W	230-240V	GU10	6500K	500Lm	89lm/W	Ø 50 x H 45	80+	240V	Yes**

*Actual product life may vary dependant upon frequency of maintenance and product application.

**Dimmable with approved dimmers, please refer to website for specifications.



LED Candle Range

Ideal for chandeliers and also small wall, table and floor lamps.



LED Candle Range

Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Beam Angle	Dimmable**
CLC3W3SBCF	LED Candle 3.4W B15 Frosted	3.4W	230-240V	SBC/B15	3000K	250Lm	74lm/W	Ø 35 x H 101	80+	280°	No
CLC3W3SESF	LED Candle 3.4W E14 Frosted	3.4W	230-240V	SES/E14	3000K	250Lm	74lm/W	Ø 35 x H 102	80+	280°	No
CLC3W3BCF	LED Candle 3.4W B22 Frosted	3.4W	230-240V	BC/B22	3000K	250Lm	74lm/W	Ø 35 x H 96	80+	280°	No
CLC3W3ESF	LED Candle 3.4W E27 Frosted	3.4W	230-240V	ES/E27	3000K	250Lm	74lm/W	Ø 35 x H 98	80+	280°	No
CLC3W3SBCC	LED Candle 3.4W B15 Clear	3.4W	230-240V	SBC/B15	3000K	250Lm	74lm/W	Ø 35 x H 101	80+	240°	No
CLC3W3SESC	LED Candle 3.4W E14 Clear	3.4W	230-240V	SES/E14	3000K	250Lm	74lm/W	Ø 35 x H 102	80+	240°	No
CLC3W3BCC	LED Candle 3.4W B22 Clear	3.4W	230-240V	BC/B22	3000K	250Lm	74lm/W	Ø 35 x H 96	80+	240°	No
CLC3W3ESC	LED Candle 3.4W E27 Clear	3.4W	230-240V	ES/E27	3000K	250Lm	74lm/W	Ø 35 x H 98	80+	240°	No
CLC4W3SBCFD	LED Candle 3.8W B15 Frosted	3.8W	230-240V	SBC/B15	3000K	270Lm	71lm/W	Ø 38 x H 108	80+	280°	Yes**
CLC4W3SESF	LED Candle 3.8W E14 Frosted	3.8W	230-240V	SES/E14	3000K	270Lm	71lm/W	Ø 38 x H 110	80+	280°	Yes**
CLC4W3BCFD	LED Candle 3.8W B22 Frosted	3.8W	230-240V	BC/B22	3000K	270Lm	71lm/W	Ø 38 x H 108	80+	280°	Yes**
CLC4W3ESFD	LED Candle 3.8W E27 Frosted	3.8W	230-240V	ES/E27	3000K	270Lm	71lm/W	Ø 38 x H 108	80+	280°	Yes**
CLC4W3SBCCD	LED Candle 3.8W B15 Clear	3.8W	230-240V	SBC/B15	3000K	260Lm	68lm/W	Ø 38 x H 110	80+	230°	Yes**
CLC4W3SESCD	LED Candle 3.8W E14 Clear	3.8W	230-240V	SES/E14	3000K	260Lm	68lm/W	Ø 38 x H 110	80+	230°	Yes**
CLC4W3BCCD	LED Candle 3.8W B22 Clear	3.8W	230-240V	BC/B22	3000K	260Lm	68lm/W	Ø 38 x H 108	80+	230°	Yes**
CLC4W3ESCD	LED Candle 3.8W E27 Clear	3.8W	230-240V	ES/E27	3000K	260Lm	68lm/W	Ø 38 x H 108	80+	230°	Yes**


*Actual product life may vary dependant upon frequency of maintenance and product application.

**Dimmable with approved dimmers, please refer to website for specifications.



18W LED T8 Range

Provide task lighting, making them ideal for use over work areas.



18W LED T8 Range

Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Dimmable
CT818W4	LED T8 18W Cool White	18W	100-240V	G13	4000K	1600Lm	93lm/W	Ø 25.4 x H 1198	80+	No
CT818W65	LED T8 18W Day Light	18W	100-240V	G13	6500K	1600Lm	93lm/W	Ø 25.4 x H 1198	80+	No

*Actual product life may vary dependant upon frequency of maintenance and product application.



Note: D.I.Y only with Iron Core Magnetic Ballast Fixtures

8W LED R63

Provide directional lighting, making them ideal for use in spot or accent lighting occasions.

10W LED R80

Provide directional lighting, making them ideal for use in spot or accent lighting occasions. Commonly used in bathroom light fittings.




LED R63 8W

Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Dimmable
CR638W65ES	LED R63 8W E27	8W	230-240V	ES/E27	6500K	700Lm	88lm/W	Ø 63 x H 102	80+	No

LED R80 10W

CR8010W3ES	LED R80 10W E27	10W	230-240V	ES/E27	3000K	850Lm	85lm/W	Ø 80 x H 114	80+	No
CR8010W65ES	LED R80 10W E27	10W	230-240V	ES/E27	6500K	890Lm	89lm/W	Ø 80 x H 114	80+	No

*Actual product life may vary dependant upon frequency of maintenance and product application.



2.2W LED G4

Used in small light fixtures and appliance hoods.



2.3W LED G9

Used in small appliances, desk lamps and other small light fixtures.



LED G4 2.2W

Product Code	Description	Watts	Voltage	Base	Colour Temp (Kelvin)	Lumens	Lumens Per Watt	Dimensions (mm)	CRI	Beam Angle	Dimmable
CG42W3	LED G4 2.2W	2.2W	12V	G4	3000K	200Lm	91lm/W	Ø 16 x H 45	80+	300°	No

LED G9 2.3W

CG92W3	LED G9 2.3W	2.3W	230-240V	G9	3000K	200Lm	87lm/W	Ø 16 x H 48	80+	300°	No
--------	-------------	------	----------	----	-------	-------	--------	-------------	-----	------	----

*Actual product life may vary dependant upon frequency of maintenance and product application.






LAYER YOUR LIGHTS THE RIGHT WAY

Ambient, Accent, Task ... We explain it all!

So you've heard about the kitchen triangle? Well for 2017 it's all about light layering! Follow our Instagram (@cromptonau) to discover how to design with light in your home by utilising the three lighting layers – ambient, task and accent!

**So you know
about the kitchen
triangle...**



Ambient

Ambient lighting is considered the base level of lighting and makes a room more welcoming. It provides an area with overall illumination, with a comfortable level of brightness to see and walk about safely. Ambient lighting is typically provided by ceiling-mounted luminaires, providing light for general vision. Examples of ambient lighting include downlights, spotlights, oysters, batten-fix, pendants and also wall-mounted luminaires.



Task


Task Lighting is essential as it provides a direct source of light for a specific activity like reading, grooming, preparing food, doing homework and playing games. Ensuring adequate task lighting makes a work environment more pleasant, free of glare and shadows, and bright enough to prevent eye strain. Examples of task lighting include track lighting systems, spotlights, wall-mounted, pendants and under-cabinet luminaires.



Accent

Accent lighting adds drama to a room by creating visual interest. It can be used to draw the eye to items such as paintings and sculptures. It can also be used to highlight architectural design elements and outdoor landscaping. Accent lighting is often provided by downlights, under-cabinet luminaires, spotlights and track lighting systems.

Crompton



crompton.com.au



Follow us on Instagram @cromptonau

GERARD
L I G H T I N G