

### **BIG WHITE™ FILTER HOUSINGS**

Our large capacity Big White<sup>™</sup> Series Housings are manufactured with only FDA compliant, reinforced Polypropylenes. With our unique "Square Cut Gasket" seal, testing has been satisfactorily completed in accordance to WQA's Voluntary Standards S-300 Appendix D, under sections 3.1, 3.2, and 3.3.

Our Big White<sup>™</sup> Series Housings are available with 1/2", 3/4", 1", and 1-1/2" NPT caps. We also offer a 1" BSP (metric) inlet/outlet. All caps are standard stock items with a pressure relief button, however, caps without a pressure relief buttton are available as a specialty item upon request.

#### **EXTERNAL DIMENSIONS**

WP10-BW (1"):

7-1/4" x 13-1/2"

WP20-BW (1"):

 $7-\frac{1}{4}$ " x 23- $\frac{3}{4}$ "

WP10-BW (1- $\frac{1}{2}$ "): 7  $\frac{1}{4}$ " x 13- $\frac{7}{8}$ " WP20-BW (1- $\frac{1}{2}$ "): 7  $\frac{1}{4}$ " x 24- $\frac{1}{8}$ "

#### **INTERNAL DIMENSIONS**

WP10-BW: Will accommodate 9-3/4" and 9-7/8" x 4-1/2" cartridges

WP20-BW: Will accommodate 20" x 4-1/2" cartridges

(will accommodate Fibredyne, Ametek and KX Industries carbon filters)

#### MAXIMUM OPERATING PRESSURE

Both WP10-BW and WP20-BW: 125 psi

#### MAXIMUM TEMPERATURE

Both WP10-BW and WP20-BW: 125° F

#### **PACKAGING**

Both WP10-BW and WP20-BW housings are individually boxed, then master cartoned four units per master.

WP10-BW:

individual box dims:

(weight: 5-1/2 lbs)

WP10-BW:

master box dims:

7-3/8" x 7-3/8" x 14" 15-5/8" x 15-5/8" x 15"

(weight: 22 lbs)

WP20-BW:

individual box dims:

 $7-3/_8$ " x  $7-3/_8$ " x  $24-1/_4$ "

(weight: 8 lbs)

WP20-BW:

master box dims:

 $15^{-5}/_{8}$ " x  $15^{-5}/_{8}$ " x  $24^{-1}/_{2}$ " (weight: 32 lbs)

#### AVAILABLE ACCESSORIES FOR BIG WHITE™ HOUSINGS

**BW-FHWR:** 

Full Housing wrench, to make filter replacing a breeze and eliminate damage to the housing and your hands.

BWI:

White, powder coated, bracket kit with four mounting screws.


#### AVAILABLE FILTER CARTRIDGES

Polymicro®:

"Melt Blown" sediment filters, featuring Graded "Pore" Construction achieved through proprietary melt blown process. This unique process develops a cartridge with enormous quantities of progressively smaller pores without significantly increasing bulk density. Available in: 5, 10, 25, and 50 micron (nominal) ratings.

Pleated Filters:

All synthetic, cleanable and re-usable sediment filters. This product is fantastic for specific applications, such as for pools and spas. Being that this product is used in pools and spas, imagine how wonderful it will perform in your drinking water application. Available in: 5, 10, 20, and 50 micron (nominal) ratings.




# WHOLE HOUSE

SYSTEM

Wholehouse Large Heavy Duty Sediment Colour Taste and Odour Filter Housing






- \* Chlorine
- \* Ammonia
- \* Pesticides
- \* Herbicides
- \* Chloroform
- \* Algae
- \* Rust
- \* Dirt
- \* Taste
- \* Odour

\*Quick and easy cartridge replacement\*

### **BENEFITS:**

- · Can reduce impurtities down to as small as one micron.
- Extends the life of your household appliances and plumbing such as keep out abrasive dirt, sediment, rust and chlorine.
- 1" BSP connection for fast flow capacity.
- Quick and easy to install
- 2 year warranty
- Pressure relief button on housing makes for quick and easy cartridge replacement.



## **BIG WHITE**

## THE BIG WHITE FOR ALL YOUR FILTER NEEDS


## SPECIFICATIONS;

External Dimensions 13-1/2' Hx7-1/4'W

Internal Dimensions: Will accommodate

standard 9-3/4" and 9-7/8" cartridges.


Maximum Temperature: 125%F Maximum Pressure: 125 psi



### CARTRIDGES AVAILABLE

Pleated Washable Sediment Filters are available in:


- 1 Micron
- 5 Micron
- 20 Micron.
- 50 Micron
- 10 Micron String
- 5 Micron Carbon/Sediment
- 5 Micron G.A.G Carbon( Colour Taste Odour )




Pleated Washable Sediment




5 Micron Carbon Sediment



5 Micron G.A.G ( Colour Taste Odour )





10 Micron Carbon (Colour Taste Odour)